

INDICE / INDEX





<u>Abc</u>	01	<u>Disk</u>	70	<u>Moby</u>	119
<u>Acheo</u>	05	<u>Easy</u>	73	<u>Mood</u>	120
<u>Alco</u>	06	<u>Ellisse</u>	74	<u>Multiball</u>	122
<u>Angelica</u>	08	<u>Emily</u>	75	<u>Olivia</u>	130
<u>Atollo</u>	11	<u>Eva</u>	77	<u>Ombrella</u>	134
<u>Aura</u>	19	<u>Florinda</u>	79	<u>Orb 25</u>	137
<u>Baobab</u>	20	<u>Florinda Desnuda</u>	83	<u>Orb 40</u>	139
<u>Bolla</u>	22	<u>Futura lettera I</u>	86	<u>Ottovolante</u>	140
<u>Borsalina</u>	24	<u>Futura lettera Y</u>	87	<u>Quadrato</u>	144
<u>Campanone</u>	25	<u>Hammer</u>	88	<u>Rettangolo</u>	149
<u>Cilindro</u>	27	<u>Icaro</u>	94	<u>Rettangolo Slim</u>	154
<u>Coco'</u>	39	<u>Icaro ball</u>	98	<u>Reverse</u>	160
<u>Corner</u>	42	<u>Lost</u>	101	<u>Ring</u>	164
<u>Dejavù</u>	43	<u>Loto</u>	104	<u>Ring Tonda</u>	166
<u>Diogene</u>	46	<u>Lucilla</u>	108	<u>Romeo</u>	169
<u>Discovolante</u>	47	<u>Milleluci</u>	113		

Single suspension or on cluster composition with metal diffuser. Available in three different dimensions and in the following colours: white or two-coloured black, moka, pastel green, strawberry and orange-yellow.
 Floor lamp in one size.

Symbol index  → • / present - / absent OD / On Demand

A B C

Suspension lamp A single complete


DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Suspension lamp white	1 x dichroic GU10 28W	• - IP20	AAAESO012G41	215					
Suspension Deluxe	1 x dichroic GU10 28W	• - IP20	AAAESO012G42	260					



12cm
4.72"

Suspension lamp B single complete


Suspension lamp white	1 x dichroic GU10 28W	• - IP20	BBBESO017G41	215		
Suspension Deluxe	1 x dichroic GU10 28W	• - IP20	BBBESO017G42	260		



17cm
6.69"

Suspension lamp C single complete

Suspension lamp white	1 x dichroic GU10 28W	• - IP20	CCCESO022G41	215		
Suspension Deluxe	1 x dichroic GU10 28W	• - IP20	CCCESO022G42	260		




22cm
8.66"





Single suspension or on cluster composition with metal diffuser. Available in three different dimensions and in the following colours: white or two-coloured black, moka, pastel green, strawberry and orange-yellow.
 Floor lamp in one size.

Symbol index  → • / present - / absent OD / On Demand


A B C

Complete composition - 3 suspensions A + B + C




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white	3 x dichroic GU10 28W	•	-	IP20	ABCECM003G41	700					
Composition Deluxe	3 x dichroic GU10 28W	•	-	IP20	ABCECM003G42	855					

Suspension lamp A single for composition (without ceiling rose)



Suspension lamp white	1 x dichroic GU10 28W	•	-	IP20	AAAESO012G51	175					
Suspension Deluxe	1 x dichroic GU10 28W	•	-	IP20	AAAESO012G52	230					

Suspension lamp B single for composition (without ceiling rose)



Suspension lamp white	1 x dichroic GU10 28W	•	-	IP20	BBBESO017G51	175					
Suspension Deluxe	1 x dichroic GU10 28W	•	-	IP20	BBBESO017G52	230					





PRODUCTS: A B C
DESIGN: Roberto Paoli 2016


Single suspension or on cluster composition with metal diffuser. Available in three different dimensions and in the following colours: white or two-coloured black, moka, pastel green, strawberry and orange-yellow.
 Floor lamp in one size.

Symbol index  → • / present - / absent OD / On Demand

A B C


Suspension lamp C single for composition (without ceiling rose)

DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Suspension lamp white	1 x dichroic GU10 28W	• -	IP20	CCCESO022G51	175				
Suspension Deluxe	1 x dichroic GU10 28W	• -	IP20	CCCESO022G52	230				



Accessory

Ceiling plate for composition 3 suspensions (white)	ABCEAC036G00	170
---	---------------------	------------








Single suspension or on cluster composition with metal diffuser. Available in three different dimensions and in the following colours: white or two-coloured black, moka, pastel green, strawberry and orange-yellow.
 Floor lamp in one size.

Symbol index  → • / present - / absent OD / On Demand

A B C

Floor lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Floor lamp white	1 x E27 105W HES	•	- IP20	CCCEPT022G01	360						
Floor lamp Deluxe	1 x E27 105W HES	•	- IP20	CCCEPT022G02	430						

Accessory - Floor lamp




DIM switch universal HES + LED (5/250W)		DIMVAROPT003	60	
---	--	---------------------	-----------	--



Suspension with external shade in transparent PMMA. Inner shade in opal or coloured PC or washable fabric.

Symbol index  → • / present - / absent OD / On Demand

ACHEO

Suspension lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp H 50 - Inner shade in opal PC	1 x E27 70W HES	OD	OD	IP20	ACHESO050M01	430					
Suspension lamp H 100 - Inner shade in opal PC	1 x E27 70W HES	OD	OD	IP20	ACHESO100M01	505					
Suspension lamp H 150 - Inner shade in opal PC	1 x E27 70W HES	OD	OD	IP20	ACHESO150M01	605					
Suspension lamp H 50 - Inner shade in coloured PC	1 x E27 70W HES	OD	OD	IP20	ACHESO050M02	485					
Suspension lamp H 100 - Inner shade in coloured PC	1 x E27 70W HES	OD	OD	IP20	ACHESO100M02	545					
Suspension lamp H 150 - Inner shade in coloured PC	1 x E27 70W HES	OD	OD	IP20	ACHESO150M02	645					
Suspension lamp H 50 - Inner shade in washable fabric	1 x E27 70W HES	OD	OD	IP20	ACHESO050T01	495					
Suspension lamp H 100 - Inner shade in washable fabric	1 x E27 70W HES	OD	OD	IP20	ACHESO100T01	555					
Suspension lamp H 150 - Inner shade in washable fabric	1 x E27 70W HES	OD	OD	IP20	ACHESO150T01	670					

Oversize suspension or ceiling lamp. Semicircular elements covered by the top-rated Kvadrat fabric. Colours as per our samples chart.
 Removable and washable fabric cover.

Symbol index  → • / present - / absent OD / On Demand

ALCO


Large suspension lamp - D. 90

DESCRIPTION

Kvadrat-fabric NO DIM

LIGHT BULB

3 x pannel LED 12W 2800K
 (3x 1110 lm)



INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
•	-	IP20	ALCESO090I01	3.045						

Price increase for version:

DIM DALI / switch DIM


ALCED1090I00

385

Large ceiling lamp - D. 90

Kvadrat-fabric NO DIM

3 x pannel LED 12W 2800K
 (3x 1110 lm)



•	-	IP20	ALCEPL090I01	3.125					
---	---	------	--------------	-------	--	--	--	--	--

Price increase for version:

DIM DALI / switch DIM

ALCED1090I00

385

PRODUCTS: Alco
DESIGN: Roberto Paoli 2017

Oversize suspension or ceiling lamp. Semicircular elements covered by the top-rated Kvadrat fabric. Colours as per our samples chart.
 Removable and washable fabric cover.

Symbol index  → • / present - / absent OD / On Demand

ALCO

Maxi suspension lamp - D. 120

DESCRIPTION

LIGHT BULB



IP

CODE

€ EURO



IP

CODE

€ EURO

Kvadrat-fabric NO DIM

3 x pannel LED 18W 2800K
(3x 1660 lm)


•

-

IP20

ALCESO120I01

3.690



Price increase for version:

DIM DALI / switch DIM

ALCED1120I00

360

Maxi ceiling lamp - D. 120

Kvadrat-fabric NO DIM

3 x pannel LED 18W 2800K
(3x 1660 lm)


•

-

IP20

ALCEPL120I01

3.770



Price increase for version:

DIM DALI / switch DIM

ALCED1120I00


360

Floor lamp with cantilever arm (adjustable in 2 positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted metal structure. Lampshade available in cotton fabric in the same colour as the metal structure, or available in lycra or washable fabric. Cotton lampshade available in different colours with a price increase of 3%.

Symbol index   → • / present - /absent OD / On Demand

ANGELICA

Wall lamp - L 120 x H 80




DESCRIPTION

LIGHT BULB

INDOOR							OUTDOOR			
		IP	CODE	€ EURO			IP	CODE	€ EURO	
OD	-	IP20	ANGEAP135C01	635						
OD	-	IP20	ANGEAP135C02	635						
OD	-	IP20	ANGEAP135T01	670						
OD	-	IP20	ANGEAP135T02	670						
OD	-	IP20	ANGEAP135L01	695						
OD	-	IP20	ANGEAP135L02	695						

Wall lamp - L 170 x H 90




OD	-	IP20	ANGEAP180C01	655					
OD	-	IP20	ANGEAP180C02	655					
OD	-	IP20	ANGEAP180T01	690					
OD	-	IP20	ANGEAP180T02	690					
OD	-	IP20	ANGEAP180L01	725					
OD	-	IP20	ANGEAP180L02	725					

PRODUCTS: Angelica
DESIGN: Paolo Grasselli/ Modoluce R&D 2011





Floor lamp with cantilever arm (adjustable in 2 positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted metal structure. Lampshade available in cotton fabric in the same colour as the metal structure, or available in lycra or washable fabric. Cotton lampshade available in different colours with a price increase of 3%.

Symbol index  → • / present - / absent OD / On Demand

ANGELICA




Wall lamp - L.200 x H 96

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp white L.200 - white cotton fabric	1 x E27 25W	OD	-	IP20	ANGEAP200C01	665					
Wall lamp black L.200 - black cotton fabric	1 x E27 25W	OD	-	IP20	ANGEAP200C02	665					
Wall lamp white L.200 - washable fabric	1 x E27 25W	OD	-	IP20	ANGEAP200T01	700					
Wall lamp black L.200 - washable fabric	1 x E27 25W	OD	-	IP20	ANGEAP200T02	700					
Wall lamp white L.200 - white cotton fabric + lycra	1 x E27 25W	OD	-	IP20	ANGEAP200L01	735					
Wall lamp black L.200 - white cotton fabric + lycra	1 x E27 25W	OD	-	IP20	ANGEAP200L02	735					

Accessory - Wall lamp

Fixing accessory for wall lamp - white	•	-	IP20	DEJEAR000G01	105					
Fixing accessory for wall lamp - black	•	-	IP20	DEJEAR000G02	105					








Floor lamp with cantilever arm (adjustable in 2 positions) and wall lamp (on the axis 160° rotating). Embossed white or black painted metal structure. Lampshade available in cotton fabric in the same colour as the metal structure, or available in lycra or washable fabric. Cotton lampshade available in different colours with a price increase of 3%.


Symbol index  → • / present - /absent OD / On Demand

ANGELICA

Floor lamp
 L 175/210 x H 200/230



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white - white cotton fabric	1 x E27 25W	OD	-	IP20	ANGEPT230C01	1.125					
Floor lamp black - black cotton fabric	1 x E27 25W	OD	-	IP20	ANGEPT230C02	1.125					
Floor lamp white - washable fabric	1 x E27 25W	OD	-	IP20	ANGEPT230T01	1.180					
Floor lamp black - washable fabric	1 x E27 25W	OD	-	IP20	ANGEPT230T02	1.180					
Floor lamp white - white cotton fabric + lycra	1 x E27 25W	OD	-	IP20	ANGEPT230L01	1.210					
Floor lamp black - white cotton fabric + lycra	1 x E27 25W	OD	-	IP20	ANGEPT230L02	1.210					



Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.



White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**





OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - /absent OD / On Demand

ATOLLO

Suspension lamp - ø 70



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With connection 1 steel cable	6 x E27 42W HES	•	-	IP31	ATIESO070D01	930	•	-	IP65	ATOESO070D01	1.005
With 3 steel cables	6 x E27 42W HES	•	-	IP31	ATIESO070D02	915	•	-	IP65	ATOESO070D02	995
With connection 1 steel cable NO DIM	LED 49,2W warm white (7320 lm)	•	-	IP31	ATIESO070D41	1.300	•	-	IP65	ATOESO070D41	1.345
With 3 steel cables NO DIM	LED 49,2W warm white (7320 lm)	•	-	IP31	ATIESO070D42	1.290	•	-	IP65	ATOESO070D42	1.335
With connection 1 steel cable DIM DALI/ switch DIM	LED 49,2W warm white (7320 lm)	•	-	IP31	ATIESO070D43	1.620					
With 3 steel cables DIM DALI/ switch DIM	LED 49,2W warm white (7320 lm)	•	-	IP31	ATIESO070D44	1.610					

Accessory for suspension ø 70	Inner fitting with spotlights	3 x dichroic GU10 50W	•	-	IP20	ATIEAF070G02	285				
--------------------------------------	-------------------------------	-----------------------	---	---	------	--------------	-----	--	--	--	--



Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.


White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**





OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.


Symbol index  → • / present - /absent OD / On Demand

ATOLLO

Suspension lamp - ø 100



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
With connection 1 steel cable	8 x E27 42W HES	•	-	IP31	ATIESO100D01	1.220	•	-	IP65	ATOESO100D01	1.345
With 4 steel cables	8 x E27 42W HES	•	-	IP31	ATIESO100D02	1.210	•	-	IP65	ATOESO100D02	1.300
With connection 1 steel cable NO DIM	LED 65,6W warm white (9760 lm)	•	-	IP31	ATIESO100D41	1.715	•	-	IP65	ATOESO100D41	1.830
With 4 steel cables NO DIM	LED 65,6W warm white (9760 lm)	•	-	IP31	ATIESO100D42	1.705	•	-	IP65	ATOESO100D42	1.805
With connection 1 steel cable DIM DALI/ switch DIM	LED 65,6W warm white (9760 lm)	•	-	IP31	ATIESO100D43	2.035					
With 4 steel cables DIM DALI/ switch DIM	LED 65,6W warm white (9760 lm)	•	-	IP31	ATIESO100D44	2.025					
Accessory for suspension ø 100	Inner fitting with spotlights										
					3 x dichroic GU10 50W		•	-	IP20	ATIEAF100G02	320



Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.



White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**





OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - /absent OD / On Demand

ATOLLO

Suspension lamp - ø 150



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
With connection 1 steel cable	12 x E27 42W HES	•	-	IP31	ATIESO150D01	2.205	•	-	IP65	ATOESO150D01	2.365
With 4 steel cables	12 x E27 42W HES	•	-	IP31	ATIESO150D02	2.185	•	-	IP65	ATOESO150D02	2.340
With connection 1 steel cable NO DIM	LED 98,4W warm white (14.640 lm)	•	-	IP31	ATIESO150D41	2.990	•	-	IP65	ATOESO150D41	3.150
With 4 steel cables NO DIM	LED 98,4W warm white (14.640 lm)	•	-	IP31	ATIESO150D42	2.970	•	-	IP65	ATOESO150D42	3.130
With connection 1 steel cable DIM DALI/ switch DIM	LED 98,4W warm white (14.640 lm)	•	-	IP31	ATIESO150D43	3.490					
With 4 steel cables DIM DALI/ switch DIM	LED 98,4W warm white (14.640 lm)	•	-	IP31	ATIESO150D44	3.470					

Accessory for suspension ø 150


Inner fitting with spotlights

6 x dichroic GU10 50W

• - IP20

ATIEAF150G02

685



Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.


White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**



OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - /absent **OD** / On Demand


ATOLLO

Wall/ceiling lamp - ø 70



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Wall/ceiling lamp	6 x E27 28W HES	•	-	IP31	ATIEAP070D01	1.050	•	-	IP65	ATOEAP070D01	1.085
Wall/ceiling lamp NO DIM	LED 49,2W warm white (7320 lm)	•	-	IP31	ATIEAP070D41	1.420	•	-	IP65	ATOEAP070D41	1.430
Wall/ceiling lamp DIM DALI/switch DIM	LED 49,2W warm white (7320 lm)	•	-	IP31	ATIEAP070D42	1.740					

Wall/ceiling lamp - ø 100



Wall/ceiling lamp	8 x E27 28W HES	•	-	IP31	ATIEAP100D01	1.390	•	-	IP65	ATOEAP100D01	1.455
Wall/ceiling lamp NO DIM	LED 65,6W warm white (9760 lm)	•	-	IP31	ATIEAP100D41	1.875	•	-	IP65	ATOEAP100D41	1.940
Wall/ceiling lamp DIM DALI/switch DIM	LED 65,6W warm white (9760 lm)	•	-	IP31	ATIEAP100D42	2.185					

Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.



White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**





OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index   → • / present - / absent **OD** / On Demand

ATOLLO

Wall/ceiling lamp - ø 150



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Wall/ceiling lamp	12 x E27 28W HES	•	-	IP31	ATIEAP150D01	2.380	•	-	IP65	ATOEAP150D01	2.490
Wall/ceiling lamp NO DIM	LED 98,4W warm white (14.640 lm)	•	-	IP31	ATIEAP150D41	3.165	•	-	IP65	ATOEAP150D41	3.275
Wall/ceiling lamp DIM DALI/switch DIM	LED 98,4W warm white (14.640 lm)	•	-	IP31	ATIEAP150D42	3.665					

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009


Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.

White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**


OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


ATOLLO	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR					
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Lighted pouf - ø 70 (1 leg)	Lighted pouf	6 x E27 28W HES	•	-	IP31	ATIEPF070D01	1.400	•	-	44/65	ATOEPF070D01	1.510



Lighted table - ø 70 (1 leg)	With top	6 x E27 28W HES	•	-	IP31	ATIETP070D01	1.400	•	-	44/65	ATOETP070D01	1.510
------------------------------	----------	-----------------	---	---	------	--------------	-------	---	---	-------	--------------	-------












Lighted table - ø 70 (1 leg)	With tray	6 x E27 28W HES	•	-	IP31	ATIETP070D02	1.280	•	-	44/65	ATOETP070D02	1.385
------------------------------	-----------	-----------------	---	---	------	--------------	-------	---	---	-------	--------------	-------



PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009

Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.
 White polyethylene shade. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**
OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand

ATOLLO	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
	Lighted pouf - ø 70 (3 sled legs)	Lighted pouf	6 x E27 28W HES	• - IP31	ATIEPF070D21	1.265	• - 44/65	ATOEPF070D21	1.375	
										
	Lighted table - ø 70 (3 sled legs)	With top	6 x E27 28W HES	• - IP31	ATIETP070D07	1.240	• - 44/65	ATOETP070D07	1.345	
										
	Lighted table - ø 70 (3 sled legs)	With tray	6 x E27 28W HES	• - IP31	ATIETP070D08	1.115	• - 44/65	ATOETP070D08	1.220	
										
	Accessory for table ø 70	Top with handles		IP65	ATIEPM070G01	275				
										
	Accessory for table ø 70	Tray		OD - IP65	ATIEVS070G01	150				
										

PRODUCTS: Atollo
DESIGN: Paolo Grasselli 2009


Suspension, wall/ceiling lamp, small table, table, happy hour table and pouf.

White polyethylene shade. Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.


OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - /absent OD / On Demand


ATOLLO	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR					
			  IP	CODE	€ EURO	  IP	CODE	€ EURO				
Lighted pouff - ø 100	Sled feet	8 x E27 28W HES	•	-	IP31	ATIEPF100D11	1.765	•	-	44/65	ATOEPF100D11	1.905



Lighted table - ø 100	Sled feet	8 x E27 28W HES	•	-	IP31	ATIETA100D02	1.545	•	-	44/65	ATOETA100D02	1.685
-----------------------	-----------	-----------------	---	---	------	--------------	-------	---	---	-------	--------------	-------



Lighted seat - ø 150	Sled feet	12 x E27 28W HES	•	-	IP31	ATIEPA150D02	2.425	•	-	44/65	ATOEPA150D02	2.610
----------------------	-----------	------------------	---	---	------	--------------	-------	---	---	-------	--------------	-------




PRODUCTS: Aura
DESIGN: Alessandro De Clercq & Vincent Geoffroy-Dechaume 2014

Table lamp with base in natural or coloured on the mix concrete.
 Lampshade available in cotton fabric or hand-finished pleated or pleated ribbon fabric. Grey fabric wiring cable.
 Possible random micro-holes on the concrete base are a characteristic of the handmade manufacturing process and of this material, that makes each product a unique and unrepeatable piece

Symbol index → • / present - / absent OD / On Demand


AURA

Table lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Natural grey base cotton fabric	1 x E27 70W HES	OD	-	IP20	AURETA065C01	570					
Raw hemp base cotton fabric	1 x E27 70W HES	OD	-	IP20	AURETA065C03	570					
Natural grey base pleated fabric	1 x E27 70W HES	•	-	IP20	AURETA065P01	595					
Raw hemp base pleated fabric	1 x E27 70W HES	•	-	IP20	AURETA065P03	595					
Natural grey base pleated ribbon	1 x E27 70W HES	OD	-	IP20	AURETA065R01	615					
Raw hemp base pleated ribbon	1 x E27 70W HES	OD	-	IP20	AURETA065R03	615					

Accessory



Upper disc in opal PMMA	-	-	-	AUREPM000M01	95					
Upper disc in white PC	•	-	-	AUREPC000B01	105					

Accessory - Table and small table lamp

DIM switch universal HES (40/160W) + LED (4/100W)

DIMVAR0TA002

40








Suspension and floor lamp with 3 or 6 arms.
 Metal structure: painted white, sand, sage green and special finishes lead grey, copper, brass.

Symbol index  → • / present - / absent OD / On Demand


BAOBAB

Suspension with 3 arms - D.80 x h 80 cm



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension with 3 arms white	3x E27 Globo 125 42W	•	-	IP20	BAOESO003G01	745					
Suspension with 3 arms Deluxe	3x E27 Globo 125 42W	•	-	IP20	BAOESO003G02	960					
Accessory: 3 x E27 glass filament Globe 125 bulbs LED 4W 2300K (DIM)					LMPLEDE27KIT300	130					

Suspension with 6 arms - D.80 x h 100 cm









Suspension with 6 arms white	6x E27 Globo 125 42W	•	-	IP20	BAOESO006G01	1.065					
Suspension with 6 arms Deluxe	6x E27 Globo 125 42W	•	-	IP20	BAOESO006G02	1.375					
Accessory: 6 x E27 glass filament Globe 125 bulbs LED 4W 2300K (DIM)					LMPLEDE27KIT600	260					

PRODUCTS: Baobab
DESIGN: Paolo Grasselli 2017

Suspension and floor lamp with 3 or 6 arms.
 Metal structure: painted white, sand, sage green and special finishes lead grey, copper, brass.

Symbol index  → • / present - / absent OD / On Demand

BAOBAB

	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
 <p>195 cm 76.77"</p> <p>16 cm 6.29"</p> <p>80 cm 31.5"</p>	Floor lamp white	3x E27 Globo 125 42W	•	-	IP20	BAOEPT195G01	995			
	Floor lamp Deluxe	3x E27 Globo 125 42W	•	-	IP20	BAOEPT195G02	1.210			
	Accessory: 3 x E27 glass filament Globe 125 bulbs LED 4W 2300K (DIM)						LMPLEDE27KIT300	130		
 <p>200 cm 78.74"</p> <p>16 cm 6.29"</p> <p>80 cm 31.5"</p>	Floor lamp white	6x E27 Globo 125 42W	•	-	IP20	BAOEPT200G01	1.290			
	Floor lamp Deluxe	6x E27 Globo 125 42W	•	-	IP20	BAOEPT200G02	1.615			
	Accessory: 6 x E27 glass filament Globe 125 bulbs LED 4W 2300K (DIM)						LMPLEDE27KIT600	260		
Accessory - Floor lamp	DIM switch universal HES + LED (5/250W)					DIMVAROPT003	60			








Suspension in transparent PMMA. Inner shade in in opal or coloured PC in orange or red, cotton or washable fabric or in handfinished pleated or pleated ribbon fabric.
 Outer globe also available in clear polycarbonate too, in accordance with the CL1 (650°) fire normative, with a price increase of 30%

Symbol index  → • / present - / absent OD / On Demand


BOLLA

Medium suspension lamp - ø 40



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Opal PC	1 x E27 42W HES	OD	OD	IP20	BOLESO040M01	415					
Coloured PC	1 x E27 42W HES	OD	OD	IP20	BOLESO040M02	460					
Cotton fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO040C01	390					
Washable fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO040T01	410					
Pleated fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO040P01	460					
Pleated ribbon	1 x E27 42W HES	OD	OD	IP20	BOLESO040R01	470					

Large suspension lamp - ø 50




Opal PC	1 x E27 42W HES	OD	OD	IP20	BOLESO050M01	525					
Coloured PC	1 x E27 42W HES	OD	OD	IP20	BOLESO050M02	565					
Cotton fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO050C01	480					
Washable fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO050T01	510					
Pleated fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO050P01	550					
Pleated ribbon	1 x E27 42W HES	OD	OD	IP20	BOLESO050R01	565					





Suspension in transparent PMMA. Inner shade in in opal or coloured PC in orange or red, cotton or washable fabric or in handfinished pleated or pleated ribbon fabric.
 Outer globe also available in clear polycarbonate too, in accordance with the CL1 (650°) fire normative, with a price increase of 30%

Symbol index  → • / present - / absent OD / On Demand

BOLLA

Maxi suspension lamp - ø 60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Opal PC	1 x E27 42W HES	OD	OD	IP20	BOLESO060M01	645					
Coloured PC	1 x E27 42W HES	OD	OD	IP20	BOLESO060M02	685					
Cotton fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO060C01	615					
Washable fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO060T01	650					
Pleated fabric	1 x E27 42W HES	OD	OD	IP20	BOLESO060P01	690					
Pleated ribbon	1 x E27 42W HES	OD	OD	IP20	BOLESO060R01	710					

PRODUCTS: Borsalina
DESIGN: Francesca Smiraglia 2016

*INDOOR and OUTDOOR small table lamp with white or coloured on the mix polyethylene diffuser.
 Power supply or rechargeable version LED RGB+white available. Handle in different materials.*

Symbol index → • / present - / absent OD / On Demand

BORSALINA

Small table lamp


DESCRIPTION

Small table lamp
 rechargeable complete with batteries,
 battery charger + remote control.

LIGHT BULB











1x Kit LED RGB + WHITE 6,4W

INDOOR				OUTDOOR			
IP	CODE	€ EURO	IP	CODE	€ EURO		
•	-		•	IP65 BOOETP030D12	350		



Suspension, small table, table or pouf. Floor lamp available with power supply or rechargeable LED-KIT RGB+white.
 White or colored shade in polyethylene in the following colours: orange, red, lime, petrol and anthracite.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand








CAMPANONE	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR					
			  IP	CODE	€ EURO	  IP	CODE	€ EURO				
Suspension - with plex  33cm / 12.99" 36cm / 14.17" 200cm / 78.74"  51cm / 20.01" 45cm / 17.72" 200cm / 78.74"	Medium suspension lamp	1 x E27 42W HES	OD	OD	IP20	CAIESO033D01	320	OD	OD	IP65	CAOESO033D02	395
	Maxi suspension lamp	1 x E27 70W HES	OD	OD	IP20	CAIESO051D01	435	OD	OD	IP65	CAOESO051D02	515
Floor lamp with power supply  33cm / 12.99" 42cm / 16.54"  51cm / 20.08" 51cm / 20.08"	Medium floor lamp	1 x E27 42W HES	•	-	IP65	CAOETP033D03	350	•	-	IP65	CAOETA051D03	435
	Maxi floor lamp	1 x E27 70W HES	•	-	IP65	CAOETA051D03	435	•	-	IP65	CAOETA051D03	435
Floor lamp rechargeable  33cm / 12.99" 42cm / 16.54"  51cm / 20.08" 51cm / 20.08"	Medium floor lamp	1 x Kit LED + WHITE 6,4W	•	-	IP65	CAOETP033D13	545	•	-	IP65	CAOETA051D13	605
	Maxi floor lamp	1 x Kit LED + WHITE 6,4W	•	-	IP65	CAOETA051D13	605	•	-	IP65	CAOETA051D13	605

PRODUCTS: Campanone
DESIGN: Paolo Grasselli 2005

Suspension, small table, table or pouf. Floor lamp available with power supply or rechargeable LED-KIT RGB+white.
 White or colored shade in polyethylene in the following colours: orange, red, lime, petrol and anthracite.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index   → • / present - /absent OD / On Demand





CAMPANONE


	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR					
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Small table 	Basic	1 x E27 28W HES	•	-	IP31	CAIETP033D01	300	•	-	IP44	CAOETP033D01	305
	With opal plex	1 x E27 28W HES	-	-	IP31	CAIETP033D02	335					
	Basic	1 x E27 28W HES			IP20			•	-	IP65	CAOETP033D02	315
Table 	Table	1 x E27 42W HES	•	-	IP31	CAIETA051D01	405	•	-	IP44	CAOETA051D01	430
	Table	1 x E27 42W HES			IP20			•	-	IP65	CAOETA051D02	440
Accessory 	Top in opal plex for small table		-	-	-	CAIEPO033F01	45					
	Top in white polycarbonate for table		•	-	-	ALIEPC055B01	100					

Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.


Symbol index   → • / present - / absent OD / On Demand

CILINDRO

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Suspension lamp - ø 60 without plex	1 light cotton fabric	1 x E27 70W HES	OD	OD	IP20	CILESO060C01	360				
	1 light washable fabric	1 x E27 70W HES	OD	OD	IP20	CILESO060T01	410				
	1 light cotton fabric+lycra	1 x E27 70W HES	OD	OD	IP20	CILESO060L01	425				
	1 light pleated fabric	1 x E27 70W HES	•	OD	IP20	CILESO060P01	480				
	1 light pleated ribbon	1 x E27 70W HES	OD	OD	IP20	CILESO060R01	500				



Suspension lamp - ø 60 with plex	1 light cotton fabric	1 x E27 70W HES	OD	OD	IP20	CILESP060C01	425				
	1 light washable fabric	1 x E27 70W HES	OD	OD	IP20	CILESP060T01	475				
	1 light cotton fabric+lycra	1 x E27 70W HES	OD	OD	IP20	CILESP060L01	495				
	3 lights cotton fabric	3 x E27 70W HES	OD	OD	IP20	CILESP060C02	515				
	3 lights washable fabric	3 x E27 70W HES	OD	OD	IP20	CILESP060T02	560				
	3 lights cotton fabric+lycra	3 x E27 70W HES	OD	OD	IP20	CILESP060L02	575				
	3 lights pleated fabric	3 x E27 70W HES	OD	OD	IP20	CILESP060P01	635				
	3 lights pleated ribbon	3 x E27 70W HES	OD	OD	IP20	CILESP060R01	650				








Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.


Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED


Suspension lamp - ø 60 with plex LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060C06	690					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060T06	745					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060L06	760					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060P05	810					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060R05	830					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060C08	775					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060T08	825					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060L08	840					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060P07	895					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP060R07	910					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON05P011	55					
Accessory	Top protective disk in microperforated fabric (CL1 flame retardant)	•	-	IP20	CILEPF060G01	140					



Accessory	Top protective disk in opal plex	OD	-	IP20	CILEPX060F01	115					
------------------	----------------------------------	----	---	------	--------------	-----	--	--	--	--	--








Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


CILINDRO

Suspension lamp - ø 70 without plex



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E27 70W HES	OD	OD	IP20	CILESO070C01	410					
1 light washable fabric	1 x E27 70W HES	OD	OD	IP20	CILESO070T01	515					
1 light cotton fabric+lycra	1 x E27 70W HES	OD	OD	IP20	CILESO070L01	520					
1 light pleated fabric	1 x E27 70W HES	•	OD	IP20	CILESO070P01	700					
1 light pleated ribbon	1 x E27 70W HES	OD	OD	IP20	CILESO070R01	740					

Suspension lamp - ø 70 with plex




1 light cotton fabric	1 x E27 105W HES	OD	OD	IP20	CILESP070C01	480					
1 light washable fabric	1 x E27 105W HES	OD	OD	IP20	CILESP070T01	580					
1 light cotton fabric+lycra	1 x E27 105W HES	OD	OD	IP20	CILESP070L01	590					
3 lights cotton fabric	3 x E27 70W HES	OD	OD	IP20	CILESP070C02	565					
3 lights washable fabric	3 x E27 70W HES	OD	OD	IP20	CILESP070T02	670					
3 lights cotton fabric+lycra	3 x E27 70W HES	OD	OD	IP20	CILESP070L02	675					
3 lights pleated fabric	3 x E27 70W HES	OD	OD	IP20	CILESP070P01	950					
3 lights pleated ribbon	3 x E27 70W HES	OD	OD	IP20	CILESP070R01	985					





Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Suspension lamp - ø 70 with plex LED (3950 lm)




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070C06	755					
1 light washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070T06	860					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070L06	865					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070P05	1.135					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070R05	1.170					
1 light cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070C08	855					
1 light washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070T08	955					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070L08	960					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070P07	1.230					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP070R07	1.270					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Accessory

Top protective disk in microperforated fabric (CL1 flame retardant)


• - IP20 CILEPF070G01 150



Accessory

Top protective disk in opal plex

OD - IP20 CILEPX070F01 165




PRODUCTS: Cilindro
DESIGN: Moduluce R&D 2002





Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO

Suspension lamp - ø 100 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 105W HES	OD	OD	IP20	CILESP100C01	950					
4 lights washable fabric	4 x E27 105W HES	OD	OD	IP20	CILESP100T01	1.060					
4 lights cotton fabric+lycra	4 x E27 105W HES	OD	OD	IP20	CILESP100L01	1.080					
4 lights pleated fabric	4 x E27 105W HES	OD	OD	IP20	CILESP100P01	1.565					
4 lights pleated ribbon	4 x E27 105W HES	OD	OD	IP20	CILESP100R01	1.610					





Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

CILINDRO LED

Suspension lamp - ø 100 with plex LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100C08	1.115					
1 light washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100T08	1.220					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100L08	1.245					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100P08	1.730					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100R08	1.775					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100C10	1.195					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100T10	1.305					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100L10	1.325					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100P10	1.815					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP100R10	1.855					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

PRODUCTS: Cilindro
DESIGN: Moduluce R&D 2002

Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO


Accessory

DESCRIPTION

Top protective disk in microperforated fabric (CL1 flame retardant)

LIGHT BULB


INDOOR						OUTDOOR			
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	-	IP20	CILEPF100G01	210					



Accessory

Top protective disk in opal plex

OD - IP20 CILEPX100F01 350




PRODUCTS: Cilindro
DESIGN: Modoluce R&D 2002

Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

CILINDRO

Suspension lamp - ø 120 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 105W HES	OD	OD	IP20	CILESP120C01	1.475					
4 lights washable fabric	4 x E27 105W HES	OD	OD	IP20	CILESP120T01	1.605					
4 lights cotton fabric+lycra	4 x E27 105W HES	OD	OD	IP20	CILESP120L01	1.615					
4 lights pleated fabric	4 x E27 105W HES	OD	OD	IP20	CILESP120P01	1.835					
4 lights pleated ribbon	4 x E27 105W HES	OD	OD	IP20	CILESP120R01	1.890					





Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Suspension lamp - ø 120 with plex LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120C08	1.635					
1 light washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120T08	1.765					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120L08	1.775					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120P08	1.990					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120R08	2.050					
1 light cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120C10	1.710					
1 light washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120T10	1.840					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120L10	1.850					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120P10	2.070					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	CILESP120R10	2.120					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

PRODUCTS: Cilindro
DESIGN: Modoluce R&D 2002

Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.
 The suspension, on request, can have a top protective disk microperforated or in plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

CILINDRO


Accessory

DESCRIPTION

Top protective disk in microperforated fabric (CL1 flame retardant)

LIGHT BULB


INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	-	IP20	CILEPF120G01	305					



Accessory

Top protective disk in opal plex

OD	-	IP20	CILEPX120F01	430					
----	---	------	--------------	-----	--	--	--	--	--





Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.

Symbol index → • / present - / absent OD / On Demand

CILINDRO

Suspension lamp - ø 150 with plex





DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
6 lights cotton fabric	6 x E27 105W HES	OD	OD	IP20	CILESP150C01	2.400					
6 lights washable fabric	6 x E27 105W HES	OD	OD	IP20	CILESP150T01	2.570					
6 lights pleated fabric	6 x E27 105W HES	OD	OD	IP20	CILESP150P01	3.060					
6 lights pleated ribbon	6 x E27 105W HES	OD	OD	IP20	CILESP150R01	3.145					





Cylindrical suspension available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric. According to the version, finishing panel underneath in opal plex.

Symbol index  → • / present - / absent OD / On Demand

CILINDRO LED

Suspension lamp - ø 150 with plex LED (3 x 3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton fabric NO DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150C05	2.840					
3 lights washable fabric NO DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150T05	3.005					
3 lights pleated fabric NO DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150P05	3.495					
3 lights pleated ribbon NO DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150R05	3.585					
3 lights cotton fabric DIM DALI/switch DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150C07	3.115					
3 lights washable fabric DIM DALI/switch DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150T07	3.275					
3 lights pleated fabric DIM DALI/switch DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150P07	3.770					
3 lights pleated ribbon DIM DALI/switch DIM	3 x module LED 30,6W 3000K	OD	-	IP20	CILESP150R07	3.855					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	3 x 30,6W	•	-	IP20	FLTCON0SP013	165					


PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015





*Suspension or ceiling lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.*

Symbol index  → • / present - / absent OD / On Demand


COCO'

Medium suspension lamp D.60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Suspension pleated fabric	2 x E27 42W HES	OD	-	IP20	COCESP060P01	930					
Suspension pleated fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	COCESP060P05	1.070					
Suspension pleated fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	COCESP060P06	1.150					
LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40					

Medium ceiling lamp D.60



Ceiling lamp pleated fabric	2 x E27 42W HES	OD	-	IP20	COCEPL060P01	895				
Ceiling lamp pleated fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	COCEPL060P05	1.040				
Ceiling lamp pleated fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	COCEPL060P06	1.115				
LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40				


PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015





*Suspension or ceiling lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.*

Symbol index  → • / present - / absent OD / On Demand


COCO'

Maxi suspension lamp D.80



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Suspension pleated fabric	3 x E27 70W HES	OD	-	IP20	COCESP080P01	1.305					
Suspension pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCESP080P05	1.520					
Suspension pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCESP080P06	1.585					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Maxi ceiling lamp D.80



Ceiling lamp pleated fabric	3 x E27 70W HES	OD	-	IP20	COCEPL080P01	1.305				
Ceiling lamp pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCEPL080P05	1.475				
Ceiling lamp pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCEPL080P06	1.540				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				


PRODUCTS: Cocò
DESIGN: Brian Rasmussen 2015





*Suspension or ceiling lamp in hand-finished pleated fabric.
 Opal plex finishing underneath.*

Symbol index  → • / present - / absent OD / On Demand


COCO'

Mega suspension lamp D.100



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension pleated fabric	4 x E27 70W HES	OD	-	IP20	COCESP100P01	1.735					
Suspension pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCESP100P05	1.935					
Suspension pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCESP100P06	1.995					
Suspension pleated fabric NO DIM	3 x module LED 24,2W 3000K (8970 lm)	OD	-	IP20	COCESP100P07	2.120					
Suspension pleated fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K (8970 lm)	OD	-	IP20	COCESP100P08	2.340					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					
LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON0SP003	120					

Mega ceiling lamp D.100




Ceiling lamp pleated fabric	4 x E27 70W HES	OD	-	IP20	COCEPL100P01	1.735					
Ceiling lamp pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCEPL100P05	1.935					
Ceiling lamp pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	COCEPL100P06	1.995					
Ceiling lamp pleated fabric NO DIM	3 x module LED 24,2W 3000K (8970 lm)	OD	-	IP20	COCEPL100P07	2.120					
Ceiling lamp pleated fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K (8970 lm)	OD	-	IP20	COCEPL100P08	2.340					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					
LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON0SP003	120					

Arc floor lamp. Embossed white or black painted metal structure.
 Rotating lampshade in cotton fabric in the same colour as the metal structure or in washable fabric.
 One side frosted plex underneath.
 Cotton lampshade available in different colours with a price increase of 3%.

Symbol index → • / present - / absent OD / On Demand


CORNER

Floor lamp - ø 60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x FC - T5 55W 827	OD	-	IP20	COREPT060C01	1.245					
Black painted metal cotton fabric	1 x FC - T5 55W 827	OD	-	IP20	COREPT060C02	1.245					
White painted metal cotton fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT060C03	1.300					
Black painted metal cotton fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT060C04	1.300					
White painted metal washable fabric	1 x FC - T5 55W 827	OD	-	IP20	COREPT060T01	1.290					
Black painted metal washable fabric	1 x FC - T5 55W 827	OD	-	IP20	COREPT060T02	1.290					
White painted metal washable fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT060T03	1.340					
Black painted metal washable fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT060T04	1.340					

Floor lamp - ø 80



White painted metal cotton fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT080C03	1.410					
Black painted metal cotton fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT080C04	1.410					
White painted metal washable fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT080T03	1.445			-	IP65	
Black painted metal washable fabric DIM 1-10V	1 x FC - T5 55W 827	OD	-	IP20	COREPT080T04	1.445			-	IP65	


PRODUCTS: Dejavù
DESIGN: Barazzuol + Malisan 2015

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and 90° adjustable wall lamp.
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ

Ceiling lamp L.95 x H.70







DESCRIPTION

Ceiling lamp white L.95 -
 (designed for double switch)
 White wiring cable

LIGHT BULB


2 x E27 42W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
•	-	IP20	DEJEPL095G01	505						
•	-	IP20	DEJEPL095G02	505						

Ceiling lamp black L.95 -
 (designed for double switch)
 Black wiring cable

2 x E27 42W HES

Ceiling lamp L.165 x H.70



Ceiling lamp white L.165 -
 (designed for double switch)
 White wiring cable

2 x E27 42W HES

•	-	IP20	DEJEPL165G01	515					
•	-	IP20	DEJEPL165G02	515					

Ceiling lamp black L.165 -
 (designed for double switch)
 Black wiring cable


2 x E27 42W HES

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and 90° adjustable wall lamp.
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ

Wall lamp L.170 x H.92



DESCRIPTION





LIGHT BULB

Wall lamp white L.170 -
 (double switch)
 Black wiring cable


2 x E27 42W HES

Wall lamp black L.170 -
 (double switch)
 Black wiring cable

2 x E27 42W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
•	-	IP20	DEJEAP170G01	545						
•	-	IP20	DEJEAP170G02	545						

Wall lamp L.209 x H.100



Wall lamp white L.209 -
 (double switch)
 Black wiring cable

2 x E27 42W HES

Wall lamp black L.209 -
 (double switch)
 Black wiring cable

2 x E27 42W HES


•	-	IP20	DEJEAP209G01	560					
•	-	IP20	DEJEAP209G02	560					

Floor, ceiling and wall lamp with cantilever rotating arm (170°) and 90° adjustable wall lamp.
 Rotating lampshade with double light emission.
 Structure in white or matt black painted metal with aluminium lampshade.

Symbol index  → • / present - / absent OD / On Demand

DEJAVÙ

Accessory - Wall lamp



DESCRIPTION


LIGHT BULB

Fixing accessory for wall lamp - white

Fixing accessory for wall lamp - black

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
•	-	IP20	DEJEAR000G01	105						
•	-	IP20	DEJEAR000G02	105						

Wall lamp H.28



Wall lamp H.28 white - (designed for double switch)

Wall lamp H.28 black - (designed for double switch)


2 x E27 42W HES

2 x E27 42W HES

• - IP20 DEJEAP028G01 210

• - IP20 DEJEAP028G02 210

Floor lamp H.192



Floor lamp white - (double switch)
Black wiring cable

Floor lamp black - (double switch)
Black wiring cable

2 x E27 42W HES

2 x E27 42W HES

• - IP20 DEJEPT192G01 555

• - IP20 DEJEPT192G02 555

PRODUCTS: Diogene
DESIGN: Romano, Menegon, Ceneda 2017



Table lamp, floor lamp or suspension, with power supply or rechargeable.
 Available finishes: High Tech white zinc or painted cream, anthracite grey, rust effect.
 RGB+White version: kit included.




Metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - /absent OD / On Demand

DIOGENE

Table lamp/ floor lamp/ suspension lamp - D. 30



DESCRIPTION	LIGHT BULB	INDOOR			OUTDOOR		
		  IP	CODE	€ EURO	  IP	CODE	€ EURO
Lamp finishing: High-Tech white zinc	1x E27 70W HES			-	• - IP44/65	DIOETA030G44	350
Lamp finishing: cream / anthracite grey / rust effect	1x E27 70W HES			-	• - IP44/65	DIOETA030G42	370
Lamp finishing: High-Tech white zinc	1x Kit LED RGB+WHITE 5W			-	• - IP65	DIOETA030G14	505
Lamp finishing: cream / anthracite grey / rust effect	1x Kit LED RGB+WHITE 5W			-	• - IP65	DIOETA030G12	525


N.B. Kit LED RGB+WHITE supplied complete with batteries, battery charger + remote control.





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath. The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE








Small suspension lamp - ø 40



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton fabric	2 x E27 42W HES	OD	OD	IP20	DISESP040C02	385					
2 lights washable fabric	2 x E27 42W HES	OD	OD	IP20	DISESP040T02	405					
2 lights cotton fabric+lycra	2 x E27 42W HES	OD	OD	IP20	DISESP040L02	445					
2 lights metallic PVC	2 x E27 42W HES	OD	OD	IP20	DISESP040V02	415					
2 lights pleated fabric	2 x E27 42W HES	OD	OD	IP20	DISESP040P02	460					
2 lights pleted ribbon	2 x E27 42W HES	OD	OD	IP20	DISESP040R02	470					
1 light cotton fabric NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040C03	445					
1 light washable fabric NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040T03	470					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040L03	515					
1 light metallic PVC NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040V03	480					
1 light pleated fabric NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040P03	525					
1 light pleated ribbon NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040R03	535					
1 light cotton fabric DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040C04	505					
1 light washable fabric DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040T04	525					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040L04	565					
1 light metallic PVC DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040V04	535					
1 light pleated fabric DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040P04	575					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040R04	590					
1 light cotton fabric DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040C05	505					
1 light washable fabric DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040T05	525					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040L05	565					
1 light metallic PVC DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040V05	535					
1 light pleated fabric DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040P05	575					
1 light pleated ribbon DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISESP040R05	590					

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath. The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand


DISCOVOLANTE LED	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>Small suspension lamp - ø 40 LED (2990 lm)</p>	1 light / cotton fabric NO DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040C06	515			
	1 light / washable fabric NO DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040T06	535			
	1 light cotton fabric+lycra NO DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040L06	575			
	1 light pleated fabric NO DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040P06	590			
	1 light pleated ribbon NO DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040R06	605			
	1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040C08	595			
	1 light / washable fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040T08	620			
	1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040L08	660			
	1 light pleated fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040P08	670			
	1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD	-	IP20	DISESP040R08	680			
	LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40			
Accessory	Top protective disk in microperforated fabric (CL1 flame retardant)		•	-	IP20	DISEPF040G01	110			
 <p>0,5 cm 0,19"</p> <p>38 cm 14,96"</p>										
	Accessory	Top protective disk in opal plex	OD	-	IP20	DISEPX040F01	75			
 <p>0,3 cm 0,11"</p> <p>39 cm 15,35"</p>										





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Small wall/ceiling lamp - ø 40




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton fabric	2 x E27 28W HES	OD	OD	IP20	DISEAP040C02	340					
2 lights washable fabric	2 x E27 28W HES	OD	OD	IP20	DISEAP040T02	360					
2 lights cotton fabric+lycra	2 x E27 28W HES	OD	OD	IP20	DISEAP040L02	405					
2 lights metallic PVC	2 x E27 28W HES	OD	OD	IP20	DISEAP040V02	370					
2 lights pleated fabric	2 x E27 28W HES	OD	OD	IP20	DISEAP040P02	415					
2 lights pleted ribbon	2 x E27 28W HES	OD	OD	IP20	DISEAP040R02	425					
1 light cotton fabric NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040C03	405					
1 light washable fabric NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040T03	425					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040L03	470					
1 light metallic PVC NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040V03	435					
1 light pleated fabric NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040P03	480					
1 light pleated ribbon NO DIM	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040R03	495					
1 light cotton fabric DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040C04	460					
1 light washable fabric DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040T04	480					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040L04	525					
1 light metallic PVC DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040V04	495					
1 light pleated fabric DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040P04	535					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040R04	545					
1 light cotton fabric DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040C05	460					
1 light washable fabric DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040T05	480					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040L05	525					
1 light metallic PVC DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040V05	495					
1 light pleated fabric DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040P05	535					
1 light pleated ribbon DIM DALI	1 x FC-T5 22W 827	OD	OD	IP20	DISEAP040R05	545					


Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath. The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Small wall/ceiling lamp - ø 40 LED
 (2990 lm)




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light / cotton fabric NO DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040C06	480						
1 light / washable fabric NO DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040T06	505						
1 light cotton fabric+lycra NO DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040L06	545						
1 light pleated fabric NO DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040P06	555						
1 light pleated ribbon NO DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040R06	565						
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040C08	560						
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040T08	580						
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040L08	630						
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040P08	640						
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 24,2W 3000K	OD -	IP20	DISEAP040R08	650						
LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	• -	IP20	FLTCON05P001	40						





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Medium suspension lamp - ø 60




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton fabric	3 x E27 42W HES	OD	OD	IP20	DISESP060C02	555					
3 lights washable fabric	3 x E27 42W HES	OD	OD	IP20	DISESP060T02	580					
3 lights cotton fabric+lycra	3 x E27 42W HES	OD	OD	IP20	DISESP060L02	635					
3 lights metallic PVC	3 x E27 42W HES	OD	OD	IP20	DISESP060V02	615					
3 lights pleated fabric	3 x E27 42W HES	OD	OD	IP20	DISESP060P02	665					
3 lights pleated ribbon	3 x E27 42W HES	OD	OD	IP20	DISESP060R02	680					
1 light cotton fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060C03	635					
1 light washable fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060T03	660					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060L03	710					
1 light metallic PVC NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060V03	685					
1 light pleated fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060P03	745					
1 light pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060R03	760					
1 light cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060C04	680					
1 light washable fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060T04	710					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060L04	760					
1 light metallic PVC DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060V04	740					
1 light pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060P04	790					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060R04	805					
1 light cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060C05	680					
1 light washable fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060T05	710					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060L05	760					
1 light metallic PVC DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060V05	740					
1 light pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060P05	790					
1 light pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP060R05	805					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath. The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE LED


Medium suspension lamp - ø 60
 LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060C06	765						
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060T06	790						
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060L06	840						
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060P06	875						
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060R06	890						
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060C08	840						
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060T08	870						
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060L08	915						
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060P08	950						
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	- IP20	DISESP060R08	965						
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	- IP20	FLTCON0SP011	55						


Accessory

Top protective disk in microperforated fabric (CL1 flame retardant)



Accessory

Top protective disk in opal plex








Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Medium wall/ceiling lamp - ø 60




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton fabric	3 x E27 42W HES	OD	OD	IP20	DISEAP060C02	540					
3 lights washable fabric	3 x E27 42W HES	OD	OD	IP20	DISEAP060T02	565					
3 lights cotton fabric+lycra	3 x E27 42W HES	OD	OD	IP20	DISEAP060L02	620					
3 lights metallic PVC	3 x E27 42W HES	OD	OD	IP20	DISEAP060V02	595					
3 lights pleated fabric	3 x E27 42W HES	OD	OD	IP20	DISEAP060P02	650					
3 lights pleated ribbon	3 x E27 42W HES	OD	OD	IP20	DISEAP060R02	665					
1 light cotton fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060C03	545					
1 light washable fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060T03	570					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060L03	625					
1 light metallic PVC NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060V03	605					
1 light pleated fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060P03	655					
1 light pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060R03	670					
1 light cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060C04	635					
1 light washable fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060T04	660					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060L04	710					
1 light metallic PVC DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060V04	745					
1 light pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060P04	795					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060R04	810					
1 light cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060C05	635					
1 light washable fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060T05	660					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060L05	710					
1 light metallic PVC DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060V05	745					
1 light pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060P05	795					
1 light pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEAP060R05	810					

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Medium wall/ceiling lamp - ø 60 LED
 (3950 lm)




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060C06	695					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060T06	730					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060L06	775					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060P06	805					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060R06	825					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060C08	775					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060T08	800					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060L08	855					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060P08	885					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEAP060R08	900					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON05P011	55					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE

Large suspension lamp - ø 80




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42W HES	OD	OD	IP20	DISESP080C02	735					
4 lights washable fabric	4 x E27 42W HES	OD	OD	IP20	DISESP080T02	770					
4 lights cotton fabric+lycra	4 x E27 42W HES	OD	OD	IP20	DISESP080L02	820					
4 lights metallic PVC	4 x E27 42W HES	OD	OD	IP20	DISESP080V02	805					
4 lights pleated fabric	4 x E27 42W HES	OD	OD	IP20	DISESP080P02	905					
4 lights pleated ribbon	4 x E27 42W HES	OD	OD	IP20	DISESP080R02	930					
1 light cotton fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080C03	840					
1 light washable fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080T03	880					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080L03	930					
1 light metallic PVC NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080V03	915					
1 light pleated fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080P03	1.015					
1 light pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080R03	1.040					
1 light cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080C04	905					
1 light washable fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080T04	945					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080L04	995					
1 light metallic PVC DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080V04	985					
1 light pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080P04	1.080					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080R04	1.100					
1 light cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080C05	905					
1 light washable fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080T05	945					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080L05	995					
1 light metallic PVC DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080V05	985					
1 light pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080P05	1.080					
1 light pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISESP080R05	1.100					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - /absent OD / On Demand

DISCOVOLANTE

Large suspension lamp - ø 80




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
2 lights cotton fabric NO DIM	2 x FC-T5 55W 827	OD	- IP20	DISESP080C06	1.025						
2 lights washable fabric NO DIM	2 x FC-T5 55W 827	OD	- IP20	DISESP080T06	1.065						
2 lights cotton fabric+lycra NO DIM	2 x FC-T5 55W 827	OD	- IP20	DISESP080L06	1.115						
2 lights metallic PVC NO DIM	2 x FC-T5 55W 827	OD	- IP20	DISESP080V06	1.100						
2 lights pleated fabric NO DIM	2 x FC-T5 55W 827	OD	- IP20	DISESP080P06	1.200						
2 lights pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	- IP20	DISESP080R06	1.220						
2 lights cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	- IP20	DISESP080C07	1.160						
2 lights washable fabric DIM 1-10V	2 x FC-T5 55W 827	OD	- IP20	DISESP080T07	1.195						
2 lights cotton fabric+lycra DIM 1-10V	2 x FC-T5 55W 827	OD	- IP20	DISESP080L07	1.245						
2 lights metallic PVC DIM 1-10V	2 x FC-T5 55W 827	OD	- IP20	DISESP080V07	1.230						
2 lights pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	- IP20	DISESP080P07	1.330						
2 lights pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	- IP20	DISESP080R07	1.350						
2 lights cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	- IP20	DISESP080C08	1.160						
2 lights washable fabric DIM DALI	2 x FC-T5 55W 827	OD	- IP20	DISESP080T08	1.195						
2 lights cotton fabric+lycra DIM DALI	2 x FC-T5 55W 827	OD	- IP20	DISESP080L08	1.245						
2 lights metallic PVC DIM DALI	2 x FC-T5 55W 827	OD	- IP20	DISESP080V08	1.230						
2 lights pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	- IP20	DISESP080P08	1.330						
2 lights pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	- IP20	DISESP080R08	1.350						
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827			CIRNOD055001	165						
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827			CIRD10055002	185						
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827			CIRDDA055003	185						





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Large suspension lamp - ø 80
 LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080C09	915					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080T09	955					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080L09	1.005					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080P09	1.090					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080R09	1.115					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080C11	995					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080T11	1.030					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080L11	1.080					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080P11	1.170					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP080R11	1.190					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Accessory

DESCRIPTION

Top protective disk in microperforated fabric (CL1 flame retardant)

LIGHT BULB


INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	-	IP20	DISEPF080G01	175					



Accessory

Top protective disk in opal plex

OD - IP20 DISEPX080F01 185




Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

DISCOVOLANTE

Large ceiling lamp - ø 80




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42W HES	OD	OD	IP20	DISEPL080C02	735					
4 lights washable fabric	4 x E27 42W HES	OD	OD	IP20	DISEPL080T02	770					
4 lights cotton fabric+lycra	4 x E27 42W HES	OD	OD	IP20	DISEPL080L02	820					
4 lights metallic PVC	4 x E27 42W HES	OD	OD	IP20	DISEPL080V02	805					
4 lights pleated fabric	4 x E27 42W HES	OD	OD	IP20	DISEPL080P02	905					
4 lights pleated ribbon	4 x E27 42W HES	OD	OD	IP20	DISEPL080R02	930					
1 light cotton fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080C03	745					
1 light washable fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080T03	780					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080L03	830					
1 light metallic PVC NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080V03	820					
1 light pleated fabric NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080P03	915					
1 light pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080R03	940					
1 light cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080C04	805					
1 light washable fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080T04	850					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080L04	895					
1 light metallic PVC DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080V04	885					
1 light pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080P04	985					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080R04	1.005					
1 light cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080C05	805					
1 light washable fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080T05	850					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080L05	895					
1 light metallic PVC DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080V05	885					
1 light pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080P05	985					
1 light pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	OD	IP20	DISEPL080R05	1.005					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath. The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - /absent OD / On Demand

DISCOVOLANTE

Large ceiling lamp - ø 80




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
2 lights cotton fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080C06	955					
2 lights washable fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080T06	995					
2 lights cotton fabric+lycra NO DIM	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080L06	1.045					
2 lights metallic PVC NO DIM	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080V06	1.030					
2 lights pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080P06	1.130					
2 lights pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080R06	1.155					
2 lights cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080C07	1.100					
2 lights washable fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080T07	1.140					
2 lights cotton fabric+lycra DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080L07	1.190					
2 lights metallic PVC DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080V07	1.180					
2 lights pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080P07	1.280					
2 lights pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080R07	1.300					
2 lights cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080C08	1.100					
2 lights washable fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080T08	1.140					
2 lights cotton fabric+lycra DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080L08	1.190					
2 lights metallic PVC DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080V08	1.180					
2 lights pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080P08	1.280					
2 lights pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	DISEPL080R08	1.300					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Large ceiling lamp - ø 80
 LED (3950 lm)




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080C09	895					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080T09	935					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080L09	995					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080P09	1.080					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080R09	1.100					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080C11	970					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080T11	1.010					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080L11	1.060					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080P11	1.150					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL080R11	1.170					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi suspension lamp - ø 100




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
4 lights cotton fabric	4 x E27 42W HES	OD	OD	IP20	DISESP100C02	905					
4 lights washable fabric	4 x E27 42W HES	OD	OD	IP20	DISESP100T02	955					
4 lights cotton fabric+lycra	4 x E27 42W HES	OD	OD	IP20	DISESP100L02	1.015					
4 lights metallic PVC	4 x E27 42W HES	OD	OD	IP20	DISESP100V02	1.005					
4 lights pleated fabric	4 x E27 42W HES	OD	OD	IP20	DISESP100P02	1.195					
4 lights pleated ribbon	4 x E27 42W HES	OD	OD	IP20	DISESP100R02	1.220					
1 light cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISESP100C03	1.025					
1 light washable fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISESP100T03	1.075					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISESP100L03	1.135					
1 light metallic PVC NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISESP100V03	1.125					
1 light pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISESP100P03	1.315					
1 light pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISESP100R03	1.340					
1 light cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISESP100C04	1.090					
1 light washable fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISESP100T04	1.140					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISESP100L04	1.200					
1 light metallic PVC DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISESP100V04	1.190					
1 light pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISESP100P04	1.385					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISESP100R04	1.410					
1 light cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISESP100C05	1.090					
1 light washable fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISESP100T05	1.140					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISESP100L05	1.200					
1 light metallic PVC DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISESP100V05	1.190					
1 light pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISESP100P05	1.385					
1 light pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISESP100R05	1.410					
2 lights cotton fabric NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100C06	1.170					
2 lights washable fabric NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100T06	1.215					
2 lights cotton fabric+lycra NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100L06	1.280					
2 lights metallic PVC NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100V06	1.270					
2 lights pleated fabric NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100P06	1.345					
2 lights pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100R06	1.380					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi suspension lamp - ø 100




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100C07	1.310					
2 lights washable fabric DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100T07	1.355					
2 lights cotton fabric+lycra DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100L07	1.420					
2 lights metallic PVC DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100V07	1.410					
2 lights pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100P07	1.600					
2 lights pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100R07	1.630					
2 lights cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100C08	1.310					
2 lights washable fabric DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100T08	1.355					
2 lights cotton fabric+lycra DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100L08	1.420					
2 lights metallic PVC DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100V08	1.410					
2 lights pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100P08	1.600					
2 lights pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISESP100R08	1.630					
3 lights cotton fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISESP100C09	1.330					
3 lights washable fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISESP100T09	1.385					
3 lights cotton fabric+lycra NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISESP100L09	1.440					
3 lights metallic PVC NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISESP100V09	1.430					
3 lights pleated fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISESP100P09	1.620					
3 lights pleated ribbon NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISESP100R09	1.650					
3 lights cotton fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISESP100C10	1.500					
3 lights washable fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISESP100T10	1.545					
3 lights cotton fabric+lycra DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISESP100L10	1.605					
3 lights metallic PVC DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISESP100V10	1.595					
3 lights pleated fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISESP100P10	1.785					
3 lights pleated ribbon DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISESP100R10	1.815					
3 lights cotton fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISESP100C11	1.500					
3 lights washable fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISESP100T11	1.545					
3 lights cotton fabric+lycra DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISESP100L11	1.605					
3 lights metallic PVC DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISESP100V11	1.595					
3 lights pleated fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISESP100P11	1.785					
3 lights pleated ribbon DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISESP100R11	1.815					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE LED

Maxi suspension lamp - ø 100
 LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100C12	1.080					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100T12	1.130					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100L12	1.190					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100P12	1.375					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100R12	1.400					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100C14	1.160					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100T14	1.205					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100L14	1.270					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100P14	1.445					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISESP100R14	1.475					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

PRODUCTS: Discovolante
DESIGN: Paolo Grasselli 2004

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index  → • / present - / absent OD / On Demand

DISCOVOLANTE


Accessory

DESCRIPTION

Top protective disk in microperforated fabric (CL1 flame retardant)

LIGHT BULB


INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	-	IP20	CILEPF100G01	210					



Accessory

Top protective disk in opal plex

OD - IP20 CILEPX100F01 350




Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi ceiling lamp - ø 100




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
4 lights cotton fabric	4 x E27 42W HES	OD	OD	IP20	DISEPL100C02	930					
4 lights washable fabric	4 x E27 42W HES	OD	OD	IP20	DISEPL100T02	980					
4 lights cotton fabric+lycra	4 x E27 42W HES	OD	OD	IP20	DISEPL100L02	1.040					
4 lights metallic PVC	4 x E27 42W HES	OD	OD	IP20	DISEPL100V02	1.025					
4 lights pleated fabric	4 x E27 42W HES	OD	OD	IP20	DISEPL100P02	1.215					
4 lights pleated ribbon	4 x E27 42W HES	OD	OD	IP20	DISEPL100R02	1.245					
1 light cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100C03	940					
1 light washable fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100T03	990					
1 light cotton fabric+lycra NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100L03	1.050					
1 light metallic PVC NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100V03	1.040					
1 light pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100P03	1.225					
1 light pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100R03	1.260					
1 light cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100C04	1.005					
1 light washable fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100T04	1.055					
1 light cotton fabric+lycra DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100L04	1.115					
1 light metallic PVC DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100V04	1.100					
1 light pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100P04	1.295					
1 light pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100R04	1.320					
1 light cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100C05	1.005					
1 light washable fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100T05	1.055					
1 light cotton fabric+lycra DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100L05	1.115					
1 light metallic PVC DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100V05	1.100					
1 light pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100P05	1.295					
1 light pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	DISEPL100R05	1.320					

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi ceiling lamp - ø 100




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights cotton fabric NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100C06	1.160					
2 lights washable fabric NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100T06	1.205					
2 lights cotton fabric+lycra NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100L06	1.270					
2 lights metallic PVC NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100V06	1.260					
2 lights pleated fabric NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100P06	1.445					
2 lights pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100R06	1.475					
2 lights cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100C07	1.300					
2 lights washable fabric DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100T07	1.345					
2 lights cotton fabric+lycra DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100L07	1.410					
2 lights metallic PVC DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100V07	1.400					
2 lights pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100P07	1.590					
2 lights pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100R07	1.615					
2 lights cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100C08	1.300					
2 lights washable fabric DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100T08	1.345					
2 lights cotton fabric+lycra DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100L08	1.410					
2 lights metallic PVC DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100V08	1.400					
2 lights pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100P08	1.590					
2 lights pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	OD	IP20	DISEPL100R08	1.615					





Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath.
 The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index   → • / present - / absent OD / On Demand

DISCOVOLANTE

Maxi ceiling lamp - ø 100




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
3 lights cotton fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100C09	1.280					
3 lights washable fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100T09	1.325					
3 lights cotton fabric+lycra NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100L09	1.390					
3 lights metallic PVC NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100V09	1.380					
3 lights pleated fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100P09	1.565					
3 lights pleated ribbon NO DIM	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100R09	1.595					
3 lights cotton fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100C10	1.440					
3 lights washable fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100T10	1.490					
3 lights cotton fabric+lycra DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100L10	1.550					
3 lights metallic PVC DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100V10	1.540					
3 lights pleated fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100P10	1.730					
3 lights pleated ribbon DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100R10	1.760					
3 lights cotton fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100C11	1.440					
3 lights washable fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100T11	1.490					
3 lights cotton fabric+lycra DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100L11	1.550					
3 lights metallic PVC DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100V11	1.540					
3 lights pleated fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100P11	1.730					
3 lights pleated ribbon DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	DISEPL100R11	1.760					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					

Suspension, wall/ceiling lamp available in cotton fabric, washable, lycra and hand-finished pleated or pleated ribbon fabric or PVC metal. One side frosted plex underneath. The suspension, on request, can have a top protective disk microperforated or in opal plex, used only with fluorescent or LED bulbs, price increase as per price list.

Symbol index → • / present - / absent OD / On Demand

DISCOVOLANTE LED






Maxi ceiling lamp - ø 100
LED (3950 lm)




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100C12	1.115					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100T12	1.165					
1 light cotton fabric+lycra NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100L12	1.220					
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100P12	1.415					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100R12	1.440					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100C14	1.190					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100T14	1.240					
1 light cotton fabric+lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100L14	1.300					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100P14	1.490					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	DISEPL100R14	1.520					
Additional LED-module (already installed) NO DIM	1 x 30,6W 3000K				MODLED034001	300					
Additional LED-module (already installed) DIM DALI/switch DIM	1 x 30,6W 3000K				MODLED034002	385					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Table, reading, floor and ceiling lamp. Lampshade in cotton or washable fabric. White or black painted metal structure with rotating and obscuring metal disc cover; placed on the upper border of the shade (ceiling lamp excluded).
 Anti-dazzle thermoformed bottom cap in opal PMMA.
 Cotton lampshade available in different colours with a price increase of 3%.
 The shade of the ceiling lamp version is completely lined with white cotton fabric inside.

Symbol index  → • / present - /absent OD / On Demand

DISK	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>43cm 16.93"</p> <p>65cm 25.59"</p> <p>43cm 16.93"</p>	Table lamp	1 light - white / cotton fabric	1 x E27 70W HES	OD	-	IP20	DSKETA065C01	655		
		1 light - white / washable fabric	1 x E27 70W HES	OD	-	IP20	DSKETA065T01	685		
		1 light - black / cotton fabric	1 x E27 70W HES	OD	-	IP20	DSKETA065C02	655		
		1 light - black / washable fabric	1 x E27 70W HES	OD	-	IP20	DSKETA065T02	685		

Accessory - Table and small table lamp

	DIM switch universal HES (40/160W) + LED (4/100W)						DIMVAR0TA002	40		
---	---	--	--	--	--	--	--------------	----	--	--


 <p>43cm 16.93"</p> <p>155cm 61.02"</p> <p>43cm 16.93"</p>	Reading lamp	1 light - white / cotton fabric	1 x E27 70W HES	OD	-	IP20	DSKEPT155C01	735		
		1 light - white / washable fabric	1 x E27 70W HES	OD	-	IP20	DSKEPT155T01	765		
		1 light - black / cotton fabric	1 x E27 70W HES	OD	-	IP20	DSKEPT155C02	735		
		1 light - black / washable fabric	1 x E27 70W HES	OD	-	IP20	DSKEPT155T02	765		





Table, reading, floor and ceiling lamp. Lampshade in cotton or washable fabric. White or black painted metal structure with rotating and obscuring metal disc cover, placed on the upper border of the shade (ceiling lamp excluded).
 Anti-dazzle thermoformed bottom cap in opal PMMA.
 Cotton lampshade available in different colours with a price increase of 3%.
 The shade of the ceiling lamp version is completely lined with white cotton fabric inside.

Symbol index  → • / present - /absent OD / On Demand


DISK

Medium ceiling lamp - ø 43



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights / cotton fabric	2 x E27 28W HES	OD	-	IP20	DSKEPL043C01	605					
2 lights / washable fabric	2 x E27 28W HES	OD	-	IP20	DSKEPL043T01	635					
1 light / cotton fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	DSKEPL043C05	710					
1 light / washable fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	DSKEPL043T05	745					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	DSKEPL043C06	795					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	DSKEPL043T06	830					
LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40					

Maxi ceiling lamp - ø 53



2 lights / cotton fabric	2 x E27 42W HES	OD	-	IP20	DSKEPL053C01	725					
2 lights / washable fabric	2 x E27 42W HES	OD	-	IP20	DSKEPL053T01	775					
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	DSKEPL053C05	915					
1 light / washable fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	DSKEPL053T05	970					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	DSKEPL053C06	995					
1 light / washable fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	DSKEPL053T06	1.050					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					


PRODUCTS: Easy
DESIGN: Paolo Grasselli + Modoluce R&D 2016





Floor lamp with adjustable and variable height lampshade. Painted metal structure in basic colours white or metal gun grey or in the following special colours: strawberry, pastel green, orange-yellow. Chromed steel rod. High-Tech version in zinc white finishing.

Symbol index  → • / present - / absent OD / On Demand

EASY

Floor lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp High-Tech zinc white	1 x module LED 18W 3000K (1400 lm)	•	-	IP20	EASEPT190G04	670					
Floor lamp white or gun metal grey	1 x module LED 18W 3000K (1400 lm)	•	-	IP20	EASEPT190G01	735					
Floor lamp special colours	1 x module LED 18W 3000K (1400 lm)	•	-	IP20	EASEPT190G02	785					

Accessory

Button PUSH DIM / DIM DALI

EASEDD190M00

105




Suspension with oval clear PMMA external shade. Inner shade in opal or coloured PC in orange or red, cotton or washable fabric or in hand-finished pleated or pleated ribbon fabric.

Symbol index → • / present - / absent OD / On Demand


ELLISSE

Medium suspension lamp - ø 60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp opal PC	1 x E27 42W HES	-	OD	IP20	ELLESO060M01	515					
Suspension lamp coloured PC	1 x E27 42W HES	-	OD	IP20	ELLESO060M02	605					
Suspension lamp cotton fabric	1 x E27 42W HES	-	OD	IP20	ELLESO060C01	495					
Suspension lamp washable fabric	1 x E27 42W HES	-	OD	IP20	ELLESO060T01	510					
Suspension lamp pleated fabric	1 x E27 42W HES	-	OD	IP20	ELLESO060P01	525					
Suspension lamp pleated ribbon fabric	1 x E27 42W HES	-	OD	IP20	ELLESO060R01	535					

Large suspension lamp - ø 80



Suspension lamp opal PC	1 x E27 42W HES	-	OD	IP20	ELLESO080M01	755					
Suspension lamp coloured PC	1 x E27 42W HES	-	OD	IP20	ELLESO080M02	885					
Suspension lamp cotton fabric	1 x E27 42W HES	-	OD	IP20	ELLESO080C01	710					
Suspension lamp washable fabric	1 x E27 42W HES	-	OD	IP20	ELLESO080T01	735					
Suspension lamp pleated fabric	1 x E27 42W HES	-	OD	IP20	ELLESO080P01	795					
Suspension lamp pleated ribbon fabric	1 x E27 42W HES	-	OD	IP20	ELLESO080R01	810					


PRODUCTS: Emily
DESIGN: Romano + Menegon + Ceneda 2016





Small table lamp, single suspension or on cluster composition. White Murano blown opal glass diffuser.
 Metal structure and particular white painted or in galvanized finishes: copper or brass.
 The ceiling rose of the single suspensions is in the same finish as the structure. The ceiling plate of the composition is white painted.

Symbol index  → • / present - / absent OD / On Demand

EMILY

Small table lamp




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Glass diffuser / Metal structure white NO DIM 1 x G9 48W HES		•	-	IP20	EMIETP022K11	385					
Glass diffuser / Metal structure copper NO DIM 1 x G9 48W HES		•	-	IP20	EMIETP022K14	400					
Glass diffuser / Metal structure brass NO DIM 1 x G9 48W HES		•	-	IP20	EMIETP022K15	400					
Glass diffuser / Metal structure white PUSH DIM 1 x module LED 9W 3000K (1150 lm)		•	-	IP20	EMIETP022K01	465					
Glass diffuser / Metal structure copper PUSH DIM 1 x module LED 9W 3000K (1150 lm)		•	-	IP20	EMIETP022K04	480					
Glass diffuser / Metal structure brass PUSH DIM 1 x module LED 9W 3000K (1150 lm)		•	-	IP20	EMIETP022K05	480					

Accessory - Table and small table lamp




DIM switch universal HES (40/160W) + LED (4/100W)					DIMVAR0TA002	40					
---	--	--	--	--	--------------	----	--	--	--	--	--

Single suspension



Glass diffuser / Metal structure white NO DIM 1 x G9 48W HES		•	-	IP20	EMIESO022K11	435					
Glass diffuser / Metal structure copper NO DIM 1 x G9 48W HES		•	-	IP20	EMIESO022K14	470					
Glass diffuser / Metal structure brass NO DIM 1 x G9 48W HES		•	-	IP20	EMIESO022K15	470					
Glass diffuser / Metal structure white NO DIM 1 x module LED 11W 3000K (1335 lm)		•	-	IP20	EMIESO022K01	460					
Glass diffuser / Metal structure copper NO DIM 1 x module LED 11W 3000K (1335 lm)		•	-	IP20	EMIESO022K04	495					
Glass diffuser / Metal structure brass NO DIM 1 x module LED 11W 3000K (1335 lm)		•	-	IP20	EMIESO022K05	495					
Price increase for LED-version:	DIM DALI / switch DIM				EMIEDD022K00	130					




PRODUCTS: Emily
DESIGN: Romano + Menegon + Ceneda 2016





Small table lamp, single suspension or on cluster composition. White Murano blown opal glass diffuser.
 Metal structure and particular white painted or in galvanized finishes: copper or brass.
 The ceiling rose of the single suspensions is in the same finish as the structure. The ceiling plate of the composition is white painted.

Symbol index   → • / present - / absent OD / On Demand


EMILY

Composition with 2 diffusers



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Glass diffuser / Metal structure white NO DIM 2 x G9 48W HES		•	-	IP20	EMIECS002K11	875					
Glass diffuser / Metal structure copper NO DIM 2 x G9 48W HES		•	-	IP20	EMIECS002K14	905					
Glass diffuser / Metal structure brass NO DIM 2 x G9 48W HES		•	-	IP20	EMIECS002K15	905					
Glass diffuser / Metal structure white NO DIM 2 x module LED 11W 3000K (each 1335 lm)		•	-	IP20	EMIECS002K01	895					
Glass diffuser / Metal structure copper NO DIM 2 x module LED 11W 3000K (each 1335 lm)		•	-	IP20	EMIECS002K04	940					
Glass diffuser / Metal structure brass NO DIM 2 x module LED 11W 3000K (each 1335 lm)		•	-	IP20	EMIECS002K05	940					
Price increase for LED-version:	DIM DALI / switch DIM				EMIEDD002K00	140					

Composition with 3 diffusers






Glass diffuser / Metal structure white NO DIM 3 x G9 48W HES		•	-	IP20	EMIECM003K11	1.410				
Glass diffuser / Metal structure copper NO DIM 3 x G9 48W HES		•	-	IP20	EMIECM003K14	1.475				
Glass diffuser / Metal structure brass NO DIM 3 x G9 48W HES		•	-	IP20	EMIECM003K15	1.475				
Glass diffuser / Metal structure white NO DIM 3 x module LED 11W 3000K (each 1335 lm)		•	-	IP20	EMIECM003K01	1.475				
Glass diffuser / Metal structure copper NO DIM 3 x module LED 11W 3000K (each 1335 lm)		•	-	IP20	EMIECM003K04	1.540				
Glass diffuser / Metal structure brass NO DIM 3 x module LED 11W 3000K (each 1335 lm)		•	-	IP20	EMIECM003K05	1.540				
Price increase for LED-version:	DIM DALI / switch DIM				EMIEDD003K00	140				

PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013


Suspension with diffuser in white glossy ceramic or dark brown cotto with beeswax finishing.
 Wiring cable in fabric, available in the following colours: grey, black, red, kiwi green, royal blue, écru and orange.

Symbol index  → • / present - / absent OD / On Demand

EVA	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
				IP	CODE	€ EURO		IP	CODE	€ EURO
EVA mini - Suspension lamp ø 11	Diffuser in white ceramic	1 x dichroic GU10 20W	•	-	IP20	EVAESO011H41	180			
	Diffuser dark brown cotto	1 x dichroic GU10 20W	•	-	IP20	EVAESO011N41	185			







EVA medium - Suspension lamp ø 18	Diffuser in white ceramic	1 x E27 52W HES	•	-	IP20	EVAESO018H01	295			
	Diffuser dark brown cotto	1 x E27 52W HES	•	-	IP20	EVAESO018N01	315			




PRODUCTS: Eva
DESIGN: Hans Thyge Raunkjaer 2013

Suspension with diffuser in white glossy ceramic or dark brown cotto with beeswax finishing.
 Wiring cable in fabric, available in the following colours: grey, black, red, kiwi green, royal blue, écru and orange.


Symbol index  → • / present - / absent OD / On Demand

EVA	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
EVA maxi - Suspension lamp ø 27	Diffuser in white ceramic	1 x E27 70W HES	•	-	IP20	EVAESO027H01	540			
	Diffuser dark brown cotto	1 x E27 70W HES	•	-	IP20	EVAESO027N01	575			



27cm
10.63"

EVA mega - Suspension lamp ø 38 and ø 36	Diffuser in white ceramic	1 x E27 70W HES	•	-	IP20	EVAESO037H01	1.090			
	Diffuser dark brown cotto	1 x E27 70W HES	•	-	IP20	EVAESO037N01	1.170			







38cm
14.96"




36cm
14.17"

PRODUCTS: Florinda
DESIGN: Annarosa Romano+Bruno Menegon 2010

Suspension, ceiling and wall lamp in hand-finished pleated fabric and pleated ribbon.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Florinda 1 - Suspension lamp	1 lampshade pleated fabric	1 x E27 70W HES	•	-	IP20	FLOESO001P01	400			
	1 lampshade pleated ribbon	1 x E27 70W HES	OD	-	IP20	FLOESO001R01	410			
Florinda 3 - Suspension lamp	3 lampshades pleated fabric	3 x E27 70W HES	•	-	IP20	FLOESO003P01	1.195			
	3 lampshades pleated ribbon	3 x E27 70W HES	OD	-	IP20	FLOESO003R01	1.225			
Florinda 3 - Ceiling lamp	3 lampshades pleated fabric	3 x E27 70W HES	•	-	IP20	FLOEPL003P01	1.195			
	3 lampshades pleated ribbon	3 x E27 70W HES	OD	-	IP20	FLOEPL003R01	1.225			




Suspension, ceiling and wall lamp in hand-finished pleated fabric and pleated ribbon.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA

Florinda 6 - Suspension lamp



DESCRIPTION





6+1 lampshades pleated fabric
(2 independent switches)

6+1 lampshades pleated ribbon
(2 independent switches)


LIGHT BULB

6 x E27 70W HES +
1 x E14 42W HES

6 x E27 70W HES +
1 x E14 42W HES

INDOOR						OUTDOOR			
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	-	IP20	FLOESO006P01	2.460					
OD	-	IP20	FLOESO006R01	2.500					

Florinda 6 - Ceiling lamp



6+1 lampshades pleated fabric
(2 independent switches)

6+1 lampshades pleated ribbon
(2 independent switches)

6 x E27 70W HES +
1 x E14 42W HES

6 x E27 70W HES +
1 x E14 42W HES


•	-	IP20	FLOEPL006P01	2.390					
OD	-	IP20	FLOEPL006R01	2.435					

Suspension, ceiling and wall lamp in hand-finished pleated fabric and pleated ribbon.

Symbol index  → • / present - / absent **OD** / On Demand

FLORINDA

Florinda 12 - Suspension lamp



DESCRIPTION

LIGHT BULB



IP

INDOOR

CODE

€ EURO



IP

OUTDOOR

CODE

€ EURO

12+1 lampshades pleated fabric
(2 independent switches)

12 x E27 + 3 x E27 42W HES

OD - **IP20**

FLOESO012P02

6.280

12+1 lampshades pleated ribbon
(2 independent switches)


12 x E27 + 3 x E27 42W HES

OD - **IP20**

FLOESO012R02

6.355

Florinda 12 - Ceiling lamp



12+1 lampshades pleated fabric
(2 independent switches)

12 x E27 + 3 x E27 42W HES

OD - **IP20**

FLOEPL012P02

6.390

12+1 lampshades pleated ribbon
(2 independent switches)

12 x E27 + 3 x E27 42W HES

OD - **IP20**

FLOEPL012R02

6.465





PRODUCTS: Florinda
DESIGN: Annarosa Romano+Bruno Menegon 2010


Suspension, ceiling and wall lamp in hand-finished pleated fabric and pleated ribbon.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA








Florinda - Wall lamp

DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Florinda wall lamp pleated fabric	2 x E27 42W HES	• -	IP20	FLOEAP002P01	305				
Florinda wall lamp pleated ribbon	2 x E27 42W HES	OD -	IP20	FLOEAP002R01	315				









Suspension and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index   → • / present - / absent OD / On Demand

FLORINDA DESNUDA	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR				
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO	
 <p>200cm 78.74" 38cm 14.96" 31cm 12.20"</p>	Florinda Desnuda 1 - Suspension lamp	1 lampshade - matt white 9010	1x E27 40W	•	-	IP20	FLDESO001G01	220			
		1 lampshade - matt black	1x E27 40W	•	-	IP20	FLDESO001G02	220			
		1 lampshade - glossy chrome finish	1x E27 40W	•	-	IP20	FLDESO001G04	260			
		1 lampshade - glossy copper finish	1x E27 40W	•	-	IP20	FLDESO001G05	260			
		1 lampshade - glossy brass finish	1x E27 40W	•	-	IP20	FLDESO001G06	260			
		Accessory:									
		1 x E27 glass long filament bulb LED 4W 2300K (DIM)					LMPLEDE27KIT01P	35			
 <p>200cm 78.74" 38cm 14.96" 63cm 24.80"</p>	Florinda Desnuda 3 - Suspension lamp	3 lampshades - matt white 9010	3x E27 40W	•	-	IP20	FLDESO003G01	725			
		3 lampshades - matt black	3x E27 40W	•	-	IP20	FLDESO003G02	725			
		3 lampshades - glossy chrome finish	3x E27 40W	•	-	IP20	FLDESO003G04	1.015			
		3 lampshades - glossy copper finish	3x E27 40W	•	-	IP20	FLDESO003G05	1.015			
		3 lampshades - glossy brass finish	3x E27 40W	•	-	IP20	FLDESO003G06	1.015			
		Accessory:									
		3 x E27 glass long filament bulbs LED 4W 2300K (DIM)					LMPLEDE27KIT03P	115			
 <p>10cm 3.94" 41cm 16.15" 63cm 24.80"</p>	Florinda Desnuda 3 - Ceiling lamp	3 lampshades - matt white 9010	3x E27 40W	•	-	IP20	FLDEPL003G01	695			
		3 lampshades - matt black	3x E27 40W	•	-	IP20	FLDEPL003G02	695			
		3 lampshades - glossy chrome finish	3x E27 40W	•	-	IP20	FLDEPL003G04	995			
		3 lampshades - glossy copper finish	3x E27 40W	•	-	IP20	FLDEPL003G05	995			
		3 lampshades - glossy brass finish	3x E27 40W	•	-	IP20	FLDEPL003G06	995			
		Accessory:									
		3 x E27 glass long filament bulbs LED 4W 2300K (DIM)					LMPLEDE27KIT03P	115			







Suspension and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index  → • / present - / absent OD / On Demand

FLORINDA DESNUDA	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>94cm 37.01"</p> <p>200cm 78.74"</p> <p>38cm 14.96"</p>	Florinda Desnuda 6 - Suspension lamp 6 lampshades - matt white 9010	6x E27 40W	•	-	IP20	FLDESO006G01	1.330			
	6 lampshades - matt black	6x E27 40W	•	-	IP20	FLDESO006G02	1.330			
	6 lampshades - glossy chrome finish	6x E27 40W	•	-	IP20	FLDESO006G04	1.815			
	6 lampshades - glossy copper finish	6x E27 40W	•	-	IP20	FLDESO006G05	1.815			
	6 lampshades - glossy brass finish	6x E27 40W	•	-	IP20	FLDESO006G06	1.815			
	Accessory:									
	6 x E27 glass long filament bulbs LED 4W 2300K (DIM)					LMPLEDE27KIT06P	230			
 <p>14.5cm 5.71"</p> <p>41cm 16.15"</p> <p>94cm 37.01"</p>	Florinda Desnuda 6 - Ceiling lamp 6 lampshades - matt white 9010	6x E27 40W	•	-	IP20	FLDEPL006G01	1.245			
	6 lampshades - matt black	6x E27 40W	•	-	IP20	FLDEPL006G02	1.245			
	6 lampshades - glossy chrome finish	6x E27 40W	•	-	IP20	FLDEPL006G04	1.715			
	6 lampshades - glossy copper finish	6x E27 40W	•	-	IP20	FLDEPL006G05	1.715			
	6 lampshades - glossy brass finish	6x E27 40W	•	-	IP20	FLDEPL006G06	1.715			
	Accessory:									
	6 x E27 glass long filament bulbs LED 4W 2300K (DIM)					LMPLEDE27KIT06P	230			

Suspension and ceiling lamp in matt white or black painted metal or in galvanized finishes: chrome, copper and brass.

Symbol index  → • / present - / absent OD / On Demand


FLORINDA DESNUDA	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>153cm 60.24"</p> <p>200cm 78.74"</p> <p>30cm 11.81"</p> <p>43cm 16.93"</p>	Florinda Desnuda 12 - Suspension lamp 12 lampshades - matt white 9010	12x E27 40W	•	-	IP20	FLDESO012G01	3.285			
	12 lampshades - matt black	12x E27 40W	•	-	IP20	FLDESO012G02	3.285			
	12 lampshades - glossy chrome finish	12x E27 40W	•	-	IP20	FLDESO012G04	4.970			
	12 lampshades - glossy copper finish	12x E27 40W	•	-	IP20	FLDESO012G05	4.970			
	12 lampshades - glossy brass finish	12x E27 40W	•	-	IP20	FLDESO012G06	4.970			
	Accessory:									
	12 x E27 glass long filament bulbs LED 4W 2300K (DIM)				LMPLEDE27KIT12P	460				
 <p>14.5cm 5.71"</p> <p>51cm 20.08"</p> <p>153cm 60.24"</p>	Florinda Desnuda 12 - Ceiling lamp 12 lampshades - matt white 9010	12x E27 40W	•	-	IP20	FLDEPLO012G01	3.395			
	12 lampshades - matt black	12x E27 40W	•	-	IP20	FLDEPLO012G02	3.395			
	12 lampshades - glossy chrome finish	12x E27 40W	•	-	IP20	FLDEPLO012G04	5.080			
	12 lampshades - glossy copper finish	12x E27 40W	•	-	IP20	FLDEPLO012G05	5.080			
	12 lampshades - glossy brass finish	12x E27 40W	•	-	IP20	FLDEPLO012G06	5.080			
	Accessory:									
	12 x E27 glass long filament bulbs LED 4W 2300K (DIM)				LMPLEDE27KIT12P	460				

Suspension, ceiling lamp and lighted seat with diffuser in white polyethylene. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**
OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.


Symbol index   → • / present - / absent OD / On Demand

FUTURA LETTER I

DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Suspension lamp - with 2 cables	Letter I	5 x E27 42W HES	• - IP31	FIIESO150D01	1.280	• - IP65	FIOESO150D01	1.340	



Lighted seat	Letter I	5 x E27 28W HES	• - IP31	FIIEPA150D02	1.340	• - 44/65	FIOEPA150D02	1.450
--------------	----------	-----------------	----------	--------------	-------	-----------	--------------	-------




PRODUCTS: Futura
DESIGN: Modoluce R&D 2009

Wall/ceiling lamp and lighted seat in white polyethylene. **Different colours available on demand for minimum purchasing quantity (10 pcs.) with a price increase of 3%.**
OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - / absent **OD** / On Demand

FUTURA LETTER Y

DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
		  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Lighted seat	Letter Y	8 x E27 28W HES	• - IP31	FYIEPA150D02	1.870	• - 44/65	FYOEPA150D02	1.995	








Single suspension or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
 Turned metal body white painted or in special metallic finishes: lead grey, lime green, electric blue, China blue or brick red.

Symbol index   → • / present - /absent OD / On Demand


HAMMER

Single suspension lamp D.15



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Single suspension basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMESO015G11	290					
Single suspension special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMESO015G12	335					
Single suspension basic finish white LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMESO015G01	335					
Single suspension special finishes LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMESO015G02	375					
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMESODDG000	130					

Single suspension lamp D.18




Single suspension basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMESO018G11	300				
Single suspension special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMESO018G12	355				
Single suspension basic finish white LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMESO018G01	355				
Single suspension special finishes LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMESO018G02	410				
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMESODDG000	130				



Single suspension or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
 Turned metal body white painted or in special metallic finishes: lead grey, lime green, electric blue, China blue or brick red.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Composition with 2 diffusers D.15



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Composition with 2 diffusers basic finish white	2 x dichroic GU10 D.50	•	-	IP20	HAMECS015G11	590					
Composition with 2 diffusers special finishes	2 x dichroic GU10 D.50	•	-	IP20	HAMECS015G12	675					
Composition with 2 diffusers basic finish white LED	2 x Pannel LED 9W 2800K (2x 830 lm)	•	-	IP20	HAMECS015G01	690					
Composition with 2 diffusers special finishes LED	2 x Pannel LED 9W 2800K (2x 830 lm)	•	-	IP20	HAMECS015G02	780					
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMESODDG002	145					

Composition with 2 diffusers D.18




Composition with 2 diffusers basic finish white	2 x dichroic GU10 D.50	•	-	IP20	HAMECS018G11	635				
Composition with 2 diffusers special finishes	2 x dichroic GU10 D.50	•	-	IP20	HAMECS018G12	745				
Composition with 2 diffusers basic finish white LED	2 x Pannel LED 12W 2800K (2x 1110 lm)	•	-	IP20	HAMECS018G01	745				
Composition with 2 diffusers special finishes LED	2 x Pannel LED 12W 2800K (2x 1110 lm)	•	-	IP20	HAMECS018G02	855				
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMESODDG002	145				



Single suspension or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
 Turned metal body white painted or in special metallic finishes: lead grey, lime green, electric blue, China blue or brick red.

Symbol index  → • / present - / absent OD / On Demand


HAMMER

Composition with 3 diffusers D.15



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Composition with 3 diffusers basic finish white	3 x dichroic GU10 D.50	•	-	IP20	HAMECM015G11	890					
Composition with 3 diffusers special finishes	3 x dichroic GU10 D.50	•	-	IP20	HAMECM015G12	1.020					
Composition with 3 diffusers basic finish white LED	3 x Pannel LED 9W 2800K (3x 830 lm)	•	-	IP20	HAMECM015G01	995					
Composition with 3 diffusers special finishes LED	3 x Pannel LED 9W 2800K (3x 830 lm)	•	-	IP20	HAMECM015G02	1.125					
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMESODDG003	345					

Composition with 3 diffusers D.18



Composition with 3 diffusers basic finish white	3 x dichroic GU10 D.50	•	-	IP20	HAMECM018G11	930				
Composition with 3 diffusers special finishes	3 x dichroic GU10 D.50	•	-	IP20	HAMECM018G12	1.090				
Composition with 3 diffusers basic finish white LED	3 x Pannel LED 12W 2800K (3x 1110 lm)	•	-	IP20	HAMECM018G01	1.065				
Composition with 3 diffusers special finishes LED	3 x Pannel LED 12W 2800K (3x 1110 lm)	•	-	IP20	HAMECM018G02	1.225				
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMESODDG003	345				

Single suspension or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
 Turned metal body white painted or in special metallic finishes: lead grey, lime green, electric blue, China blue or brick red.

Symbol index  → • / present - / absent OD / On Demand

HAMMER





Spotlight D.15



15 cm
5.90"



15 cm
5.90"

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Spotlight basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMEFA015G11	225					
Spotlight special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMEFA015G12	265					
Spotlight basic finish white LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMEFA015G01	260					
Spotlight special finishes LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMEFA015G02	305					
Price increase for version (Pannel LED): (Remote power supply)	DIM DALI / switch DIM				HAMEFADDG000	105					

Spotlight D.18



18 cm
7.08"



18 cm
7.08"



Spotlight basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMEFA018G11	240				
Spotlight special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMEFA018G12	295				
Spotlight basic finish white LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMEFA018G01	285				
Spotlight special finishes LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMEFA018G02	340				
Price increase for version (Pannel LED): (Remote power supply)	DIM DALI / switch DIM				HAMEFADDG000	105				





Single suspension or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
 Turned metal body white painted or in special metallic finishes: lead grey, lime green, electric blue, China blue or brick red.

Symbol index  → • / present - / absent OD / On Demand



HAMMER

Ceiling lamp D.15



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Ceiling lamp basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMEPL015G11	235					
Ceiling lamp special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMEPL015G12	290					
Ceiling lamp basic finish white LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMEPL015G01	280					
Ceiling lamp special finishes LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMEPL015G02	335					
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMEPLDDG000	105					









Ceiling lamp D.18



Ceiling lamp basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMEPL018G11	245					
Ceiling lamp special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMEPL018G12	300					
Ceiling lamp basic finish white LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMEPL018G01	285					
Ceiling lamp special finishes LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMEPL018G02	340					
Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMEPLDDG000	105					

Single suspension or on cluster composition, spotlight, ceiling lamp or recessed spotlight.
 Turned metal body white painted or in special metallic finishes: lead grey, lime green, electric blue, China blue or brick red.


Symbol index → • / present - / absent OD / On Demand

HAMMER	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
				IP	CODE	€ EURO		IP	CODE	€ EURO
Recessed spotlight D.15	Recessed spotlight basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMEIN015G11	185			
	Recessed spotlight special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMEIN015G12	215			
	Recessed spotlight basic finish white LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMEIN015G01	190			
	Recessed spotlight special finishes LED	1 x Pannel LED 9W 2800K (830 lm)	•	-	IP20	HAMEIN015G02	220			
	Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMEFADDG000	105			
										
	Recessed spotlight basic finish white	1 x dichroic GU10 D.50	•	-	IP20	HAMEIN018G11	200			
	Recessed spotlight special finishes	1 x dichroic GU10 D.50	•	-	IP20	HAMEIN018G12	225			
	Recessed spotlight basic finish white LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMEIN018G01	210			
	Recessed spotlight special finishes LED	1 x Pannel LED 12W 2800K (1110 lm)	•	-	IP20	HAMEIN018G02	235			
	Price increase for version (Pannel LED):	DIM DALI / switch DIM				HAMEFADDG000	105			
										

*Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.*

Symbol index  → • / present - / absent OD / On Demand

ICARO	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR				
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO	
Mini suspension lamp - ø 22 x h 44	Suspension lamp	1 x E14 42W HES	•	-	IP20	ICIESO022G01	375				




22cm
8.66"

Accessori:

Colored stripe in cotton fabric ø 22

OD ICIEFS022C01 20

Medium suspension lamp - ø 50 x h 52	Suspension lamp	1 x E27 42W HES	•	-	IP20	ICIESO050G01	640	•	-	IP65	ICOESO050G01	690
--------------------------------------	-----------------	-----------------	---	---	------	--------------	-----	---	---	------	--------------	-----



50cm
19.68"

Accessori:

Colored stripe in cotton fabric ø 50/60/75


OD ICIEFS050C01 25

Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index → • / present - /absent OD / On Demand

ICARO

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR					
				IP	CODE	€ EURO			IP	CODE	€ EURO	
Maxi suspension lamp - ø 75 x h 34	Suspension lamp	1 x E27 42W HES	•	-	IP20	ICIESO075G01	885	•	-	IP65	ICOESO075G01	940




Accessori:

Colored stripe in cotton fabric ø 50/60/75

OD ICIEFS050C01 25

Mega suspension lamp ø 100 x h 44	Suspension lamp	1 x E27 70W HES	•	-	IP20	ICIESO100G01	1.305	•	-	IP65	ICOESO100G01	1.385
-----------------------------------	-----------------	-----------------	---	---	------	--------------	-------	---	---	------	--------------	-------



Accessori:

Colored stripe in cotton fabric ø 100

OD ICIEFS100C01 35

*Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.*

Symbol index  → • / present - / absent OD / On Demand


ICARO	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			  IP	CODE	€ EURO	  IP	CODE	€ EURO		
Medium floor lamp ø 50 x h 52	Floor lamp	1 x E27 42W HES	• -	IP20	ICIETA050G01	615	• -	44/65	ICOETA050G01	645



50cm
19.68"

Accessori:										
Colored stripe in cotton fabric ø 50/60/75	OD			ICIEFS050C01	25					

Maxi floor lamp ø 75 x h 32	Floor lamp	1 x E27 42W HES	• -	IP20	ICIETA075G01	830	• -	44/65	ICOETA075G01	865
-----------------------------	------------	-----------------	-----	------	--------------	-----	-----	-------	--------------	-----



75cm
29.53"

Accessori:										
Colored stripe in cotton fabric ø 50/60/75	OD			ICIEFS050C01	25					

PRODUCTS: Icaro
DESIGN: Brian Rasmussen 2011

*Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.*

Symbol index → • / present - / absent OD / On Demand


ICARO

Mega floor lamp ø 100 x h 44

DESCRIPTION

LIGHT BULB

INDOOR					OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO
•	-	IP20	ICIETA100G01	1.135	•	-	44/65	ICOETA100G01	1.210



Accessori:

Colored stripe in cotton fabric ø 100

OD			ICIEFS100C01	35					
-----------	--	--	---------------------	-----------	--	--	--	--	--

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

*Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.*


Symbol index  → • / present - / absent OD / On Demand

ICARO BALL	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR					
				IP	CODE	€ EURO		IP	CODE	€ EURO		
Mini suspension lamp - ø 50 x h 48	Suspension lamp	1 x E27 42W HES	•	-	IP20	IBIESO050G01	640	•	-	IP65	IBOESO050G01	690



Accessori:											
Colored stripe in cotton fabric ø 50/60/75	OD		ICIEFS050C01	25							

Medium suspension lamp - ø 60 x h 57	Suspension lamp	1 x E27 42W HES	•	-	IP20	IBIESO060G01	885	•	-	IP65	IBOESO060G01	940
--------------------------------------	-----------------	-----------------	---	---	------	--------------	-----	---	---	------	--------------	-----




Accessori:											
Colored stripe in cotton fabric ø 50/60/75	OD		ICIEFS050C01	25							

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.

Symbol index  → • / present - / absent OD / On Demand


ICARO BALL	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 IP	CODE	€ EURO	 IP	CODE	€ EURO		
Maxi suspension lamp - ø 75 x h 70	Suspension lamp	1 x E27 42W HES	• -	IP20	IBIESO075G01	950	• -	IP65	IBOESO075G01	1.005



75cm
29.53"

Accessori:					
Colored stripe in cotton fabric ø 50/60/75	OD	ICIEFS050C01	25		

Mega suspension lamp - ø 90 x h 82	Suspension lamp	1 x E27 70W HES	• -	IP20	IBIESO090G01	1.390	• -	IP65	IBOESO090G01	1.430
------------------------------------	-----------------	-----------------	-----	------	--------------	-------	-----	------	--------------	-------



90cm
35.43"

Accessori:					
Colored stripe in cotton fabric ø 90	OD	ICIEFS090C01	35		

PRODUCTS: Icaro ball
DESIGN: Brian Rasmussen 2012

*Suspension and floor lamp in painted transparent, white or black matt steel wire.
 Light bulb at sight or covered by a stripe in removable material for the indoor version and enclosed in an hermetic white satin glass for the outdoor version.
 OUTDOOR version: metal parts are protected against atmospheric agents, with electrolytic galvanising treatment and finishing with resistant polyester coating.*

Symbol index → • / present - / absent OD / On Demand

ICARO BALL

Maxi floor lamp ø 75 x h 69


DESCRIPTION

Floor lamp

LIGHT BULB

1 x E27 42W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO				IP	CODE	€ EURO
•	-	IP20	IBIETA075G01	865		•	-	44/65	IBOETA075G01	905



Accessori:

Colored stripe in cotton fabric ø 50/60/75


OD ICIEFS050C01 25

Mega floor lamp ø 90 x h 82

Floor lamp

1 x E27 42W HES

•	-	IP20	IBIETA090G01	1.200		•	-	44/65	IBOETA090G01	1.280
---	---	------	--------------	-------	--	---	---	-------	--------------	-------



Accessori:

Colored stripe in cotton fabric ø 90

OD ICIEFS090C01 35

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

Small table, table, floor and suspension lamp.

Metal base in satin nickel finish. Lampshade in cotton fabric or with removable and washable lycra-cover (that covers a lampshade in white cotton fabric).

Lycra cover in CL1 flame retardant.

Symbol index   → • / present - / absent OD / On Demand







LOST	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
Small table lamp	Small table lamp cotton fabric	1 x E14 28W HES	OD	-	IP20	LOSETP032C01	175			
	Small table lamp cotton fabric + lycra	1 x E14 28W HES	OD	-	IP20	LOSETP032L01	235			
	Lycra cover only		•			LOSERR032L01	70			

Table lamp	Table lamp cotton fabric	1 x E27 42W HES	OD	-	IP20	LOSETA046C01	215			
	Table lamp cotton fabric + lycra	1 x E27 42W HES	OD	-	IP20	LOSETA046L01	285			
	Lycra cover only		•			LOSERR046L01	75			

Accessory - Table and small table lamp

	DIM switch universal HES (40/160W) + LED (4/100W)					DIMVAR0TA002	40			
---	---	--	--	--	--	--------------	----	--	--	--

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

Small table, table, floor and suspension lamp.


Metal base in satin nickel finish. Lampshade in cotton fabric or with removable and washable lycra-cover (that covers a lampshade in white cotton fabric).





Lycra cover in CL1 flame retardant.

Symbol index  → • / present - /absent OD / On Demand

LOST

Floor lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Floor lamp cotton fabric	6 x E27 28W HES	OD	-	IP20	LOSEPT175C01	735					
Floor lamp cotton fabric + lycra	6 x E27 28W HES	OD	-	IP20	LOSEPT175L01	960					
Floor lamp cotton fabric DIM 1-10V	1 x T5 49W 2700K	OD	-	IP20	LOSEPT175C02	1.040					
Floor lamp cotton fabric+lycra DIM 1-10V	1 x T5 49W 2700K	OD	-	IP20	LOSEPT175L02	1.270					
Lycra cover only			•		LOSERR175L01	240					

Accessory - Floor lamp



DIM switch universal HES + LED (5/250W)					DIMVAROPT003	60				
---	--	--	--	--	--------------	----	--	--	--	--

PRODUCTS: Lost
DESIGN: Modoluce R&D 2005

Small table, table, floor and suspension lamp.

Metal base in satin nickel finish. Lampshade in cotton fabric or with removable and washable lycra-cover (that covers a lampshade in white cotton fabric).





Lycra cover in CL1 flame retardant.

Symbol index  → • / present - / absent OD / On Demand

LOST

Suspension lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light cotton fabric	1 x E27 105W HES	OD	OD	IP20	LOSESO130C01	395					
1 light cotton fabric + lycra	1 x E27 105W HES	OD	OD	IP20	LOSESO130L01	540					
6 lights cotton fabric	6 x E27 28W HES	OD	-	IP20	LOSESO130C02	555					
6 lights cotton fabric + lycra	6 x E27 28W HES	OD	-	IP20	LOSESO130L02	700					
Lycra cover only		•			LOSERR130L01	140					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008

*Suspension lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.*

Symbol index  → • / present - / absent OD / On Demand

LOTO


Mini suspension lamp - ø 16 without plex



DESCRIPTION	LIGHT BULB
Suspension pleated fabric	1 x E14 42W HES
Suspension lamp pleated ribbon	1 x E14 42W HES

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
•	-	IP20	LOTESP016P01	220						
OD	-	IP20	LOTESP016R01	225						

Medium suspension lamp - ø 43



Suspension pleated fabric	1 x E27 52W HES
Suspension lamp pleated ribbon	1 x E27 52W HES

OD	OD	IP20	LOTESP043P01	575					
OD	OD	IP20	LOTESP043R01	590					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008





*Suspension lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.*

Symbol index  → • / present - / absent OD / On Demand


LOTO

Large suspension lamp - ø 60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension pleated fabric	3 x E27 70W HES	OD	OD	IP20	LOTESP060P01	900					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	LOTESP060P02	935					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	LOTESP060P03	990					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	LOTESP060P04	990					
Suspension lamp pleated ribbon	3 x E27 70W HES	OD	OD	IP20	LOTESP060R01	935					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	LOTESP060R02	965					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	LOTESP060R03	1.020					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	LOTESP060R04	1.020					

Maxi suspension lamp - ø 80



Suspension pleated fabric	4 x E27 70W HES	OD	OD	IP20	LOTESP080P01	1.395					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	LOTESP080P02	1.410					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	LOTESP080P03	1.460					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	LOTESP080P04	1.460					
Suspension lamp pleated ribbon	4 x E27 70W HES	OD	OD	IP20	LOTESP080R01	1.435					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	LOTESP080R02	1.450					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	LOTESP080R03	1.510					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	LOTESP080R04	1.510					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008





*Suspension lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.*

Symbol index  → • / present - / absent OD / On Demand

LOTO

Mega suspension lamp - ø 100



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension pleated fabric	4 x E27 105W HES	OD	OD	IP20	LOTESP100P01	1.705					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	LOTESP100P02	1.720					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	LOTESP100P03	1.775					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	LOTESP100P04	1.775					
Suspension pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	LOTESP100P05	1.975					
Suspension pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	LOTESP100P06	2.095					
Suspension pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	LOTESP100P07	2.095					
Suspension lamp pleated ribbon	4 x E27 105W HES	OD	OD	IP20	LOTESP100R01	1.760					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	LOTESP100R02	1.775					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	LOTESP100R03	1.830					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	LOTESP100R04	1.830					
Suspension lamp pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	LOTESP100R05	2.035					
Suspension lamp pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	LOTESP100R06	2.155					
Suspension lamp pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	LOTESP100R07	2.155					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					


PRODUCTS: Loto
DESIGN: Annarosa Romano+Bruno Menegon 2008





Suspension lamp and wall lamp in hand-finished pleated fabric and pleated ribbon.
 According to the version, opal plex finishing disc underneath.

Symbol index  → • / present - / absent OD / On Demand


LOTO

Extra suspension lamp - ø 140




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension pleated fabric	6 x E27 105W HES	OD	OD	IP20	LOTESP140P01	3.660					
Suspension pleated fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	LOTESP140P02	3.880					
Suspension pleated fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	LOTESP140P03	4.040					
Suspension pleated fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	LOTESP140P04	4.040					
Suspension lamp pleated ribbon	6 x E27 105W HES	OD	OD	IP20	LOTESP140R01	3.770					
Suspension lamp pleated ribbon NO DIM	3 x FC-T5 55W 827	OD	-	IP20	LOTESP140R02	3.990					
Suspension lamp pleated ribbon DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	LOTESP140R03	4.150					
Suspension lamp pleated ribbon DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	LOTESP140R04	4.150					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					

Wall lamp without switch



Wall lamp pleated fabric	1 x E14 42W HES	•	-	IP20	LOTEAP016P01	300				
Wall lamp pleated ribbon	1 x E14 42W HES	OD	-	IP20	LOTEAP016R01	305				

Wall lamp with switch



Wall lamp pleated fabric	1 x E14 42W HES	•	-	IP20	LOTEAP016P02	320				
Wall lamp pleated ribbon	1 x E14 42W HES	OD	-	IP20	LOTEAP016R02	330				


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009



*Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or nickel satin finish metal structure.
 Lamphshade in cotton fabric, pleated fabric and pleated ribbon.*

Symbol index  → • / present - / absent OD / On Demand


LUCILLA

Small table lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCETP042C01	230					
Black painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCETP042C02	230					
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCETP042C03	255					
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCETP042P01	265					
Black painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCETP042P02	265					
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCETP042P03	295					
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCETP042R01	275					
Black painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCETP042R02	275					
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCETP042R03	300					

Console lamp



White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCECN056C01	230				
Black painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCECN056C02	230				
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCECN056C03	255				
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCECN056P01	265				
Black painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCECN056P02	265				
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCECN056P03	295				
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCECN056R01	275				
Black painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCECN056R02	275				
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCECN056R03	300				


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009

Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or nickel satin finish metal structure.
 Lamphshade in cotton fabric, pleated fabric and pleated ribbon.




Symbol index  → • / present - / absent OD / On Demand

LUCILLA


Office lamp - without switch



50cm
19.69"
17cm
6.69"

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEOF052C01	150					
Black painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEOF052C02	150					
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEOF052C03	165					
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEOF052P01	190					
Black painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEOF052P02	190					
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEOF052P03	205					
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEOF052R01	200					
Black painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEOF052R02	200					
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEOF052R03	210					

Office lamp - with switch



53cm
20.86"
17cm
6.69"

White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEOF052C06	285					
Black painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEOF052C07	285					
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEOF052C08	320					
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEOF052P06	320					
Black painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEOF052P07	320					
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEOF052P08	350					
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEOF052R06	330					
Black painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEOF052R07	330					
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEOF052R08	355					


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009


*Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or nickel satin finish metal structure.
 Lamphshade in cotton fabric, pleated fabric and pleated ribbon.*

Symbol index  → • / present - / absent OD / On Demand

LUCILLA

Table lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E27 52W HES	OD	-	IP20	LUCETA068C01	265					
Black painted metal cotton fabric	1 x E27 52W HES	OD	-	IP20	LUCETA068C02	265					
Nickel satin finish metal cotton fabric	1 x E27 52W HES	OD	-	IP20	LUCETA068C03	295					
White painted metal pleated fabric	1 x E27 52W HES	•	-	IP20	LUCETA068P01	305					
Black painted metal pleated fabric	1 x E27 52W HES	•	-	IP20	LUCETA068P02	305					
Nickel satin finish metal pleated fabric	1 x E27 52W HES	•	-	IP20	LUCETA068P03	335					
White painted metal pleated ribbon	1 x E27 52W HES	OD	-	IP20	LUCETA068R01	315					
Black painted metal pleated ribbon	1 x E27 52W HES	OD	-	IP20	LUCETA068R02	315					
Nickel satin finish metal pleated ribbon	1 x E27 52W HES	OD	-	IP20	LUCETA068R03	345					

Accessory - Table and small table lamp



DIM switch universal HES (40/160W) + LED (4/100W)	DIMVAR0TA002	40		
---	--------------	----	--	--


PRODUCTS: Lucilla
DESIGN: Paolo Grasselli 2009





*Small table, console, office, table, reading, floor and wall lamp.
 Black or white matt painted or nickel satin finish metal structure.
 Lampshade in cotton fabric, pleated fabric and pleated ribbon.*

Symbol index  → • / present - / absent OD / On Demand


LUCILLA

Wall lamp - without switch



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEAP017C01	225					
Black painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEAP017C02	225					
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEAP017C03	240					
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEAP017P01	260					
Black painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEAP017P02	260					
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEAP017P03	280					
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEAP017R01	265					
Black painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEAP017R02	265					
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEAP017R03	285					

Wall lamp - with switch



White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEAP017C06	245				
Black painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEAP017C07	245				
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	LUCEAP017C08	260				
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEAP017P06	285				
Black painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEAP017P07	285				
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	LUCEAP017P08	300				
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEAP017R06	290				
Black painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEAP017R07	290				
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	LUCEAP017R08	305				


PRODUCTS: Milleluci
DESIGN: Modoluce R&D 2002





Suspension in cotton fabric or hand-finished pleated and pleated ribbon fabric. According to the version, disc in opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Mini suspension lamp - ø 40 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp cotton fabric	1 x E27 42W HES	OD	OD	IP20	MILESP040C01	285					
Suspension lamp pleated fabric	1 x E27 42W HES	OD	OD	IP20	MILESP040P01	345					
Suspension lamp pleated ribbon	1 x E27 42W HES	OD	OD	IP20	MILESP040R01	355					

Suspension in cotton fabric or hand-finished pleated and pleated ribbon fabric. According to the version, disc in opal plex finishing underneath.

Symbol index → • / present - / absent OD / On Demand


MILLELUCI

Medium suspension lamp - ø 80 without plex



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp cotton fabric	1 x E27 105W HES	OD	OD	IP20	MILESO080C01	650					
Suspension pleated fabric	1 x E27 105W HES	•	OD	IP20	MILESO080P01	1.015					
Suspension lamp pleated ribbon	1 x E27 105W HES	OD	OD	IP20	MILESO080R01	1.070					

Medium suspension lamp - ø 80 with plex




Suspension lamp cotton fabric	4 x E27 105W HES	OD	OD	IP20	MILESP080C01	895					
Suspension lamp cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP080C02	950					
Suspension lamp cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP080C03	995					
Suspension lamp cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP080C04	995					
Suspension pleated fabric	4 x E27 105W HES	OD	OD	IP20	MILESP080P01	1.355					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP080P02	1.415					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP080P03	1.455					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP080P04	1.455					
Suspension lamp pleated ribbon	4 x E27 105W HES	OD	OD	IP20	MILESP080R01	1.390					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP080R02	1.440					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP080R03	1.485					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP080R04	1.485					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					





Suspension in cotton fabric or hand-finished pleated and pleated ribbon fabric. According to the version, disc in opal plex finishing underneath.

Symbol index  → • / present - /absent OD / On Demand

MILLELUCI

Large suspension lamp - ø 100 x h 35 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp cotton fabric	4 x E27 105W HES	OD	OD	IP20	MILESP035C01	1.060					
Suspension lamp cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP035C02	1.090					
Suspension lamp cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP035C03	1.135					
Suspension lamp cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP035C04	1.135					
Suspension lamp cotton fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP035C05	1.325					
Suspension lamp cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP035C06	1.465					
Suspension lamp cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP035C07	1.465					
Suspension pleated fabric	4 x E27 105W HES	OD	OD	IP20	MILESP035P01	1.540					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP035P02	1.570					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP035P03	1.620					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP035P04	1.620					
Suspension pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP035P05	1.815					
Suspension pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP035P06	1.955					
Suspension lamp pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP035P07	1.955					
Suspension lamp pleated ribbon	4 x E27 105W HES	OD	OD	IP20	MILESP035R01	1.570					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP035R02	1.605					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP035R03	1.655					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP035R04	1.655					
Suspension lamp pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP035R05	1.845					
Suspension lamp pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP035R06	1.985					
Suspension lamp pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP035R07	1.985					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					





Suspension in cotton fabric or hand-finished pleated and pleated ribbon fabric. According to the version, disc in opal plex finishing underneath.

Symbol index  → • / present - /absent OD / On Demand

MILLELUCI

Large suspension lamp - ø 100 x h 60 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp cotton fabric	4 x E27 105W HES	OD	OD	IP20	MILESP060C01	1.115					
Suspension lamp cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP060C02	1.150					
Suspension lamp cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP060C03	1.195					
Suspension lamp cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP060C04	1.195					
Suspension lamp cotton fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP060C05	1.395					
Suspension lamp cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP060C06	1.535					
Suspension lamp cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP060C07	1.535					
Suspension pleated fabric	4 x E27 105W HES	OD	OD	IP20	MILESP060P01	1.815					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP060P02	1.845					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP060P03	1.895					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP060P04	1.895					
Suspension lamp pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP060P05	2.085					
Suspension lamp pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP060P06	2.225					
Suspension lamp pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP060P07	2.225					
Suspension lamp pleated ribbon	4 x E27 105W HES	OD	OD	IP20	MILESP060R01	1.900					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP060R02	1.935					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP060R03	1.980					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP060R04	1.980					
Suspension lamp pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP060R05	2.175					
Suspension lamp pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP060R06	2.315					
Suspension lamp pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP060R07	2.315					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					



Suspension in cotton fabric or hand-finished pleated and pleated ribbon fabric. According to the version, disc in opal plex finishing underneath.

Symbol index  → • / present - /absent OD / On Demand

MILLELUCI

Mega suspension lamp - ø 120 x h 60 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Suspension lamp cotton fabric	4 x E27 105W HES	OD	-	IP20	MILESP120C01	1.715					
Suspension lamp cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP120C02	1.745					
Suspension lamp cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP120C03	1.795					
Suspension lamp cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP120C04	1.795					
Suspension lamp cotton fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP120C05	1.965					
Suspension lamp cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP120C06	2.105					
Suspension lamp cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP120C07	2.105					
Suspension pleated fabric	4 x E27 105W HES	OD	-	IP20	MILESP120P01	2.380					
Suspension pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP120P02	2.415					
Suspension pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP120P03	2.465					
Suspension pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP120P04	2.465					
Suspension pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP120P05	2.630					
Suspension pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP120P06	2.770					
Suspension pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP120P07	2.770					
Suspension lamp pleated ribbon	4 x E27 105W HES	OD	-	IP20	MILESP120R01	2.500					
Suspension lamp pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	MILESP120R02	2.530					
Suspension lamp pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	MILESP120R03	2.585					
Suspension lamp pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	MILESP120R04	2.585					
Suspension lamp pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	MILESP120R05	2.750					
Suspension lamp pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	MILESP120R06	2.895					
Suspension lamp pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	MILESP120R07	2.895					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					





Suspension in cotton fabric or hand-finished pleated and pleated ribbon fabric. According to the version, disc in opal plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

MILLELUCI

Extra suspension lamp - ø 150 x h 60
with plex



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension pleated fabric	6 x E27 105W HES	OD	-	IP20	MILESP150P01	3.275					
Suspension pleated fabric NO DIM	3 x FC-T5 55W 827	OD	-	IP20	MILESP150P02	3.495					
Suspension pleated fabric DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	MILESP150P03	3.605					
Suspension pleated fabric DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	MILESP150P04	3.605					
Suspension lamp pleated ribbon	6 x E27 105W HES	OD	-	IP20	MILESP150R01	3.440					
Suspension lamp pleated ribbon NO DIM	3 x FC-T5 55W 827	OD	-	IP20	MILESP150R02	3.660					
Suspension lamp pleated ribbon DIM 1-10V	3 x FC-T5 55W 827	OD	-	IP20	MILESP150R03	3.770					
Suspension lamp pleated ribbon DIM DALI	3 x FC-T5 55W 827	OD	-	IP20	MILESP150R04	3.770					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					


PRODUCTS: Moby
DESIGN: Barazzuol + Malisan 2016





Indoor and outdoor floor lamp with metal base painted in the following colours: white, gun metal grey, orange-yellow.
 Diffuser in opal satined white PMMA.
 Diffuser also available in opal polycarbonate, in accordance with the CL1 (650°) fire normative, with price increase.

Symbol index  → • / present - / absent OD / On Demand

MOBY

Floor lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Floor lamp white or gun metal grey	Strip LED 72W 24V (5780 lm) - 2700K	OD	-	IP31	MYIEPT190M01	1.040					
Floor lamp white or gun metal grey	Strip LED 72W 24V (5780 lm) - 3000K						OD	-	IP44/ IP65	MYOEPT190M01	1.115
Floor lamp orange-yellow	Strip LED 72W 24V (5780 lm) - 2700K	OD	-	IP31	MYIEPT190M02	1.090					
Floor lamp orange-yellow	Strip LED 72W 24V (5780 lm) - 3000K						OD	-	IP44/ IP65	MYOEPT190M02	1.170
Accessory	Button PUSH DIM / DIM DALI (for version INDOOR)				MYBEDD190M00	115					




PRODUCTS: Mood
DESIGN: Annarosa Romano + Bruno Menegon 2014



*Suspension, wall/ ceiling lamp in hand-finished pleated and pleated ribbon fabric.
 Central half-sphere in opal PMMA.*

Symbol index  → • / present - / absent OD / On Demand


MOOD

Large suspension lamp - ø 100




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO100P04	1.805					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO100P06	1.855					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO100R04	1.825					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO100R06	1.875					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Large wall/ceiling lamp - ø 100



1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOEAP100P04	1.715				
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOEAP100P06	1.770				
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOEAP100R04	1.735				
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOEAP100R06	1.790				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				

Accessory - Wall/ ceiling lamp ø 100



Ring strip LED warm white 42W 24V (3700 lm)		•	-	IP20	MOOEAL100G01	515				
---	--	---	---	------	--------------	-----	--	--	--	--


PRODUCTS: Mood
DESIGN: Annarosa Romano + Bruno Menegon 2014





*Suspension, wall/ ceiling lamp in hand-finished pleated and pleated ribbon fabric.
 Central half-sphere in opal PMMA.*

Symbol index  → • / present - /absent OD / On Demand


MOOD

Maxi suspension lamp - ø 120



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO120P04	2.115					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO120P06	2.175					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO120R04	2.155					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO120R06	2.205					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Mega suspension lamp - ø 150



1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO150P04	2.730					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO150P06	2.785					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO150R04	2.785					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	MOOESO150R06	2.840					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.



Symbol index  → • / present - /absent OD / On Demand

MULTIBALL


Suspension globe - ø 25



25cm
9.84"

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp h 36	1 x E27 42W HES	-	-	IP20	MBLESO025M10	245					
Suspension lamp h 46	1 x E27 42W HES	-	-	IP20	MBLESO025M20	245					
Suspension lamp h 56	1 x E27 42W HES	-	-	IP20	MBLESO025M30	245					
Suspension lamp h 66	1 x E27 42W HES	-	-	IP20	MBLESO025M40	245					
Suspension lamp h 76	1 x E27 42W HES	-	-	IP20	MBLESO025M50	250					
Suspension lamp h 86	1 x E27 42W HES	-	-	IP20	MBLESO025M60	250					
Suspension lamp h 96	1 x E27 42W HES	-	-	IP20	MBLESO025M70	250					
Suspension lamp h 106	1 x E27 42W HES	-	-	IP20	MBLESO025M80	250					

Suspension globe - ø 30



30cm
11.81"


Suspension lamp h 41	1 x E27 52W HES	-	-	IP20	MBLESO030M10	255					
Suspension lamp h 51	1 x E27 52W HES	-	-	IP20	MBLESO030M20	255					
Suspension lamp h 61	1 x E27 52W HES	-	-	IP20	MBLESO030M30	255					
Suspension lamp h 71	1 x E27 52W HES	-	-	IP20	MBLESO030M40	255					
Suspension lamp h 81	1 x E27 52W HES	-	-	IP20	MBLESO030M50	260					
Suspension lamp h 91	1 x E27 52W HES	-	-	IP20	MBLESO030M60	260					
Suspension lamp h 101	1 x E27 52W HES	-	-	IP20	MBLESO030M70	260					
Suspension lamp h 111	1 x E27 52W HES	-	-	IP20	MBLESO030M80	260					

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL


Suspension globe - ø 35



35cm
13.78"

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Suspension lamp h 46	1 x E27 52W HES	-	-	IP20	MBLESO035M10	295					
Suspension lamp h 56	1 x E27 52W HES	-	-	IP20	MBLESO035M20	295					
Suspension lamp h 66	1 x E27 52W HES	-	-	IP20	MBLESO035M30	295					
Suspension lamp h 76	1 x E27 52W HES	-	-	IP20	MBLESO035M40	295					
Suspension lamp h 86	1 x E27 52W HES	-	-	IP20	MBLESO035M50	300					
Suspension lamp h 96	1 x E27 52W HES	-	-	IP20	MBLESO035M60	300					
Suspension lamp h 106	1 x E27 52W HES	-	-	IP20	MBLESO035M70	300					
Suspension lamp h 116	1 x E27 52W HES	-	-	IP20	MBLESO035M80	300					

Suspension globe - ø 40



40cm
15-75"


Suspension lamp h 51	1 x E27 70W HES	-	-	IP20	MBLESO040M10	320				
Suspension lamp h 61	1 x E27 70W HES	-	-	IP20	MBLESO040M20	320				
Suspension lamp h 71	1 x E27 70W HES	-	-	IP20	MBLESO040M30	320				
Suspension lamp h 81	1 x E27 70W HES	-	-	IP20	MBLESO040M40	320				
Suspension lamp h 91	1 x E27 70W HES	-	-	IP20	MBLESO040M50	330				
Suspension lamp h 101	1 x E27 70W HES	-	-	IP20	MBLESO040M60	330				
Suspension lamp h 111	1 x E27 70W HES	-	-	IP20	MBLESO040M70	330				
Suspension lamp h 121	1 x E27 70W HES	-	-	IP20	MBLESO040M80	330				





Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL




Suspension globe - ø 45



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp h 56	1 x E27 70W HES	-	-	IP20	MBLESO045M10	375					
Suspension lamp h 66	1 x E27 70W HES	-	-	IP20	MBLESO045M20	375					
Suspension lamp h 76	1 x E27 70W HES	-	-	IP20	MBLESO045M30	375					
Suspension lamp h 86	1 x E27 70W HES	-	-	IP20	MBLESO045M40	375					
Suspension lamp h 96	1 x E27 70W HES	-	-	IP20	MBLESO045M50	385					
Suspension lamp h 106	1 x E27 70W HES	-	-	IP20	MBLESO045M60	385					
Suspension lamp h 116	1 x E27 70W HES	-	-	IP20	MBLESO045M70	385					
Suspension lamp h 126	1 x E27 70W HES	-	-	IP20	MBLESO045M80	385					

Accessory - cable/s cover white painted

Connection cables L 40 (electric cable included)	•	-	IP20	MBLEAS000G01	70					
Connection cables L 80 (electric cable included)	•	-	IP20	MBLEAS000G02	100					




Separate ceiling rose attachment	•	-	IP20	MBLEAR000G01	100					
----------------------------------	---	---	------	--------------	-----	--	--	--	--	--

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.

Symbol index  → • / present - /absent OD / On Demand

MULTIBALL

Composition type 1 - (3 globes)




56cm - 22.05"

Composition with h 56 maximum encumbrance

(1pz. d.25 h46 – 1pz. d.35 h56 – 1pz. d.30 h41 – 2 connections cables)

INDOOR						OUTDOOR				
	IP	CODE	€ EURO		IP	CODE	€ EURO			
-	-	IP20 MBLECM056M03	930							




66cm - 25.98"

Composition with h 66 maximum encumbrance

(1pz. d.25 h56 – 1pz. d.35 h66 – 1pz. d.30 h51 – 2 connections cables)

-	-	IP20 MBLECM066M03	930				
---	---	-------------------	-----	--	--	--	--




76cm - 29.92"

Composition with h 76 maximum encumbrance

(1pz. d.25 h66 – 1pz. d.35 h76 – 1pz. d.30 h61 – 2 connections cables)

-	-	IP20 MBLECM076M03	930				
---	---	-------------------	-----	--	--	--	--




86cm - 33.86"

Composition with h 86 maximum encumbrance

(1pz. d.25 h76 – 1pz. d.35 h86 – 1pz. d.30 h71 – 2 connections cables)

-	-	IP20 MBLECM086M03	940				
---	---	-------------------	-----	--	--	--	--




96cm - 37.79"

Composition with h 96 maximum encumbrance

(1pz. d.25 h86 – 1pz. d.35 h96 – 1pz. d.30 h81 – 2 connections cables)

-	-	IP20 MBLECM096M03	945				
---	---	-------------------	-----	--	--	--	--



106cm - 41.73"

Composition with h 106 maximum encumbrance

(1pz. d.25 h96 – 1pz. d.35 h106 – 1pz. d.30 h91 – 2 connections cables)


-	-	IP20 MBLECM106M03	945				
---	---	-------------------	-----	--	--	--	--

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 2 - (5 globes)



66 cm - 25.98"

DESCRIPTION

Composition with h 66 maximum encumbrance


LIGHT BULB

(1 pc d.30 h41 - 1 pc d.35 h66 - 1 pc d.45 h66 - 1 pc d.40 h51 - 1 pc d.25 h56 - 4 connections cables)

INDOOR					OUTDOOR				
	IP	CODE	€ EURO		IP	CODE	€ EURO		
-	-	IP20 MBLECM066M05	1.760						

Composition with h 76 maximum encumbrance

(1 pc d.30 h51 - 1 pc d.35 h76 - 1 pc d.45 h76 - 1 pc d.40 h61 - 1 pc d.25 h66 - 4 connections cables)




76 cm - 29.92"

-	-	IP20 MBLECM076M05	1.760				
---	---	-------------------	-------	--	--	--	--

Composition with h 86 maximum encumbrance

(1 pc d.30 h61 - 1 pc d.35 h86 - 1 pc d.45 h86 - 1 pc d.40 h71 - 1 pc d.25 h76 - 4 connections cables)




86 cm - 33.86"

-	-	IP20 MBLECM086M05	1.760				
---	---	-------------------	-------	--	--	--	--

Composition with h 96 maximum encumbrance

(1pc d.30 h71 - 1 pc d.35 h96 - 1 pc d.45 h96 - 1 pc d.40 h81 - 1 pc d.25 h86- 4 connections cables)




96 cm - 37.79"

-	-	IP20 MBLECM096M05	1.760				
---	---	-------------------	-------	--	--	--	--

Composition with h 106 maximum encumbrance

(1 pc d.30 h81 - 1 pc d.35 h106 - 1 pc d.45 h106 - 1 pc d.40 h91 - 1 pc d.25 h96- 4 connections cables)




106 cm - 41.73"

-	-	IP20 MBLECM106M05	1.785				
---	---	-------------------	-------	--	--	--	--

Composition with h 116 maximum encumbrance

(1 pc d.30 h91 - 1 pc d.35 h116 - 1 pc d.45 h116 - 1 pc d.40 h101 - 1 pc d.25 h106- 4 connections cables)



116 cm - 45.67"


-	-	IP20 MBLECM116M05	1.785				
---	---	-------------------	-------	--	--	--	--

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.

Symbol index  → • / present - / absent OD / On Demand

MULTIBALL

Composition type 3 - (8 globes)



66 cm - 25.98"


DESCRIPTION

Composition with h 66 maximum encumbrance

LIGHT BULB

(1 pc d.25 h56 - 2 pcs d.40 h51 - 2 pcs d.45 h66 - 2 pcs d.30 h41 - 1 pc d.35 h66 - 7 connections cables)

INDOOR					OUTDOOR				
	IP	CODE	€ EURO		IP	CODE	€ EURO		
-	-	IP20 MBLECM066M08	2.910						




76 cm - 29.92"

Composition with h 76 maximum encumbrance

(1 pc d.25 h66 - 2 pc d.40 h61 - 2 pc d.45 h76 - 2 pc d.30 h51 - 1 pc d.35 h76 - 7 connections cables)

-	-	IP20 MBLECM076M08	2.910				
---	---	-------------------	-------	--	--	--	--




86 cm - 33.86"

Composition with h 86 maximum encumbrance

(1 pc d.25 h76 - 2 pcs d.40 h71 - 2 pcs d.45 h86 - 2 pcs d.30 h61 - 1 pc d.35 h86 - 7 connections cables)

-	-	IP20 MBLECM086M08	2.915				
---	---	-------------------	-------	--	--	--	--




96 cm - 37.79"

Composition with h 96 maximum encumbrance

(1 pc d.25 h86 - 2 pcs d.40 h81 - 2 pcs d.45 h96 - 2 pcs d.30 h71 - 1 pc d.35 h96 - 7 connections cables)

-	-	IP20 MBLECM096M08	2.930				
---	---	-------------------	-------	--	--	--	--




106 cm - 41.73"

Composition with h 106 maximum encumbrance

(1 pc d.25 h96 - 2 pcs d.40 h91 - 2 pcs d.45 h106 - 2 pcs d.30 h81 - 1 pc d.35 h106 - 7 connections cables)

-	-	IP20 MBLECM106M08	2.955				
---	---	-------------------	-------	--	--	--	--



116 cm - 45.67"

Composition with h 116 maximum encumbrance

(1 pc d.25 h106 - 2 pcs d.40 h101 - 2 pcs d.45 h116 - 2 pcs d.30 h91 - 1 pc d.35 h116 - 7 connections cables)

-	-	IP20 MBLECM116M08	2.955				
---	---	-------------------	-------	--	--	--	--

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.

Symbol index  → • / present - /absent OD / On Demand

MULTIBALL


	DESCRIPTION	LIGHT BULB	INDOOR			OUTDOOR		
			  IP	CODE	€ EURO	  IP	CODE	€ EURO
Composition type 4 - (12 globes)	Composition with h 66 maximum encumbrance		-	-	IP20	MBLECM066M12	4.410	
 66 cm - 25.98"	(2 pcs d.25 h56 - 3 pcs d.40 h51 - 2 pcs d.30 h41 - 3 pcs d.45 h66 - 2 pcs d.35 h66 - 11 connections cables)							
	Composition with h 76 maximum encumbrance		-	-	IP20	MBLECM076M12	4.410	
 76 cm - 29.92"	(2 pcs d.25 h66 - 3 pcs d.40 h61 - 2 pcs d.30 h51 - 3 pcs d.45 h76 - 2 pcs d.35 h76 - 11 connections cables)							
	Composition with h 86 maximum encumbrance		-	-	IP20	MBLECM086M12	4.435	
 86 cm - 33.86"	(2 pcs d.25 h76 - 3 pcs d.40 h71 - 2 pcs d.30 h61 - 3 pcs d.45 h86 - 2 pcs d.35 h86 - 11 connections cables)							
	Composition with h 96 maximum encumbrance		-	-	IP20	MBLECM096M12	4.460	
 96 cm - 37.79"	(2 pcs d.25 h86 - 3 pcs d.40 h81 - 2 pcs d.30 h71 - 3 pcs d.45 h96 - 2 pcs d.35 h96 - 11 connections cables)							
	Composition with h 106 maximum encumbrance		-	-	IP20	MBLECM106M12	4.475	
 106 cm - 41.73"	(2 pcs d.25 h96 - 3 pcs d.40 h91 - 2 pcs d.30 h81 - 3 pcs d.45 h106 - 2 pcs d.35 h106 - 11 connections cables)							
	Composition with h 116 maximum encumbrance		-	-	IP20	MBLECM116M12	4.475	
 116 cm - 45.67"	(2 pcs d.25 h106 - 3 pcs d.40 h101 - 2 pcs d.30 h91 - 3 pcs d.45 h116 - 2 pcs d.35 h116 - 11 connections cables)							

Family of single or aggregable lamps to create different contract compositions.
 Rigid rod in white painted metal, available in different heights with globes diffusers in opal PMMA.


MULTIBALL

Examples compositions

Composition type 1-A




Composition type 1-B




- Ø Globes**
 1 — ∅ 25
 2 — ∅ 35
 3 — ∅ 30
 - Cables connections L 40

Composition type 2-A




Composition type 2-B




- Ø Globes**
 1 — ∅ 30
 2 — ∅ 35
 3 — ∅ 45
 4 — ∅ 40
 5 — ∅ 25
 - Cables connections L 40

Composition type 3-A




Composition type 3-B




- Ø Globes**
 1 — ∅ 25
 2 — ∅ 40
 3 — ∅ 45
 4 — ∅ 30
 5 — ∅ 45
 6 — ∅ 35
 7 — ∅ 40
 8 — ∅ 30
 - Cables connections L 40

Composition type 4-A



Composition type 4-B



- Ø Globes**
 1 — ∅ 25
 2 — ∅ 40
 3 — ∅ 30
 4 — ∅ 45
 5 — ∅ 35
 6 — ∅ 40
 7 — ∅ 45
 8 — ∅ 35
 9 — ∅ 25
 10 — ∅ 45
 11 — ∅ 40
 12 — ∅ 30
 - Cables connections L 40


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017





Suspension or ceiling lamp in hand-finished pleated classic or pleated ribbon fabric. Available versions: unicolour or bicoloured.
 Metal structure: painted matt black or galvanized finishes: chrome, copper, brass.
 Ceiling lamp version with white ceiling rose.

Symbol index   → • / present - / absent OD / On Demand


OLIVIA

Medium suspension lamp D.42



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Pleated fabric unicolour / black structure	1 x E27 70W HES	OD	- IP20	OLIESO042P42	565						
Pleated fabric unicolour / chrome structure	1 x E27 70W HES	OD	- IP20	OLIESO042P43	575						
Pleated fabric unicolour / copper structure	1 x E27 70W HES	OD	- IP20	OLIESO042P44	575						
Pleated fabric unicolour / brass structure	1 x E27 70W HES	OD	- IP20	OLIESO042P45	575						
Pleated ribbon fabric unicolour / black structure	1 x E27 70W HES	OD	- IP20	OLIESO042R42	570						
Pleated ribbon fabric unicolour / chrome structure	1 x E27 70W HES	OD	- IP20	OLIESO042R43	580						
Pleated ribbon fabric unicolour / copper structure	1 x E27 70W HES	OD	- IP20	OLIESO042R44	580						
Pleated ribbon fabric unicolour / brass structure	1 x E27 70W HES	OD	- IP20	OLIESO042R45	580						
Pleated fabric bicoloured / black structure	1 x E27 70W HES	OD	- IP20	OLIESO042P46	570						
Pleated fabric bicoloured / chrome structure	1 x E27 70W HES	OD	- IP20	OLIESO042P47	580						
Pleated fabric bicoloured / copper structure	1 x E27 70W HES	OD	- IP20	OLIESO042P48	580						
Pleated fabric bicoloured / brass structure	1 x E27 70W HES	OD	- IP20	OLIESO042P49	580						
Pleated ribbon fabric bicoloured / black structure	1 x E27 70W HES	OD	- IP20	OLIESO042R46	575						
Pleated ribbon fabric bicoloured / chrome structure	1 x E27 70W HES	OD	- IP20	OLIESO042R47	590						
Pleated ribbon fabric bicoloured / copper structure	1 x E27 70W HES	OD	- IP20	OLIESO042R48	590						
Pleated ribbon fabric bicoloured / brass structure	1 x E27 70W HES	OD	- IP20	OLIESO042R49	590						

Medium ceiling lamp D.42



Pleated fabric unicolour	1 x E27 42W HES	OD	- IP20	OLIEPL042P41	565				
Pleated ribbon fabric unicolour	1 x E27 42W HES	OD	- IP20	OLIEPL042R41	570				
Pleated fabric bicoloured	1 x E27 42W HES	OD	- IP20	OLIEPL042P42	570				
Pleated ribbon fabric bicoloured	1 x E27 42W HES	OD	- IP20	OLIEPL042R42	575				


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017



Suspension or ceiling lamp in hand-finished pleated classic or pleated ribbon fabric. Available versions: unicolour or bicoloured.
 Metal structure: painted matt black or galvanized finishes: chrome, copper, brass.
 Ceiling lamp version with white ceiling rose.

Symbol index  → • / present - / absent OD / On Demand


OLIVIA

Large suspension lamp D.60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Pleated fabric unicolour / black structure	1 x E27 105W HES	OD	- IP20	OLIESO060P42	790						
Pleated fabric unicolour / chrome structure	1 x E27 105W HES	OD	- IP20	OLIESO060P43	800						
Pleated fabric unicolour / copper structure	1 x E27 105W HES	OD	- IP20	OLIESO060P44	800						
Pleated fabric unicolour / brass structure	1 x E27 105W HES	OD	- IP20	OLIESO060P45	800						
Pleated ribbon fabric unicolour / black structure	1 x E27 105W HES	OD	- IP20	OLIESO060R42	800						
Pleated ribbon fabric unicolour / chrome structure	1 x E27 105W HES	OD	- IP20	OLIESO060R43	820						
Pleated ribbon fabric unicolour / copper structure	1 x E27 105W HES	OD	- IP20	OLIESO060R44	820						
Pleated ribbon fabric unicolour / brass structure	1 x E27 105W HES	OD	- IP20	OLIESO060R45	820						
Pleated fabric bicoloured / black structure	1 x E27 105W HES	OD	- IP20	OLIESO060P46	800						
Pleated fabric bicoloured / chrome structure	1 x E27 105W HES	OD	- IP20	OLIESO060P47	820						
Pleated fabric bicoloured / copper structure	1 x E27 105W HES	OD	- IP20	OLIESO060P48	820						
Pleated fabric bicoloured / brass structure	1 x E27 105W HES	OD	- IP20	OLIESO060P49	820						
Pleated ribbon fabric bicoloured / black structure	1 x E27 105W HES	OD	- IP20	OLIESO060R46	810						
Pleated ribbon fabric bicoloured / chrome structure	1 x E27 105W HES	OD	- IP20	OLIESO060R47	830						
Pleated ribbon fabric bicoloured / copper structure	1 x E27 105W HES	OD	- IP20	OLIESO060R48	830						
Pleated ribbon fabric bicoloured / brass structure	1 x E27 105W HES	OD	- IP20	OLIESO060R49	830						

Large ceiling lamp D.60



Pleated fabric unicolour	1 x E27 70W HES	OD	- IP20	OLIEPL060P41	800				
Pleated ribbon fabric unicolour	1 x E27 70W HES	OD	- IP20	OLIEPL060R41	810				
Pleated fabric bicoloured	1 x E27 70W HES	OD	- IP20	OLIEPL060P42	810				
Pleated ribbon fabric bicoloured	1 x E27 70W HES	OD	- IP20	OLIEPL060R42	825				


PRODUCTS: Olivia
DESIGN: Arturo Bellese 2017

Suspension or ceiling lamp in hand-finished pleated classic or pleated ribbon fabric. Available versions: unicolour or bicoloured.
 Metal structure white painted.

Symbol index → • / present - / absent OD / On Demand


OLIVIA LED

Medium suspension lamp D.42 LED panel included



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Pleated fabric unicolour	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIESO042P01	645					
Pleated ribbon fabric unicolour	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIESO042R01	650					
Pleated fabric bicoloured	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIESO042P02	650					
Pleated ribbon fabric bicoloured	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIESO042R02	655					
Price increase for version:	DIM DALI / switch DIM				OLIED1042P00	125					

Medium ceiling lamp D.42 LED panel included




Pleated fabric unicolour	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIEPL042P01	645				
Pleated ribbon fabric unicolour	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIEPL042R01	650				
Pleated fabric bicoloured	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIEPL042P02	650				
Pleated ribbon fabric bicoloured	1 x Pannel LED 12W 2800K (1110 lm)	OD	-	IP20	OLIEPL042R02	655				
Price increase for version:	DIM DALI / switch DIM				OLIED1042P00	125				





Suspension or ceiling lamp in hand-finished pleated classic or pleated ribbon fabric. Available versions: unicolour or bicoloured.
 Metal structure white painted.

Symbol index  → • / present - /absent OD / On Demand


OLIVIA LED

Large suspension lamp D.60 LED pannel included



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Pleated fabric unicolour	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIESO060P01	970					
Pleated ribbon fabric unicolour	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIESO060R01	985					
Pleated fabric bicoloured	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIESO060P02	985					
Pleated ribbon fabric bicoloured	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIESO060R02	995					
Price increase for version:	DIM DALI / switch DIM				OLIED1060P00	125					

Large ceiling lamp D.60 LED pannel included




Pleated fabric unicolour	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIEPL060P01	950				
Pleated ribbon fabric unicolour	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIEPL060R01	960				
Pleated fabric bicoloured	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIEPL060P02	960				
Pleated ribbon fabric bicoloured	1 x Pannel LED 24W 2800K (2150 lm)	OD	-	IP20	OLIEPL060R02	970				
Price increase for version:	DIM DALI / switch DIM				OLIED1060P00	125				



Suspension and ceiling lamp in white painted metal. The lower bowl is also available in galvanized finishes: glossy chrome, brass and copper.

Symbol index  → • / present - /absent OD / On Demand


OMBRELLA

Medium suspension lamp D.60



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Suspension white NO DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBESO060G01	495					
Suspension white lower bowl in galvanized finishes NO DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBESO060G03	535					
Suspension white DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBESO060G11	575					
Suspension white lower bowl in galvanized finishes DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBESO060G13	625					
LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40					

Medium ceiling lamp D.60




Ceiling lamp white NO DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBEPLO60G01	495				
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBEPLO60G03	535				
Ceiling lamp white DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBEPLO60G11	575				
Ceiling lamp white lower bowl in galvanized finishes DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	•	-	IP20	UMBEPLO60G13	625				
LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40				





Suspension and ceiling lamp in white painted metal. The lower bowl is also available in galvanized finishes: glossy chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Maxi suspension lamp D.80



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Suspension white NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO080G01	855					
Suspension white lower bowl in galvanized finishes NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO080G03	940					
Suspension white DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO080G11	940					
Suspension white lower bowl in galvanized finishes DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO080G13	1.025					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Maxi ceiling lamp D.80




Ceiling lamp white NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL080G01	855				
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL080G03	940				
Ceiling lamp white DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL080G11	940				
Ceiling lamp white lower bowl in galvanized finishes DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL080G13	1.025				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				





Suspension and ceiling lamp in white painted metal. The lower bowl is also available in galvanized finishes: glossy chrome, brass and copper.

Symbol index  → • / present - / absent OD / On Demand


OMBRELLA

Mega suspension lamp D.100



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Suspension white NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO100G01	995					
Suspension white lower bowl in galvanized finishes NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO100G03	1.080					
Suspension white DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO100G11	1.080					
Suspension white lower bowl in galvanized finishes DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBESO100G13	1.170					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Mega ceiling lamp D.100




Ceiling lamp white NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL100G01	995				
Ceiling lamp white lower bowl in galvanized finishes NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL100G03	1.080				
Ceiling lamp white DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL100G11	1.080				
Ceiling lamp white lower bowl in galvanized finishes DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	UMBEPL100G13	1.170				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				



Single suspension or on cluster compositions. Globe diffuser in smoked PMMA and painted matt white or black or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand


ORB 25

Suspension globe - D. 25



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Suspension white NO DIM	1 x module LED 11W 3000K (1335 lm)	-	-	IP20	ORBESO025M01	365					
Suspension black NO DIM	1 x module LED 11W 3000K (1335 lm)	-	-	IP20	ORBESO025M02	365					
Suspension chrome NO DIM	1 x module LED 11W 3000K (1335 lm)	-	-	IP20	ORBESO025M03	420					
Suspension copper NO DIM	1 x module LED 11W 3000K (1335 lm)	-	-	IP20	ORBESO025M04	420					
Suspension brass NO DIM	1 x module LED 11W 3000K (1335 lm)	-	-	IP20	ORBESO025M05	420					
Price increase for version:	Phasecut / DIM 1-10V				ORBED1025M00	70					
Price increase for version:	DIM DALI / switch DIM				ORBEDD025M00	125					

Composition with 2 globes




Composition white NO DIM	2 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBES002M01	725				
Composition black NO DIM	2 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBES002M02	725				
Composition chrome NO DIM	2 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBES002M03	780				
Composition copper NO DIM	2 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBES002M04	780				
Composition brass NO DIM	2 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBES002M05	780				
Price increase for version:	Phasecut / DIM 1-10V				ORBED1002M00	70				
Price increase for version:	DIM DALI / switch DIM				ORBEDD002M00	115				





Single suspension or on cluster compositions. Globe diffuser in smoked PMMA and painted matt white or black or in galvanized finishes: glossy chrome, copper, brass.

Symbol index  → • / present - / absent OD / On Demand


ORB 25

Composition with 3 globes



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Composition white NO DIM	3 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBECM003M01	1.160					
Composition black NO DIM	3 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBECM003M02	1.160					
Composition chrome NO DIM	3 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBECM003M03	1.305					
Composition copper NO DIM	3 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBECM003M04	1.305					
Composition brass NO DIM	3 x module LED 11W 3000K (cad.1335 lm)	-	-	IP20	ORBECM003M05	1.305					
Price increase for version:	Phasecut / DIM 1-10V				ORBED1003M00	30					
Price increase for version:	DIM DALI / switch DIM				ORBEDD003M00	70					

Composition with 6 globes




Composition white NO DIM	6 x module LED 11W 3000K (cad.1335lm)	-	-	IP20	ORBECM006M01	2.175					
Composition black NO DIM	6 x module LED 11W 3000K (cad.1335lm)	-	-	IP20	ORBECM006M02	2.175					
Composition chrome NO DIM	6 x module LED 11W 3000K (cad.1335lm)	-	-	IP20	ORBECM006M03	2.350					
Composition copper NO DIM	6 x module LED 11W 3000K (cad.1335lm)	-	-	IP20	ORBECM006M04	2.350					
Composition brass NO DIM	6 x module LED 11W 3000K (cad.1335lm)	-	-	IP20	ORBECM006M05	2.350					
Price increase for version:	Phasecut / DIM 1-10V				ORBED1006M00	90					
Price increase for version:	DIM DALI / switch DIM				ORBEDD006M00	110					

Single suspension or two-globe composition. Globe diffuser in smoked PMMA and painted metal structure: matt white or black or in galvanized finishes: glossy chrome, copper, brass.

Symbol index → • / present - / absent OD / On Demand


ORB 40

Suspension globe - D. 40



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension globe white NO DIM	1 x modulo LED 18W 3000K (2330 lm)	-	-	IP20	ORBESO040M01	565					
Suspension globe black NO DIM	1 x modulo LED 18W 3000K (2330 lm)	-	-	IP20	ORBESO040M02	565					
Suspension globe chrome NO DIM	1 x modulo LED 18W 3000K (2330 lm)	-	-	IP20	ORBESO040M03	780					
Suspension globe copper NO DIM	1 x modulo LED 18W 3000K (2330 lm)	-	-	IP20	ORBESO040M04	780					
Suspension globe brass NO DIM	1 x modulo LED 18W 3000K (2330 lm)	-	-	IP20	ORBESO040M05	780					
Price increase for version:	Phasecut / DIM 1-10V				ORBED1040M00	70					
Price increase for version:	DIM DALI / switch DIM				ORBEDD040M00	90					

Composition with 2 globes



Composition white NO DIM	2 x moduli LED 18W 3000K (cad.2330 lm)	-	-	IP20	ORBES040M01	1.005					
Composition black NO DIM	2 x moduli LED 18W 3000K (cad.2330 lm)	-	-	IP20	ORBES040M02	1.005					
Composition chrome NO DIM	2 x moduli LED 18W 3000K (cad.2330 lm)	-	-	IP20	ORBES040M03	1.300					
Composition copper NO DIM	2 x moduli LED 18W 3000K (cad.2330 lm)	-	-	IP20	ORBES040M04	1.300					
Composition brass NO DIM	2 x moduli LED 18W 3000K (cad.2330 lm)	-	-	IP20	ORBES040M05	1.300					
Price increase for version:	Phasecut / DIM 1-10V				ORBED1042M00	70					
Price increase for version:	DIM DALI / switch DIM				ORBEDD042M00	90					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004





Suspension, wall and ceiling lamp in cotton or washable fabric, hand-finished pleated and pleated ribbon fabric or metallic PVC.
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent **OD** / On Demand


OTTOVOLANTE

Suspension lamp - L 100



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	6 x E27 42W HES	OD	-	IP20	OTTESP100C05	865					
Washable fabric	6 x E27 42W HES	OD	-	IP20	OTTESP100T05	915					
Metallic PVC	6 x E27 42W HES	OD	-	IP20	OTTESP100V05	960					
Pleated fabric	6 x E27 42W HES	OD	-	IP20	OTTESP100P05	1.005					
Pleated ribbon	6 x E27 42W HES	OD	-	IP20	OTTESP100R05	1.025					

Wall/ceiling lamp - L 100



Cotton fabric	6 x E27 42W HES	OD	-	IP20	OTTEAP100C05	840					
Washable fabric	6 x E27 42W HES	OD	-	IP20	OTTEAP100T05	895					
Metallic PVC	6 x E27 42W HES	OD	-	IP20	OTTEAP100V05	940					
Pleated fabric	6 x E27 42W HES	OD	-	IP20	OTTEAP100P05	985					
Pleated ribbon	6 x E27 42W HES	OD	-	IP20	OTTEAP100R05	1.005					


PRODUCTS: Ottovolante
DESIGN: Paolo Grasselli 2004





Suspension, wall and ceiling lamp in cotton or washable fabric, hand-finished pleated and pleated ribbon fabric or metallic PVC.
 One side frosted plex finishing underneath.

Symbol index   → • / present - / absent OD / On Demand


OTTOVOLANTE LED

Suspension lamp - L 100 LED (2 x 2990 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Cotton fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100C06	950						
Washable fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100T06	1.005						
Pleated fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100P06	1.090						
Pleated ribbon NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100R06	1.115						
Cotton fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100C08	1.090						
Washable fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100T08	1.150						
Pleated fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100P08	1.230						
Pleated ribbon DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTESP100R08	1.260						
LED temperature conversion filter from 3000K to 2700K	2 x 24,2W	•	- IP20	FLTCON0SP002	85						

Wall/ceiling lamp - L 100 LED (2 x 2990 lm)




Cotton fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100C06	875				
Washable fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100T06	930				
Pleated fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100P06	1.015				
Pleated ribbon NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100R06	1.040				
Cotton fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100C08	1.025				
Washable fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100T08	1.080				
Pleated fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100P08	1.170				
Pleated ribbon DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	OTTEAP100R08	1.190				
LED temperature conversion filter from 3000K to 2700K	2 x 24,2W	•	- IP20	FLTCON0SP002	85				





PRODUCTS: Ottovolante Plus
DESIGN: Paolo Grasselli 2004


Suspension, wall and ceiling lamp in cotton or washable fabric, hand-finished pleated and pleated ribbon fabric or metallic PVC.
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand

OTTOVOLANTE PLUS



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp - L 150 Cotton fabric	8 x E27 42W HES	OD	-	IP20	OTPESP150C05	1.300					
Washable fabric	8 x E27 42W HES	OD	-	IP20	OTPESP150T05	1.375					
Metallic PVC	8 x E27 42W HES	OD	-	IP20	OTPESP150V05	1.410					
Pleated fabric	8 x E27 42W HES	OD	-	IP20	OTPESP150P05	1.450					
Pleated ribbon	8 x E27 42W HES	OD	-	IP20	OTPESP150R05	1.500					






Wall/ceiling lamp - L 150 Cotton fabric	8 x E27 42W HES	OD	-	IP20	OTPEAP150C05	1.310					
Washable fabric	8 x E27 42W HES	OD	-	IP20	OTPEAP150T05	1.385					
Metallic PVC	8 x E27 42W HES	OD	-	IP20	OTPEAP150V05	1.420					
Pleated fabric	8 x E27 42W HES	OD	-	IP20	OTPEAP150P05	1.460					
Pleated ribbon	8 x E27 42W HES	OD	-	IP20	OTPEAP150R05	1.510					

Suspension, wall and ceiling lamp in cotton or washable fabric, hand-finished pleated and pleated ribbon fabric or metallic PVC.
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


OTTOVOLANTE PLUS LED

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Suspension lamp - L 150 LED (3 x 2990 lm)	Cotton fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150C06	1.430				
	Washable fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150T06	1.505				
	Pleated fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150P06	1.585				
	Pleated ribbon NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150R06	1.630				
	Cotton fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150C08	1.660				
	Washable fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150T08	1.730				
	Pleated fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150P08	1.815				
	Pleated ribbon DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEP150R08	1.855				
	LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON0SP003	120				



Wall/ceiling lamp - L 150

Wall/ceiling lamp - L 150 LED (3 x 2990 lm)	Cotton fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150C06	1.350			
	Washable fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150T06	1.425			
	Pleated fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150P06	1.510			
	Pleated ribbon NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150R06	1.550			
	Cotton fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150C08	1.595			
	Washable fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150T08	1.665			
	Pleated fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150P08	1.745			
	Pleated ribbon DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	OTPEAP150R08	1.790			
	LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON0SP003	120			










PRODUCTS: Quadrato
DESIGN: Modoluce R&D 2005

Square suspension, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric.
 Suspensions and ceiling lamps with finishing panel in opal plexiglas underneath.


Symbol index  → • / present - / absent **OD** / On Demand

QUADRATO

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR					
		 		IP	CODE	€ EURO	 		IP	CODE	€ EURO	
Medium suspension lamp - 50 x 50 with plex	Cotton fabric 3 lights	3 x E27 52W	HES	OD	OD	IP20	QUAESP050C01	555				
	Pleated fabric 3 lights	3 x E27 52W	HES	OD	OD	IP20	QUAESP050P01	655				
	Pleated ribbon 3 lights	3 x E27 52W	HES	OD	OD	IP20	QUAESP050R01	670				



Medium ceiling lamp - 50 x 50 with plex	Cotton fabric 3 lights	3 x E27 42W	HES	OD	OD	IP20	QUAEPL050C01	555				
	Pleated fabric 3 lights	3 x E27 42W	HES	OD	OD	IP20	QUAEPL050P01	655				
	Pleated ribbon 3 lights	3 x E27 42W	HES	OD	OD	IP20	QUAEPL050R01	670				








Square suspension, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric.
 Suspensions and ceiling lamps with finishing panel in opal plexiglas underneath.

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Large suspension lamp - 70 x 70 with plex



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 70W HES	OD	OD	IP20	QUAESP070C01	765					
Cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070C02	790					
Cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070C03	840					
Cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070C04	840					
Pleated fabric 4 lights	4 x E27 70W HES	OD	OD	IP20	QUAESP070P01	980					
Pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070P02	1.005					
Pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070P03	1.055					
Pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070P04	1.055					
Pleated ribbon 4 lights	4 x E27 70W HES	OD	OD	IP20	QUAESP070R01	1.000					
Pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070R02	1.025					
Pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070R03	1.075					
Pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAESP070R04	1.075					

Large ceiling lamp - 70 x 70 with plex




Cotton fabric 4 lights	4 x E27 42W HES	OD	OD	IP20	QUAEPL070C01	775					
Cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070C02	760					
Cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070C03	805					
Cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070C04	805					
Pleated fabric 4 lights	4 x E27 42W HES	OD	OD	IP20	QUAEPL070P01	990					
Pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070P02	970					
Pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070P03	1.020					
Pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070P04	1.020					
Pleated ribbon 4 lights	4 x E27 42W HES	OD	OD	IP20	QUAEPL070R01	1.010					
Pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070R02	995					
Pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070R03	1.045					
Pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL070R04	1.045					





Square suspension, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric.
 Suspensions and ceiling lamps with finishing panel in opal plexiglas underneath.

Symbol index  → • / present - /absent OD / On Demand

QUADRATO

Maxi suspension lamp - 100 x 100 with plex




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 70W HES	OD	OD	IP20	QUAESP100C01	1.370					
Cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100C02	1.370					
Cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100C03	1.420					
Cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100C04	1.420					
Pleated fabric 4 lights	4 x E27 70W HES	OD	OD	IP20	QUAESP100P01	1.870					
Pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100P02	1.870					
Pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100P03	1.930					
Pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100P04	1.930					
Pleated ribbon 4 lights	4 x E27 70W HES	OD	OD	IP20	QUAESP100R01	1.905					
Pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100R02	1.905					
Pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100R03	1.960					
Pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAESP100R04	1.960					
Cotton fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100C05	1.605					
Cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100C06	1.740					
Cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100C07	1.740					
Pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100P05	2.140					
Pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100P06	2.280					
Pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100P07	2.280					
Pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100R05	2.175					
Pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100R06	2.310					
Pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	QUAESP100R07	2.310					
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165					
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185					
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185					





Square suspension, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric.
 Suspensions and ceiling lamps with finishing panel in opal plexiglas underneath.

Symbol index  → • / present - / absent OD / On Demand

QUADRATO

Maxi ceiling lamp - 100 x 100 with plex



DESCRIPTION	LIGHT BULB	INDOOR					€ EURO	OUTDOOR				
				IP	CODE	€ EURO				IP	CODE	€ EURO
Cotton fabric 4 lights	4 x E27 42W HES	OD	OD	IP20	QUAEPL100C01	1.315						
Cotton fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100C02	1.280						
Cotton fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100C03	1.330						
Cotton fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100C04	1.330						
Pleated fabric 4 lights	4 x E27 42W HES	OD	OD	IP20	QUAEPL100P01	1.825						
Pleated fabric NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100P02	1.785						
Pleated fabric DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100P03	1.860						
Pleated fabric DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100P04	1.860						
Pleated ribbon 4 lights	4 x E27 42W HES	OD	OD	IP20	QUAEPL100R01	1.855						
Pleated ribbon NO DIM	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100R02	1.820						
Pleated ribbon DIM 1-10V	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100R03	1.895						
Pleated ribbon DIM DALI	1 x FC-T5 55W 827	OD	-	IP20	QUAEPL100R04	1.895						
Cotton fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100C05	1.525						
Cotton fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100C06	1.660						
Cotton fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100C07	1.660						
Pleated fabric NO DIM	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100P05	2.035						
Pleated fabric DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100P06	2.170						
Pleated fabric DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100P07	2.170						
Pleated ribbon NO DIM	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100R05	2.065						
Pleated ribbon DIM 1-10V	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100R06	2.200						
Pleated ribbon DIM DALI	2 x FC-T5 55W 827	OD	-	IP20	QUAEPL100R07	2.200						
Additional circular lamp (already installed) NO DIM	1 x FC-T5 55W 827				CIRNOD055001	165						
Additional circular lamp (already installed) DIM 1-10V	1 x FC-T5 55W 827				CIRD10055002	185						
Additional circular lamp (already installed) DIM DALI	1 x FC-T5 55W 827				CIRDDA055003	185						


PRODUCTS: Quadrato
DESIGN: Modoluce R&D 2005





Square suspension, ceiling and wall lamp. Lampshade in cotton fabric or hand-finished pleated and pleated ribbon fabric.
 Suspensions and ceiling lamps with finishing panel in opal plexiglas underneath.

Symbol index  → • / present - / absent OD / On Demand


QUADRATO

Mini wall lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Wall lamp cotton fabric	1 x E27 28W HES	OD	-	IP20	QUAEAP024C01	155					
Wall lamp pleated fabric	1 x E27 28W HES	•	-	IP20	QUAEAP024P01	200					
Wall lamp pleated ribbon	1 x E27 28W HES	OD	-	IP20	QUAEAP024R01	205					

Medium wall lamp




Wall lamp cotton fabric	2 x E27 42W HES	OD	-	IP20	QUAEAP040C01	245					
Wall lamp pleated fabric	2 x E27 42W HES	•	-	IP20	QUAEAP040P01	320					
Wall lamp pleated ribbon	2 x E27 42W HES	OD	-	IP20	QUAEAP040R01	335					





Rectangular suspension and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Suspensions with opal plex finishing panel underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Medium suspension lamp - L 90



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension lamp cotton fabric	3 x E27 42W HES	OD	OD	IP20	RETESP090C01	735					
Suspension lamp cotton fabric NO DIM	2 x T5 21W	OD	-	IP20	RETESP090C02	785					
Suspension lamp cotton fabric DIM 1-10V	2 x T5 21W	OD	-	IP20	RETESP090C03	830					
Suspension lamp cotton fabric DIM DALI	2 x T5 21W	OD	-	IP20	RETESP090C04	830					
Suspension pleated fabric	3 x E27 52W HES	OD	OD	IP20	RETESP090P01	940					
Suspension pleated fabric NO DIM	2 x T5 21W	OD	-	IP20	RETESP090P02	995					
Suspension pleated fabric DIM 1-10V	2 x T5 21W	OD	-	IP20	RETESP090P03	1.040					
Suspension pleated fabric DIM DALI	2 x T5 21W	OD	-	IP20	RETESP090P04	1.040					
Suspension lamp pleated ribbon	3 x E27 52W HES	OD	OD	IP20	RETESP090R01	970					
Suspension lamp pleated ribbon NO DIM	2 x T5 21W	OD	-	IP20	RETESP090R02	1.025					
Suspension lamp pleated ribbon DIM 1-10V	2 x T5 21W	OD	-	IP20	RETESP090R03	1.070					
Suspension lamp pleated ribbon DIM DALI	2 x T5 21W	OD	-	IP20	RETESP090R04	1.070					

Large suspension lamp - L 120



Suspension lamp cotton fabric	4 x E27 42W HES	OD	OD	IP20	RETESP120C01	865					
Suspension lamp cotton fabric NO DIM	2 x T5 21W	OD	-	IP20	RETESP120C02	870					
Suspension lamp cotton fabric DIM 1-10V	2 x T5 21W	OD	-	IP20	RETESP120C03	910					
Suspension lamp cotton fabric DIM DALI	2 x T5 21W	OD	-	IP20	RETESP120C04	910					
Suspension pleated fabric	4 x E27 52W HES	OD	OD	IP20	RETESP120P01	1.195					
Suspension pleated fabric NO DIM	2 x T5 21W	OD	-	IP20	RETESP120P02	1.200					
Suspension pleated fabric DIM 1-10V	2 x T5 21W	OD	-	IP20	RETESP120P03	1.245					
Suspension pleated fabric DIM DALI	2 x T5 21W	OD	-	IP20	RETESP120P04	1.245					
Suspension lamp pleated ribbon	4 x E27 52W HES	OD	OD	IP20	RETESP120R01	1.230					
Suspension lamp pleated ribbon NO DIM	2 x T5 21W	OD	-	IP20	RETESP120R02	1.240					
Suspension lamp pleated ribbon DIM 1-10V	2 x T5 21W	OD	-	IP20	RETESP120R03	1.285					
Suspension lamp pleated ribbon DIM DALI	2 x T5 21W	OD	-	IP20	RETESP120R04	1.285					


PRODUCTS: Rettangolo
DESIGN: Modoluce R&D 2005





Rectangular suspension and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Suspensions with opal plex finishing panel underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Maxi suspension lamp - L 150



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Suspension pleated fabric NO DIM	2 x T5 49W	OD	-	IP20	RETESP150P02	2.295					
Suspension pleated fabric DIM 1-10V	2 x T5 49W	OD	-	IP20	RETESP150P03	2.350					
Suspension pleated fabric DIM DALI	2 x T5 49W	OD	-	IP20	RETESP150P04	2.350					
Suspension lamp pleated ribbon NO DIM	2 x T5 49W	OD	-	IP20	RETESP150R02	2.350					
Suspension lamp pleated ribbon DIM 1-10V	2 x T5 49W	OD	-	IP20	RETESP150R03	2.400					
Suspension lamp pleated ribbon DIM DALI	2 x T5 49W	OD	-	IP20	RETESP150R04	2.400					

Mega suspension lamp - L 300



Suspension pleated fabric NO DIM	4 x T5 49W	OD	-	IP20	RETESP300P02	4.645					
Suspension pleated fabric DIM 1-10V	4 x T5 49W	OD	-	IP20	RETESP300P03	4.755					
Suspension pleated fabric DIM DALI	4 x T5 49W	OD	-	IP20	RETESP300P04	4.755					
Suspension lamp pleated ribbon NO DIM	4 x T5 49W	OD	-	IP20	RETESP300R02	4.695					
Suspension lamp pleated ribbon DIM 1-10V	4 x T5 49W	OD	-	IP20	RETESP300R03	4.805					
Suspension lamp pleated ribbon DIM DALI	4 x T5 49W	OD	-	IP20	RETESP300R04	4.805					


PRODUCTS: Rettangolo
DESIGN: Modoluce R&D 2005





Rectangular suspension and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Suspensions with opal plex finishing panel underneath.

Symbol index  → • / present - /absent OD / On Demand


RETTANGOLO

Medium wall lamp - L 40 x H 25



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 1 light	1 x E27 42W HES	OD	OD	IP20	RETEAP025C01	215					
Pleated fabric 1 light	1 x E27 42W HES	•	OD	IP20	RETEAP025P01	230					
Pleated ribbon 1 light	1 x E27 42W HES	OD	OD	IP20	RETEAP025R01	240					
Cotton fabric 2 lights	2 x E27 42W HES	OD	OD	IP20	RETEAP025C02	230					
Pleated fabric 2 lights	2 x E27 42W HES	•	OD	IP20	RETEAP025P02	245					
Pleated ribbon 2 lights	2 x E27 42W HES	OD	OD	IP20	RETEAP025R02	255					

Medium wall lamp - L 25 x H 40



Cotton fabric 1 light	1 x E27 42W HES	OD	OD	IP20	RETEAP040C01	205					
Pleated fabric 1 light	1 x E27 42W HES	•	OD	IP20	RETEAP040P01	220					
Pleated ribbon 1 light	1 x E27 42W HES	OD	OD	IP20	RETEAP040R01	230					
Cotton fabric 2 lights	2 x E27 42W HES	OD	OD	IP20	RETEAP040C02	215					
Pleated fabric 2 lights	2 x E27 42W HES	•	OD	IP20	RETEAP040P02	230					
Pleated ribbon 2 lights	2 x E27 42W HES	OD	OD	IP20	RETEAP040R02	240					


PRODUCTS: Rettangolo
DESIGN: Modoluce R&D 2005





Rectangular suspension and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Suspensions with opal plex finishing panel underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO

Deluxe wall lamp - L 30 x H 60




DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric	2 x E27 42W HES	OD	OD	IP20	RETEAP060C01	250					
Pleated fabric	2 x E27 42W HES	•	OD	IP20	RETEAP060P01	355					
Pleated ribbon	2 x E27 42W HES	OD	OD	IP20	RETEAP060R01	370					

Vertical/horizontal wall lamp - L 25 x H 160 (with opal plexiglas finishing panels a the sides)



Cotton fabric NO DIM	1 x T5 49W	OD	-	IP20	RETEAP160C01	885					
Cotton fabric DIM 1-10V	1 x T5 49W	OD	-	IP20	RETEAP160C02	965					
Cotton fabric DIM DALI	1 x T5 49W	OD	-	IP20	RETEAP160C03	995					
Cotton fabric NO DIM	2 x T5 49W	OD	-	IP20	RETEAP160C07	930					
Cotton fabric DIM 1-10V	2 x T5 49W	OD	-	IP20	RETEAP160C08	1.010					
Cotton fabric DIM DALI	2 x T5 49W	OD	-	IP20	RETEAP160C09	1.020					





PRODUCTS: Rettangolo
DESIGN: Modoluce R&D 2005



Rectangular suspension and wall lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 Suspensions with opal plexiglas finishing panel underneath.

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO

Vertical/horizontal wall lamp - L 25 x H 160
 (with opal plexiglas finishing panels a the sides)









DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
			IP	CODE	€ EURO		IP	CODE	€ EURO		
Pleated fabric NO DIM	1 x T5 49W	OD	- IP20	RETEAP160P01	1.170						
Pleated fabric DIM 1-10V	1 x T5 49W	OD	- IP20	RETEAP160P02	1.250						
Pleated fabric DIM DALI	1 x T5 49W	OD	- IP20	RETEAP160P03	1.280						
Pleated ribbon NO DIM	1 x T5 49W	OD	- IP20	RETEAP160R01	1.200						
Pleated ribbon DIM 1-10V	1 x T5 49W	OD	- IP20	RETEAP160R02	1.285						
Pleated ribbon DIM DALI	1 x T5 49W	OD	- IP20	RETEAP160R03	1.310						
Pleated fabric NO DIM	2 x T5 49W	OD	- IP20	RETEAP160P07	1.210						
Pleated fabric DIM 1-10V	2 x T5 49W	OD	- IP20	RETEAP160P08	1.295						
Pleated fabric DIM DALI	2 x T5 49W	OD	- IP20	RETEAP160P09	1.305						
Pleated ribbon NO DIM	2 x T5 49W	OD	- IP20	RETEAP160R07	1.245						
Pleated ribbon DIM 1-10V	2 x T5 49W	OD	IP20	RETEAP160R08	1.325						
Pleated ribbon DIM DALI	2 x T5 49W	OD	- IP20	RETEAP160R09	1.335						

PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

*Suspension and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing underneath.*

Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR				
					IP	CODE	€ EURO			IP	CODE
 <p>50 cm 19.69"</p> <p>50 cm 19.69"</p> <p>12 cm 4.73"</p> <p>200 cm 78.74"</p>	Cotton fabric	3 x E27 42W HES	OD	OD	IP20	RESESP050C01	520				
	Pleated fabric	3 x E27 42W HES	OD	OD	IP20	RESESP050P01	650				
	Pleated ribbon	3 x E27 42W HES	OD	OD	IP20	RESESP050R01	660				

 <p>50 cm 19.69"</p> <p>50 cm 19.69"</p> <p>13 cm 5.12"</p>	Medium ceiling lamp - 50 x 50	Cotton fabric	3 x E27 42W HES	OD	OD	IP20	RESEPL050C01	525			
	Pleated fabric	3 x E27 42W HES	OD	OD	IP20	RESEPL050P01	655				
	Pleated ribbon	3 x E27 42W HES	OD	OD	IP20	RESEPL050R01	665				


PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013





*Suspension and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing underneath.*

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO SLIM LED

Medium suspension lamp - 50 x 50 LED (3950 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESESP050C05	710					
Cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESESP050C07	785					
Pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESESP050P05	840					
Pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESESP050P07	915					
Pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESESP050R05	855					
Pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESESP050R07	930					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Medium ceiling lamp - 50 x 50 LED (3950 lm)







Cotton fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESEPL050C05	675					
Cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESEPL050C07	755					
Pleated fabric NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESEPL050P05	805					
Pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESEPL050P07	885					
Pleated ribbon NO DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESEPL050R05	820					
Pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K	OD	-	IP20	RESEPL050R07	895					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					


PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

*Suspension and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing underneath.*


Symbol index  → • / present - / absent OD / On Demand

RETTANGOLO SLIM

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Large suspension lamp - 100 x 50	Cotton fabric	6 x E27 42W HES	OD	OD	IP20	RESESP100C01	820				
	Pleated fabric	6 x E27 42W HES	OD	OD	IP20	RESESP100P01	1.150				
	Pleated ribbon	6 x E27 42W HES	OD	OD	IP20	RESESP100R01	1.170				



Large ceiling lamp - 100 x 50	Cotton fabric	6 x E27 42W HES	OD	OD	IP20	RESEPL100C01	800			
	Pleated fabric	6 x E27 42W HES	OD	OD	IP20	RESEPL100P01	1.125			
	Pleated ribbon	6 x E27 42W HES	OD	OD	IP20	RESEPL100R01	1.150			




PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013





Suspension and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing underneath.

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO SLIM LED

Large suspension lamp - 100 x 50 LED (2 x 2990 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Cotton fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESESP100C05	905						
Cotton fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESESP100C07	1.050						
Pleated fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESESP100P05	1.225						
Pleated fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESESP100P07	1.375						
Pleated ribbon NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESESP100R05	1.250						
Pleated ribbon DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESESP100R07	1.395						
LED temperature conversion filter from 3000K to 2700K	2 x 24,2W	•	- IP20	FLTCON0SP002	85						

Large ceiling lamp - 100 x 50 LED (2 x 2990 lm)



Cotton fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESEPL100C05	820				
Cotton fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESEPL100C07	960				
Pleated fabric NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESEPL100P05	1.135				
Pleated fabric DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESEPL100P07	1.280				
Pleated ribbon NO DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESEPL100R05	1.160				
Pleated ribbon DIM DALI/switch DIM	2 x module LED 24,2W 3000K	OD	- IP20	RESEPL100R07	1.300				
LED temperature conversion filter from 3000K to 2700K	2 x 24,2W	•	- IP20	FLTCON0SP002	85				

PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

*Suspension and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing underneath.*

Symbol index → • / present - / absent **OD** / On Demand

RETTANGOLO SLIM

DESCRIPTION

LIGHT BULB

INDOOR						OUTDOOR				
		IP	CODE	€ EURO			IP	CODE	€ EURO	
OD	OD	IP20	RESESP150C01	1.150						
OD	OD	IP20	RESESP150P01	1.650						
OD	OD	IP20	RESESP150R01	1.670						

Maxi suspension lamp - 150 x 50

Cotton fabric


8 x E27 42W HES

Pleated fabric

8 x E27 42W HES

Pleated ribbon

8 x E27 42W HES



Maxi ceiling lamp - 150 x 50

Cotton fabric


8 x E27 42W HES

Pleated fabric

8 x E27 42W HES

Pleated ribbon

8 x E27 42W HES




PRODUCTS: Rettangolo Slim
DESIGN: Modoluce R&D 2013

*Suspension and ceiling lamp. Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.
 One side frosted plex finishing underneath.*

Symbol index  → • / present - / absent OD / On Demand


RETTANGOLO SLIM LED

Maxi suspension lamp - 150 x 50 LED (3 x 2990 lm)



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESESP150C05	1.290					
Cotton fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESESP150C07	1.510					
Pleated fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESESP150P05	1.780					
Pleated fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESESP150P07	1.995					
Pleated ribbon NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESESP150R05	1.805					
Pleated ribbon DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESESP150R07	2.025					
LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON0SP003	120					

Maxi ceiling lamp - 150 x 50 LED (3 x 2990 lm)








Cotton fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESEPL150C05	1.200					
Cotton fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESEPL150C07	1.420					
Pleated fabric NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESEPL150P05	1.695					
Pleated fabric DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESEPL150P07	1.915					
Pleated ribbon NO DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESEPL150R05	1.715					
Pleated ribbon DIM DALI/switch DIM	3 x module LED 24,2W 3000K	OD	-	IP20	RESEPL150R07	1.935					
LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON0SP003	120					


PRODUCTS: Reverse
DESIGN: Paolo Grasselli 2013

*Suspension in cotton fabric, pleated and pleated ribbon fabric.
 The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.*

Symbol index  → • / present - / absent OD / On Demand

REVERSE

	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>45cm 17.72" 60cm 23.72"</p>	BASIC A - Medium suspension lamp ø 60 Cotton fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REAESO060C04	995			
	Cotton fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REAESO060C06	1.060			
	LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40			




 <p>60cm 23.72" 45cm 17.72"</p>	BASIC B - Medium suspension lamp ø 60 Cotton fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REBESO060C04	1.015			
	Cotton fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REBESO060C06	1.080			
	LED temperature conversion filter from 3000K to 2700K	1 x 24,2W	•	-	IP20	FLTCON0SP001	40			


PRODUCTS: Reverse
DESIGN: Paolo Grasselli 2013

*Suspension in cotton fabric, pleated and pleated ribbon fabric.
 The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.*

Symbol index  → • / present - /absent OD / On Demand

REVERSE

	DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO		IP	CODE	€ EURO		
 <p>45cm 17.72" 60cm 23.72"</p> <p>18cm 7.8"</p> <p>200cm 78.74"</p>	BASIC A - Medium suspension lamp ø 60	Pleated fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REAESO060P04	1.135				
		Pleated fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REAESO060P06	1.200				
		Pleated ribbon NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REAESO060R04	1.100				
		Pleated ribbon DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REAESO060R06	1.170				
	LED temperature conversion filter from 3000K to 2700K		1 x 24,2W	•	-	IP20	FLTCON0SP001	40				





 <p>60cm 23.72"</p> <p>45cm 17.72"</p> <p>18cm 7.8"</p> <p>200cm 78.74"</p>	BASIC B - Medium suspension lamp ø 60	Pleated fabric NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REBESO060P04	1.160				
		Pleated fabric DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REBESO060P06	1.220				
		Pleated ribbon NO DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REBESO060R04	1.125				
		Pleated ribbon DIM DALI/switch DIM	1 x module LED 24,2W 3000K (2990 lm)	OD	-	IP20	REBESO060R06	1.190				
	LED temperature conversion filter from 3000K to 2700K		1 x 24,2W	•	-	IP20	FLTCON0SP001	40				


*Suspension in cotton fabric, pleated and pleated ribbon fabric.
 The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.*

Symbol index  → • / present - / absent OD / On Demand

REVERSE


BASIC A - Large suspension lamp ø 80

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REAESO080C07	1.320					
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REAESO080C09	1.380					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					



BASIC B - Large suspension lamp ø 80

1 light / cotton fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REBESO080C07	1.340				
1 light / cotton fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REBESO080C09	1.400				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				








Suspension in cotton fabric, pleated and pleated ribbon fabric.
 The cotton version is bicoloured inside/outside with fabric colours as per our samples chart.

Symbol index  → • / present - / absent OD / On Demand


REVERSE

BASIC A - Large suspension lamp ø 80



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REAESO080P07	1.475					
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REAESO080P09	1.530					
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REAESO080R07	1.410					
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REAESO080R09	1.460					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					







BASIC B - Large suspension lamp ø 80



1 light pleated fabric NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REBESO080P07	1.500				
1 light pleated fabric DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REBESO080P09	1.550				
1 light pleated ribbon NO DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REBESO080R07	1.430				
1 light pleated ribbon DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	OD	-	IP20	REBESO080R09	1.485				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				







Suspension, wall and ceiling lamp with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand

RING	DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR							
					IP	CODE	€ EURO			IP	CODE	€ EURO			
 <p>200cm 78.74" 10cm 3.93" 85cm 33.46"</p>	Large suspension lamp - L 85	2 lights lycra NO DIM	FC-T5	1 x 22W + 1 x 40W	827	•	-	IP20	RINESO085L01	865					
		2 lights lycra DIM 1-10V	FC-T5	1 x 22W + 1 x 40W	827	•	-	IP20	RINESO085L02	905					
		2 lights lycra DIM DALI	FC-T5	1 x 22W + 1 x 40W	827	•	-	IP20	RINESO085L03	915					
		1 light lycra NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RINESO085L04	930							
		1 light lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RINESO085L06	995							
		Lycra cover only		•			RINERR085L01	275							
		LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON05P011	55							
 <p>67cm 26.38" 12cm 4.72" 85cm 33.46"</p>	Large wall/ceiling lamp - L 85	2 lights lycra NO DIM	FC-T5	1 x 22W + 1 x 40W	827	•	-	IP20	RINEAP085L01	750					
		2 lights lycra DIM 1-10V	FC-T5	1 x 22W + 1 x 40W	827	•	-	IP20	RINEAP085L02	805					
		2 lights lycra DIM DALI	FC-T5	1 x 22W + 1 x 40W	827	•	-	IP20	RINEAP085L03	820					
		1 light lycra NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RINEAP085L04	825							
		1 light lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RINEAP085L06	890							
		Lycra cover only		•			RINERR085L01	275							
		LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON05P011	55							

Suspension, wall and ceiling lamp with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand


RING	DESCRIPTION	LIGHT BULB	INDOOR				OUTDOOR			
			 	IP	CODE	€ EURO	 	IP	CODE	€ EURO
 <p>200cm 78.74" 10cm 3.93" 125cm 49.21"</p>	Maxi suspension lamp - L 125	4 lights lycra NO DIM	FC-T5 2 x 22W + 2 x 40W 827	•	-	IP20	RINESO125L01	1.270		
	4 lights lycra DIM 1-10V	FC-T5 2 x 22W + 2 x 40W 827	•	-	IP20	RINESO125L02	1.390			
	4 lights lycra DIM DALI	FC-T5 2 x 22W + 2 x 40W 827	•	-	IP20	RINESO125L03	1.400			
	2 lights lycra NO DIM	2 x module LED 30,6W 3000K (7900 lm)	•	-	IP20	RINESO125L04	1.420			
	2 lights lycra DIM DALI/switch DIM	2 x module LED 30,6W 3000K (7900 lm)	•	-	IP20	RINESO125L06	1.560			
	Lycra cover only		•			RINERR125L01	330			
	LED temperature conversion filter from 3000K to 2700K	2 x 30,6W	•	-	IP20	FLTCON0SP012	110			
 <p>100cm 39.37" 12cm 4.72" 125cm 49.21"</p>	Maxi wall/ceiling lamp - L 125	4 lights lycra NO DIM	FC-T5 2 x 22W + 2 x 40W 827	•	-	IP20	RINEAP125L01	1.160		
	4 lights lycra DIM 1-10V	FC-T5 2 x 22W + 2 x 40W 827	•	-	IP20	RINEAP125L02	1.300			
	4 lights lycra DIM DALI	FC-T5 2 x 22W + 2 x 40W 827	•	-	IP20	RINEAP125L03	1.310			
	2 lights lycra NO DIM	2 x module LED 30,6W 3000K (7900 lm)	•	-	IP20	RINEAP125L04	1.310			
	2 lights lycra DIM DALI/switch DIM	2 x module LED 30,6W 3000K (7900 lm)	•	-	IP20	RINEAP125L06	1.450			
	Lycra cover only		•			RINERR125L01	330			
	LED temperature conversion filter from 3000K to 2700K	2 x 30,6W	•	-	IP20	FLTCON0SP012	110			

Suspension, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (65°).





Symbol index  → • / present - / absent OD / On Demand

RING TONDA


Medium suspension lamp - D. 65



65cm
25.59°

DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
1 light lycra NO DIM	1x FC-T5 1 x 55W 827 (4200 lm)	•	-	IP20	RITESO065L01	685					
1 light lycra DIM 1-10V	1x FC-T5 1 x 55W 827 (4200 lm)	•	-	IP20	RITESO065L02	755					
1 light lycra DIM DALI	1x FC-T5 1 x 55W 827 (4200 lm)	•	-	IP20	RITESO065L03	755					
1 light lycra NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RITESO065L04	810					
1 light lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RITESO065L06	870					
Lycra cover only		•			RITERR065L01	220					
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55					

Medium wall/ceiling lamp - D. 65



65cm
25.59°

12cm
4.72°


1 light lycra NO DIM	1x FC-T5 1 x 55W 827 (4200 lm)	•	-	IP20	RITEAP065L01	580				
1 light lycra DIM 1-10V	1x FC-T5 1 x 55W 827 (4200 lm)	•	-	IP20	RITEAP065L02	650				
1 light lycra DIM DALI	1x FC-T5 1 x 55W 827 (4200 lm)	•	-	IP20	RITEAP065L03	650				
1 light lycra NO DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RITEAP065L04	710				
1 light lycra DIM DALI/switch DIM	1 x module LED 30,6W 3000K (3950 lm)	•	-	IP20	RITEAP065L06	765				
Lycra cover only		•			RITERR065L01	220				
LED temperature conversion filter from 3000K to 2700K	1 x 30,6W	•	-	IP20	FLTCON0SP011	55				





Suspension, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - /absent OD / On Demand


RING TONDA

Large suspension lamp - D. 85



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
2 lights lycra NO DIM	FC-T5 1 x 22W + 1 x 40W 827 (5300 lm)	•	-	IP20	RITESO085L01	865					
2 lights lycra DIM 1-10V	FC-T5 1 x 22W + 1 x 40W 827 (5300 lm)	•	-	IP20	RITESO085L02	930					
2 lights lycra DIM DALI	FC-T5 1 x 22W + 1 x 40W 827 (5300 lm)	•	-	IP20	RITESO085L03	930					
3 lights lycra NO DIM	3 x module LED 24,2W 3000K (8970 lm)	•	-	IP20	RITESO085L04	1.065					
3 lights lycra DIM DALI/switch DIM	3 x module LED 24,2W 3000K (8970 lm)	•	-	IP20	RITESO085L06	1.295					
Lycra cover only		•			RITERR085L01	275					
LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON05P003	120					

Large wall/ceiling lamp - D. 85




2 lights lycra NO DIM	FC-T5 1 x 22W + 1 x 40W 827 (5300 lm)	•	-	IP20	RITEAP085L01	760					
2 lights lycra DIM 1-10V	FC-T5 1 x 22W + 1 x 40W 827 (5300 lm)	•	-	IP20	RITEAP085L02	825					
2 lights lycra DIM DALI	FC-T5 1 x 22W + 1 x 40W 827 (5300 lm)	•	-	IP20	RITEAP085L03	825					
3 lights lycra NO DIM	3 x module LED 24,2W 3000K (8970 lm)	•	-	IP20	RITEAP085L04	960					
3 lights lycra DIM DALI/switch DIM	3 x module LED 24,2W 3000K (8970 lm)	•	-	IP20	RITEAP085L06	1.190					
Lycra cover only		•			RITERR085L01	275					
LED temperature conversion filter from 3000K to 2700K	3 x 24,2W	•	-	IP20	FLTCON05P003	120					





Suspension, wall/ceiling lamp of round shape with covering in removable and washable lycra fabric in CL1 (650°).

Symbol index  → • / present - / absent OD / On Demand


RING TONDA

Maxi suspension lamp - D. 110



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
6 lights lycra NO DIM	FC-T5 3 x 22W + 3 x 40W 827 (15900 lm)	•	-	IP20	RITESO110L01	1.390					
6 lights lycra DIM 1-10V	FC-T5 3 x 22W + 3 x 40W 827 (15900 lm)	•	-	IP20	RITESO110L02	1.500					
6 lights lycra DIM DALI	FC-T5 3 x 22W + 3 x 40W 827 (15900 lm)	•	-	IP20	RITESO110L03	1.520					
3 lights lycra NO DIM	3 x module LED 30,6W 3000K (11850 lm)	•	-	IP20	RITESO110L04	1.605					
3 lights lycra DIM DALI/switch DIM	3 x module LED 30,6W 3000K (11850 lm)	•	-	IP20	RITESO110L06	1.825					
Lycra cover only		•			RITERR110L01	330					
LED temperature conversion filter from 3000K to 2700K	3 x 30,6W	•	-	IP20	FLTCON0SP013	165					

Maxi wall/ceiling lamp - D. 110



6 lights lycra NO DIM	FC-T5 3 x 22W + 3 x 40W 827 (15900 lm)	•	-	IP20	RITEAP110L01	1.290				
6 lights lycra DIM 1-10V	FC-T5 3 x 22W + 3 x 40W 827 (15900 lm)	•	-	IP20	RITEAP110L02	1.400				
6 lights lycra DIM DALI	FC-T5 3 x 22W + 3 x 40W 827 (15900 lm)	•	-	IP20	RITEAP110L03	1.420				
3 lights lycra NO DIM	3 x module LED 30,6W 3000K (11850 lm)	•	-	IP20	RITEAP110L04	1.510				
3 lights lycra DIM DALI/switch DIM	3 x module LED 30,6W 3000K (11850 lm)	•	-	IP20	RITEAP110L06	1.725				
Lycra cover only		•			RITERR110L01	330				
LED temperature conversion filter from 3000K to 2700K	3 x 30,6W	•	-	IP20	FLTCON0SP013	165				

Suspension, small table, table, reading and floor lamp.
 Metal structure with satin-finished nickel or matt white coating.
 Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Small table lamp







DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Nickel satin finish metal cotton fabric	1 x E14 42W HES	OD	-	IP20	ROMETP045C01	190					
White painted metal cotton fabric	1 x E14 42W HES	OD	-	IP20	ROMETP045C02	180					
Nickel satin finish metal pleated fabric	1 x E14 42W HES	•	-	IP20	ROMETP045P01	230					
White painted metal pleated fabric	1 x E14 42W HES	•	-	IP20	ROMETP045P02	220					
Nickel satin finish metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	ROMETP045R01	235					
White painted metal pleated ribbon	1 x E14 42W HES	OD	-	IP20	ROMETP045R02	225					

Table lamp



Nickel satin finish metal cotton fabric	1 x E27 70W HES	OD	-	IP20	ROMETA070C01	340					
White painted metal cotton fabric	1 x E27 70W HES	OD	-	IP20	ROMETA070C02	320					
Nickel satin finish metal pleated fabric	1 x E27 70W HES	•	-	IP20	ROMETA070P01	445					
White painted metal pleated fabric	1 x E27 70W HES	•	-	IP20	ROMETA070P02	430					
Nickel satin finish metal pleated ribbon	1 x E27 70W HES	OD	-	IP20	ROMETA070R01	470					
White painted metal pleated ribbon	1 x E27 70W HES	OD	-	IP20	ROMETA070R02	450					

Accessory - Table and small table lamp




DIM switch universal HES (40/160W) + LED (4/100W)					DIMVAR0TA002	40					
---	--	--	--	--	--------------	----	--	--	--	--	--





*Suspension, small table, table, reading and floor lamp.
 Metal structure with satin-finished nickel or matt white coating.
 Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.*

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Reading lamp - lighting pull



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
		 	IP	CODE	€ EURO	 	IP	CODE	€ EURO		
Nickel satin finish metal cotton fabric	1 x E27 105W HES	OD	-	IP20	ROMEPT160C01	415					
White painted metal cotton fabric	1 x E27 105W HES	OD	-	IP20	ROMEPT160C02	385					
Nickel satin finish metal pleated fabric	1 x E27 105W HES	•	-	IP20	ROMEPT160P01	525					
White painted metal pleated fabric	1 x E27 105W HES	•	-	IP20	ROMEPT160P02	495					
Nickel satin finish metal pleated ribbon	1 x E27 105W HES	OD	-	IP20	ROMEPT160R01	545					
White painted metal pleated ribbon	1 x E27 105W HES	OD	-	IP20	ROMEPT160R02	515					

Medium floor lamp - lighting pull



Nickel satin finish metal cotton fabric	1 x E27 105W HES	OD	-	IP20	ROMEPT180C01	465				
White painted metal cotton fabric	1 x E27 105W HES	OD	-	IP20	ROMEPT180C02	425				
Nickel satin finish metal pleated fabric	1 x E27 105W HES	•	-	IP20	ROMEPT180P01	555				
White painted metal pleated fabric	1 x E27 105W HES	•	-	IP20	ROMEPT180P02	520				
Nickel satin finish metal pleated ribbon	1 x E27 105W HES	OD	-	IP20	ROMEPT180R01	580				
White painted metal pleated ribbon	1 x E27 105W HES	OD	-	IP20	ROMEPT180R02	545				
Nickel satin finish metal cotton fabric	3 x E27 105W HES	OD	-	IP20	ROMEPT180C11	625				
White painted metal cotton fabric	3 x E27 105W HES	OD	-	IP20	ROMEPT180C12	580				
Nickel satin finish metal pleated fabric	3 x E27 105W HES	•	-	IP20	ROMEPT180P11	735				
White painted metal pleated fabric	3 x E27 105W HES	•	-	IP20	ROMEPT180P12	690				
Nickel satin finish metal pleated ribbon	3 x E27 105W HES	OD	-	IP20	ROMEPT180R11	760				
White painted metal pleated ribbon	3 x E27 105W HES	OD	-	IP20	ROMEPT180R12	725				


PRODUCTS: Romeo
DESIGN: Modoluce R&D 2003





*Suspension, small table, table, reading and floor lamp.
 Metal structure with satin-finished nickel or matt white coating.
 Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.*

Symbol index  → • / present - / absent OD / On Demand

ROMEO

Maxi floor lamp



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Nickel satin finish metal cotton fabric	4 x E27 105W HES	OD	-	IP20	ROMEPT212C01	980					
White painted metal cotton fabric	4 x E27 105W HES	OD	-	IP20	ROMEPT212C02	930					
Nickel satin finish metal pleated fabric	4 x E27 105W HES	•	-	IP20	ROMEPT212P01	1.305					
White painted metal pleated fabric	4 x E27 105W HES	•	-	IP20	ROMEPT212P02	1.260					
Nickel satin finish metal pleated ribbon	4 x E27 105W HES	OD	-	IP20	ROMEPT212R01	1.355					
White painted metal pleated ribbon	4 x E27 105W HES	OD	-	IP20	ROMEPT212R02	1.310					

Accessory - Floor lamp



DIM switch universal HES + LED (5/250W)

DIMVAROPT003


60





*Suspension, small table, table, reading and floor lamp.
 Metal structure with satin-finished nickel or matt white coating.
 Lampshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.*

Symbol index  → • / present - / absent OD / On Demand


ROMEO

Small suspension lamp - ø 25



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric without plex	1 x E27 42W HES	OD	OD	IP20	ROMESO025C01	240					
Cotton fabric with plex	1 x E27 42W HES	OD	OD	IP20	ROMESP025C01	275					
Pleated fabric without plex	1 x E27 42W HES	•	OD	IP20	ROMESO025P01	255					
Pleated fabric with plex	1 x E27 42W HES	OD	OD	IP20	ROMESP025P01	300					
Pleated ribbon without plex	1 x E27 42W HES	OD	OD	IP20	ROMESO025R01	265					
Pleated ribbon with plex	1 x E27 42W HES	OD	OD	IP20	ROMESP025R01	310					

Medium suspension lamp - ø 40



Cotton fabric without plex	1 x E27 42W HES	OD	OD	IP20	ROMESO040C01	300					
Cotton fabric with plex	1 x E27 42W HES	OD	OD	IP20	ROMESP040C01	350					
Pleated fabric without plex	1 x E27 42W HES	•	OD	IP20	ROMESO040P01	385					
Pleated fabric with plex	1 x E27 42W HES	OD	OD	IP20	ROMESP040P01	440					
Pleated ribbon without plex	1 x E27 42W HES	OD	OD	IP20	ROMESO040R01	420					
Pleated ribbon with plex	1 x E27 42W HES	OD	OD	IP20	ROMESP040R01	480					


PRODUCTS: Romeo
DESIGN: Modoluce R&D 2003





*Suspension, small table, table, reading and floor lamp.
 Metal structure with satin-finished nickel or matt white coating.
 Lamphshade in cotton fabric or hand-finished pleated or pleated ribbon fabric.*

Symbol index  → • / present - / absent OD / On Demand

ROME0

Maxi suspension lamp - ø 70



DESCRIPTION	LIGHT BULB	INDOOR					OUTDOOR				
				IP	CODE	€ EURO			IP	CODE	€ EURO
Cotton fabric 1 light without plex	1 x E27 105W HES	OD	OD	IP20	ROMESO070C01	645					
Cotton fabric 1 light with plex	1 x E27 105W HES	OD	OD	IP20	ROMESP070C01	725					
Cotton fabric 4 light with plex	4 x E27 105W HES	OD	OD	IP20	ROMESP070C02	840					
Pleated fabric 1 light without plex	1 x E27 105W HES	•	OD	IP20	ROMESO070P01	970					
Pleated fabric 4 light with plex	4 x E27 105W HES	OD	OD	IP20	ROMESP070P02	1.200					
Pleated ribbon 1 light without plex	1 x E27 105W HES	OD	OD	IP20	ROMESO070R01	1.025					
Pleated ribbon 4 light with plex	4 x E27 105W HES	OD	OD	IP20	ROMESP070R02	1.260					

GRADO DI PROTEZIONE IP

Indica il grado di proteziIndica il grado di protezione contro la penetrazione di corpi solidi e liquidi nell'apparecchio

INGRESS PROTECTION IP

Ingress Protection. Designates the degree of protection against the penetration of solid and and liquids bodies and contact with live parts

DEGRÉ DE PROTECTION IP

Indique le degré de protection contre la pénétration des corps solides ou fluids dans l'appareil.

SCHUTZGRAD IP

Gibt den Schutzgrad gegen das Eindringen von festen und flüssigen Stoffen im Leuchtkörper an.

GRADO DE PROTECCION IP

Indica el grado de protección contra la penetración de solidos o liquido en el aparato.

PROTEZIONE DAI SOLIDI / PROTECTION SOLID BODIES
first code IP

- 0** Non protetto / Unprotected
- 1** Protetto contro corpi solidi estranei di diametro 50 mm.
Protected against the entry of solid bodies with dimensions of more than 50 mm.
- 2** Protetto contro corpi solidi estranei di diametro 12,5 mm.
Protected against the entry of solid bodies with dimensions of more than 12,5 mm.
- 3** Protetto contro corpi solidi estranei di diametro 2,5 mm.
Protected against the entry of solid bodies with dimensions of more than 2,5 mm.
- 4** Protetto contro corpi solidi estranei di diametro 1 mm.
Protected against the entry of solid bodies with dimensions of more than 1 mm.
- 5** Protetto contro la polvere.
Protected against entry of dust.
- 6** Totalmente protetto contro la polvere.
Completely protected against entry of dust.

PROTEZIONE DAI LIQUIDI / PROTECTION LIQUID BODIES
second code IP

- 0** Non protetto / Unprotected
- 1** Protetto contro la caduta verticale di gocce d'acqua.
Protected against the vertical falling of water drops.
- 2** Protetto contro la pioggia con un angolo di 15°.
Protected against the falling of water with maximum inclination of 15°.
- 3** Protetto contro la pioggia con un angolo di 60°.
Protected against the falling of water with maximum inclination of 60°.
- 4** Protetto contro spruzzi d'acqua.
Protected against sprinklings.
- 5** Protetto contro i getti d'acqua.
Protected against water jets.
- 6** Protetto contro i getti d'acqua potenti.
Protected against heavy water jets.
- 7** Protetto contro gli effetti dell'immersione temporanea.
Protected against temporary immersion proof.
- 8** Protetto contro gli effetti della sommersione continua.
Protected against continually immersion proof.

CERTIFICATI / CERTIFICATIONS



Tutti i prodotti Modoluce sono certificati CE.
All the Modoluce's products are CE certified.



Indica la possibilità di fornire il prodotto con certificazione ETL.
Designates the possibility to have a wiring system with ETL certification.



Prodotto registrato come modello/design a livello comunitario presso l'ufficio europeo brevetti.
Model and design of this product is registered at EU level at the European Patent Office.

LEGENDA / LEGEND



Indica che i materiali costituenti l'apparecchio superano la prova al filo incandescente alla temperatura indicata nell'icona secondo la norma IEC 695-2-1.
Indique que les matériaux composant l'appareil passent le test au fil incandescent 650°, comme par règlement ICE 695-2-1.



Indica il cablaggio elettrico CL1.
Designates the CL1 electric wiring.



Indica il cablaggio elettrico CL2.
Designates the CL2 electric wiring.




Cavo su richiesta.
Cable on measure.



Sistema RGB ricaricabile (ove previsto)
KIT LED RGB + WHITE 6,4W, luce colorata (16 colori pre-definiti) + controllo dinamico variazione colori, luce bianca dimmerabile. / Kit led RGB + white 6,4w colored light (Colours + dynamic colors changing, dimmable white light).



Alimentazione con 2 batterie da 2200 mAh con autonomia, a pieno carico, di 10/12 h. Fornito con caricabatterie e telecomando con spina europea bipolare. / 2200 mAh battery supply. Autonomy 10/12 hours. Remote control and battery charger with european two pole plug.



Tessuto washable
Washable fabric



Resistente ai raggi UV
UV- Resistant



Resistenti ad acqua & macchie
Water & Stain resistant



Facile manutenzione
Easy care

Washable fabric has undergone a specific treatment that allows it to be easily cleaned. One of the best way to keep fabrics looking good and for an optimal duration, it is recommended to follow these care instructions:

1-Brush regularly with a soft and dry bristle brush to avoid dust, insects or greasy substances.

2-In stubborn cases use soapy water with diluted bleach (Note: maximum dose 10 cl to 1 liter of water).

Once brushed vigorously, the fabric must be rinsed with water using a soft sponge and dried in an airy room or with a blast of air (hairdryer) moderately hot held at a moderately warm kept at a minimum distance of about 50/60 cm. (19.68 "/23.62 ")

WEIGHTS

SOSPENSIONI

ABC

Suspension A	ø 12	1,00 Kg / 2,20 lb.
Suspension B	ø 17	1,00 Kg / 2,20 lb.
Suspension C	ø 22	1,50 Kg / 3,30 lb.

ACHEO

Suspension	H 50	2 Kg / 4,40 lb.
Suspension	H 100	3,50 Kg / 7,71 lb.
Suspension	H 150	5 Kg / 11,01 lb.

ALCO

Suspension	ø 90 H 40	23 Kg / 50,71 lb.
Suspension	ø 120 H 40	36 Kg / 79,37 lb.
Ceiling lamp	ø 90 H 48	23 Kg / 50,71 lb.
Ceiling lamp	ø 120 H 48	36 Kg / 79,37 lb.

ANGELICA

Wall lamp		3 Kg / 6,60 lb.
-----------	--	-----------------

ATOLLO INDOOR/OUTDOOR

Suspension	ø 70	13 Kg / 28,66 lb.
Suspension	ø 100	30 Kg / 66,14 lb.
Suspension	ø 140	20 Kg / 44,09 lb.
Suspension	ø 150	50 Kg / 110,23 lb.
Applique/Ceiling lamp	ø 70	15 Kg / 33,07 lb.
Applique/Ceiling lamp	ø 100	33 Kg / 72,75 lb.
Applique/Ceiling lamp	ø 140	23 Kg / 50,71 lb.
Applique/Ceiling lamp	ø 150	53 Kg / 116,84 lb.

BAOBAB

Suspension	ø 80 H 80	2 Kg / 4,40 lb.
Suspension	ø 80 H 115	3,5 Kg / 7,71 lb.

BOLLA

Suspension	ø 40	3 Kg / 6,61 lb.
Suspension	ø 50	3,50 Kg / 7,71 lb.
Suspension	ø 60	6 Kg / 13,21 lb.

CAMPANONE INDOOR/OUTDOOR

Suspension	ø 33	3,50 Kg / 7,71 lb.
Suspension	ø 51	5 Kg / 11,01 lb.

SUSPENSIONS

SUSPENSIONS

CILINDRO

Suspension	ø 60	2,20 Kg / 4,86 lb.
Suspension	ø 70	3,50 Kg / 7,71 lb.
Suspension	ø 100	7 Kg / 14,31 lb.
Suspension	ø 120	14 Kg / 30,83 lb.
Suspension	ø 150	20 Kg / 44,05 lb.

CILINDRO PLISSÉ

Suspension	ø 60	2,50 Kg / 5,50 lb.
Suspension	ø 70	4 Kg / 8,81 lb.
Suspension	ø 100	9 Kg / 19,82 lb.
Suspension	ø 120	17 Kg / 37,44 lb.
Suspension	ø 150	30 Kg / 66,08 lb.

COCÒ

Suspension	ø 60	4 Kg / 8,80 lb.
Suspension	ø 80	7 Kg / 15,40 lb.
Suspension	ø 100	9 Kg / 19,82 lb.
Ceiling lamp	ø 60	4 Kg / 8,80 lb.
Ceiling lamp	ø 80	7 Kg / 15,40 lb.
Ceiling lamp	ø 100	9 Kg / 19,82 lb.

DEJAVÙ

Wall lamp	L 170	5 Kg / 11,00 lb.
Wall lamp	L 209	6 Kg / 13,20 lb.
Ceiling lamp	L 95	4 Kg / 8,80 lb.
Ceiling lamp	L 165	5 Kg / 11,00 lb.

DISCOVOLANTE

Suspension/Ceiling lamp	ø 40	2 Kg / 4,40 lb.
Suspension/Ceiling lamp	ø 60	4 Kg / 8,81 lb.
Suspension/Ceiling lamp	ø 80	4,50 Kg / 9,91 lb.
Suspension/Ceiling lamp	ø 100	7 Kg / 15,41 lb.

DISK

Medium ceiling lamp	ø 43	5 Kg / 11,00 lb.
Maxi ceiling lamp	ø 53	8 Kg / 17,60 lb.

ELLISSE

Suspension	ø 60	3 Kg / 6,60 lb.
Suspension	ø 80	5 Kg / 11,01 lb.

HÄNGELEUCHTEN

EMILY

Single suspension	ø 60	3 Kg / 6,61 lb.
Composition 2 globes	ø 22+22	8 Kg / 17,60 lb.
Composition 3 globes	ø 48	13 Kg / 28,60 lb.

EVA

Suspension white ceramic	ø 11	0,30 Kg / 0,66 lb.
Suspension cotto brown	ø 11	0,70 Kg / 1,54 lb.
Suspension white ceramic	ø 18	1,10 Kg / 2,44 lb.
Suspension cotto brown	ø 18	1,70 Kg / 3,77 lb.
Suspension white ceramic	ø 27	4 Kg / 8,81 lb.
Suspension cotto brown	ø 27	7 Kg / 15,42 lb.
Suspension white ceramic	ø 38	8 Kg / 17,62 lb.
Suspension cotto brown	ø 36	12 Kg / 26,43 lb.

FLORINDA

Suspension 1	ø 31	2 Kg / 4,40 lb.
Suspension 3	ø 63	7 Kg / 15,41 lb.
Ceiling lamp 3	ø 63	7 Kg / 15,41 lb.
Suspension 6	ø 94	10 Kg / 22,02 lb.
Ceiling lamp 6	ø 94	10 Kg / 22,02 lb.
Suspension 12	ø 153	35 Kg / 77,09 lb.
Ceiling lamp 12	ø 153	35 Kg / 77,09 lb.
Applique	ø 22	0,40 Kg / 0,88 lb.

FLORINDA DESNUDA

Suspension 1	ø 31	1,50 Kg / 3,30 lb.
Suspension 3	ø 63	5 Kg / 11,00 lb.
Suspension 6	ø 94	8 Kg / 17,60 lb.
Suspension 12	ø 153	27 Kg / 59,40 lb.
Ceiling lamp 3	ø 63	6 Kg / 13,20 lb.
Ceiling lamp 6	ø 94	10 Kg / 22,00 lb.
Ceiling lamp 12	ø 153	30 Kg / 66,00 lb.

FUTURA INDOOR/OUTDOOR

Suspension I		25 Kg / 55,06 lb.
Ceiling lamp I		27 Kg / 59,47 lb.
Applique/Ceiling lamp Y		32 Kg / 70,48 lb.

WEIGHTS

SOSPENSIONI

SUSPENSIONS

SUSPENSIONS

HÄNGELEUCHTEN

SUSPENSIONES

HAMMER

Suspension	ø 15 H 19	1,5 Kg / 3,30 lb.
Suspension	ø 18 H 22	2 Kg / 4,40 lb.
Comp. with 2 diffusers	ø 15 H 200	3 Kg / 6,60 lb.
Comp. with 2 diffusers	ø 18 H 200	4 Kg / 8,80 lb.
Comp. with 3 diffusers	ø 41 H 200	4,5 Kg / 9,91 lb.
Comp. with 3 diffusers	ø 44 H 200	6 Kg / 13,20 lb.
Spotlight	ø 15 H 19	1 Kg / 2,20 lb.
Spotlight	ø 18 H 22	1,5 Kg / 3,30 lb.
Ceiling lamp	ø 15/21 H 10	1 Kg / 2,20 lb.
Ceiling lamp	ø 18/24 H 10	1,5 Kg / 3,30 lb.
Recessed spotlight	ø 15/21 H 5	1 Kg / 2,20 lb.
Recessed spotlight	ø 18/24 H 5	1,5 Kg / 3,30 lb.

ICARO

Suspension	ø 22	2,50 Kg / 6,60 lb.
Suspension	ø 50	6,00 Kg / 13,21 lb.
Suspension	ø 75	10,00 Kg / 22,03 lb.
Suspension	ø 100	20,00 Kg / 44,05 lb.

ICARO BALL

Suspension	ø 50	6,00 Kg / 13,21 lb.
Suspension	ø 60	10,00 Kg / 22,03 lb.
Suspension	ø 75	15,00 Kg / 33,04 lb.
Suspension	ø 90	25,00 Kg / 55,06 lb.

LOST

Suspension		5 Kg / 11,01 lb.
------------	--	------------------

LOTO

Suspension	ø 16	0,70 Kg / 1,54 lb.
Suspension	ø 43	2 Kg / 4,40 lb.
Suspension	ø 60	3 Kg / 6,61 lb.
Suspension	ø 80	5 Kg / 11,01 lb.
Suspension	ø 100	7 Kg / 15,41 lb.
Suspension	ø 140	20 Kg / 44,05 lb.
Applique	ø 16	0,45 Kg / 0,99 lb.

LUCILLA

Applique	ø 17	0,40 Kg / 0,88 lb.
----------	------	--------------------

MILLELUCI

Suspension	ø 43	2 Kg / 4,40 lb.
Suspension	ø 80	6 Kg / 13,21 lb.
Suspension	ø 100 H 35	7 Kg / 15,41 lb.
Suspension	ø 100 H 60	9 Kg / 19,82 lb.
Suspension	ø 120	14 Kg / 30,83 lb.
Suspension	ø 150	18,00 Kg / 39,65 lb.

MOOD

Suspension	ø 100	5 Kg / 11,01 lb.
Suspension	ø 120	6 Kg / 13,21 lb.
Suspension	ø 150	10 Kg / 22,02 lb.
Applique/Ceiling lamp	ø 100	6 Kg / 13,21 lb.
Applique/Ceiling lamp	ø 120	7 Kg / 15,42 lb.
Applique/Ceiling lamp	ø 150	12 Kg / 26,43 lb.

MULTIBALL

Suspension	ø 25/30/35	1,70 Kg / 3,74 lb.
Suspension	ø 40/45	2 Kg / 4,40 lb.

OLIVIA

Suspension	ø 42 H 34	3 Kg / 6,60 lb.
Suspension	ø 60 H 45	6 Kg / 13,20 lb.
Ceiling lamp	ø 42 H 31	3 Kg / 6,60 lb.
Ceiling lamp	ø 60 H 40	6 Kg / 13,20 lb.

OMBRELLA

Suspension	ø 60	3 Kg / 6,6 lb.
Suspension	ø 80	6 Kg / 13,20 lb.
Suspension	ø 100	10 Kg / 22,00 lb.
Ceiling lamp	ø 60	4 Kg / 8,8 lb.
Ceiling lamp	ø 80	7 Kg / 15,40 lb.
Ceiling lamp	ø 100	11 Kg / 24,20 lb.

ORB 25

Suspension	ø 25 H 41	2 Kg / 4,40 lb.
------------	-----------	-----------------

ORB 40

Suspension	ø 40 H 63	3,5 Kg / 7,71 lb.
------------	-----------	-------------------

OTTOVOLANTE

Suspension	100	8 Kg / 17,62 lb.
Suspension	150	11 Kg / 24,23 lb.
Applique/Ceiling lamp	100	8 Kg / 17,62 lb.
Applique/Ceiling lamp	150	11 Kg / 24,23 lb.

QUADRATO

Suspension	50	3 Kg / 6,60 lb.
Suspension	70	5 kg / 11,01 lb.
Suspension	100	10 Kg / 22,02 lb.
Ceiling lamp	50	3 Kg / 6,60 lb.
Ceiling lamp	70	5 Kg / 11,01 lb.
Ceiling lamp	100	10 Kg / 22,02 lb.

RETTANGOLO

Suspension	90	4 Kg / 8,81 lb.
Suspension	120	4,50 Kg / 9,91 lb.
Suspension	150	10 Kg / 22,00 lb.
Suspension	300	25 Kg / 55,06 lb.

RETTANGOLO SLIM

Suspension	50	2,5 Kg / 5,51 lb.
Suspension	100	8 Kg / 17,62 lb.
Suspension	150	11 Kg / 24,23 lb.
Ceiling lamp	50	2,5 Kg / 5,51 lb.
Ceiling lamp	100	8 Kg / 17,62 lb.
Ceiling lamp	150	11 Kg / 24,23 lb.

REVERSE

Suspension	ø 60	5 Kg / 11,00 lb.
Suspension	ø 80	7 Kg / 15,40 lb.

RING

Suspension	L 85	7 Kg / 15,40 lb.
Suspension	L 125	9 Kg / 19,82 lb.
Applique/Ceiling lamp	L 85	7 Kg / 15,40 lb.
Applique/Ceiling lamp	L 125	9 Kg / 19,82 lb.

RING TONDA

Suspension	ø 65	5 Kg / 11,00 lb.
Suspension	ø 85	7 Kg / 15,40 lb.
Suspension	ø 110	10 Kg / 22,00 lb.
Applique/Ceiling lamp	ø 65	5 Kg / 11,00 lb.
Applique/Ceiling lamp	ø 85	7 Kg / 15,40 lb.
Applique/Ceiling lamp	ø 110	10 Kg / 22,00 lb.

ROMEO

Suspension	ø 25	1,30 Kg / 2,86 lb.
Suspension	ø 40	1,90 Kg / 4,18 lb.
Suspension	ø 70	5 Kg / 11,01 lb.

AGGANCI

CEILING ROSE

10cm / 3.94" | 5cm / 1.96"

For:
ALCO (white)
BOLLA
CAMPANONE INDOOR (white)
ELLISSE

12cm / 4.72" | 4.0cm / 1.57"

For:
ALCO 120 (white)
FLORINDA 12
FLORINDA DESNUDA 12
ATOLLO 150

6cm / 2.36" | 4.0cm / 1.57"

For:
FUTURA I
OTTOVOLANTE
RETTANGOLO 90/120/150/300
RETTANGOLO SLIM 100/150

8.0cm / 3.15" | 3.0cm / 1.18"

For:
EVA MINI
LOTO (Ø 16)

11 cm / 4.33" | 3.5cm / 1.38"

For:
ABC
BAOBAB
EVA MEDIA
FLORINDA DESNUDA 1
HAMMER

11 cm / 4.33" | 3.5cm / 1.38"

For:
ATOLLO (3/4 STEEL CABLES)
70/100/140/150
CILINDRO Ø 150
QUADRATO 100x100

14.5cm / 5.71" | 3.5cm / 1.38"

For:
CILINDRO Ø 100/120
EVA MAXI
EVA MEGA
LOTO Ø 100/140
MILLELUCI Ø 100/120



PATERE

11 cm / 4.33" | 3.5cm / 1.38"

For:
ACHEO
ATOLLO (1 STEEL CABLE) 70/100
CAMPANONE OUTDOOR
CILINDRO Ø 60/70
COCÒ
DISCOVOLANTE Ø 40/60/80/100
EMILY
ICARO Ø 22/50/75
ICARO BALL Ø 50/60/75
LOST
LOTO 43/60/80
MILLELUCI 40/80
ORB
QUADRATO 50x50, 70x70
RETTANGOLO SLIM 50x50
ROMELO

16cm / 6.30" | 4.0cm / 1.57"

For NO DIM / LED DIM DALI / switch
DIM versions:
CILINDRO
COCÒ
DISCOVOLANTE
EMILY
OMBRELLA
OLIVA
ORB D. 25 DIM
ORB D. 40
RETTANGOLO SLIM 50x50

14cm / 5.71" | 3.5cm / 1.38"

For:
Multiple composition **EVA MINI**
Multiple composition **EVA MEDIA**

13.4cm / 5.28" | 2.7cm / 1.06"

For:
FLORINDA 6
ICARO 100
ICARO BALL 90
MOOD
REVERSE BASIC
RING

16 cm / 6.30" | 4 cm / 1.57"

For:
HAMMER (DIM DALI)

16 cm / 6.30" | 4 cm / 1.57"

For:
HAMMER (COMPOSITION WITH 2
SUSPENSIONS, NO DIM / DIM
DALI)

BALDACHIN

FLORON

15cm / 5.90" | 3.5cm / 1.38"

For:
MULTIBALL

45 cm / 17.72" | 4.5 cm / 1.77"

For:
Composition **EMILY 3**
Composition **ORB** 3/6 globes

14.5 cm / 5.71" | 3.5cm / 1.38"

For:
Composition 2 globes **ORB NO DIM**

14.5 cm / 5.71" | 3.5cm / 1.38"

For:
DEJAVÙ ceiling lamp

35cm / 13.78" | 2.5cm / 0.94"

For:
Composition **ABC 3**
Composition **HAMMER 3**

1.6 cm var. / 0.63" var. | 11 cm / 4.33" | 3.5cm / 1.38"

For:
LATERAL CEILING ATTACHMENTS:
A

1.6 cm var. / 0.63" var. | 11 cm / 4.33" var. | 1.6 cm var. / 0.63" var. | 3.5cm / 1.38"

B

var. / 3.5cm / 1.38" | 11 cm / 4.33"

C

SORGENTI LUMINOSE

I prodotti MODOLUCE equipaggiati con attacco GU10, E14 e E27 vengono consegnati senza lampadine.

LIGHT SOURCES

MODOLUCE products equipped with GU10, E14 and E27 are delivered without light bulbs.

SOURCES LUMINEUSES

Les produits MODOLUCE équipés de GU10, E14 et E27 sont livrés sans ampoules.








LEUCHTMITTEL

MODOLUCE Produkte, die mit GU10, E14 und E27 ausgestattet sind, werden ohne Leuchtmittel geliefert.

FUENTES ALIMENTACIÓN

Los productos MODOLUCE equipados con GU10, E14 y E27 son entregados sin bombilla.







Lampadine utilizzabili sui prodotti Modoluce (secondo i modelli) / Light bulbs usable for Modoluce's products (according to the models) / Ampoules utilisables pour les produits Modoluce (in référence aux models) / Leuchtmittel-Typ, die in den jeweiligen Produkten verwendet werden / Tipos de bombillas utilizables en los productos de Modoluce (segun modelo).

TYPE	SYMBOL	SOCKET	POWER	CODE	€ EURO
LED NO DIM	 Sfera	E14	5W (440lm)	2700K LMPLEDE14S00	20,00
	 Goccia	E27	9W (880lm)	2700K LMPLEDE27G00	33,00
	 Faretto R90	E27	12W (1100lm)	3000K LMPLEDE27000	44,00
	 Dichroica GU10	GU10	6W (407lm)	2700K LMPLEDE27GU10	22,00
LED DIM	 Goccia	E27	10W/12W	2700K LMPLEDE27GD0	55,00
	 Pera	E27	4W	2300K LMPLEDE27KIT01P	38,00
	 Globo D.125	E27	4W	2300K LMPLEDE27KIT100	44,00

Modo Luce srl provides the following standard cables for the suspension lamps:

- Wiring/power cable 2,00 mt for articles with 1 steel cable
- Wiring/power cable 2,50 mt for articles with 2 or more steel cables
- Steel cable 2,00 mt

ACCESSORIES	CODE	€ EURO
Wiring/ power cable teflon/ pvc transparent 2 / 3 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000	7,00
Wiring/ power cable teflon/ pvc transparent 4 x 0,75 (longer than standard length) to each linear meter NO DIM	CAVELE000000T04	12,00
Wiring/ power cable round pvc/ pvc white to each linear meter	CAVELE000000BT01	3,00
Wiring/ power cable round pvc/ pvc black to each linear meter	CAVELE000000NT01	3,00
Wiring/ power cable round pvc/ pvc grey to each linear meter	CAVELE000000GT01	2,00
Wiring/ power cable teflon/ pvc DIMMABLE white or black for suspension lamp to each linear meter	CAVELEDIM000TB05	4,00
Wiring cable teflon/ pvc DIMMABLE transparent for suspension lamp to each linear meter	CAVELEDIM000TT05	20,00
Wiring/ power cable outdoor round 2x0,75 H05RN-F black to each linear meter	CAVELE0000EN	3,00
Fabric wiring/ power cable for suspension lamp to each linear meter	CAVCAL000000	9,00
Steel cable for for suspension lamp Ø 1,2 x h 2000 mm	CAVACC012200000	7,00
Steel cable for for suspension lamp Ø 1,2 x h 3000 mm	CAVACC012300000	11,00
Steel cable for for suspension lamp Ø 1,2 x h 6000 mm	CAVACC012600000	16,00
Steel cable for for suspension lamp Ø 1,2 x h 10000 mm	CAVACC012100000	28,00
Steel cable for for suspension lamp Ø 1,6 x h 2000 mm	CAVACC016200000	7,00
Steel cable for for suspension lamp Ø 1,6 x h 3000 mm	CAVACC016300000	11,00
Steel cable for for suspension lamp Ø 1,6 x h 8000 mm	CAVACC016800000	28,00
Price increase to cylindrical ceiling rose in galvanized finishes (chrome - brass - copper)		
Cylindrical ceiling rose Ø 110 mm	ROSMAG110001	30,00
Cylindrical ceiling rose Ø 145 mm	ROSMAG145001	38,00
Cylindrical ceiling rose Ø 160 mm	ROSMAG160001	50,00
Lateral ceiling attachment surcharge:		
Ceiling rose A	ROSDEC110001	38,00
Ceiling rose B	ROSDEC110002	38,00
Ceiling rose C	ROSDEC110003	33,00

ACCESSORIES	CODE	€ EURO
 Uk plug adapter	ADAUK240V001	17,00
 Table lamp dim switch (40/160W)	DIMVAR0TA001000	38,00
 Floor lamp dim switch for 1 light (40/300W)	DIMVAR0PT001000	55,00
 Floor lamp dim switch for multilights (100/500W)	DIMVAR0PT002000	55,00
 DIM switch universal HES (40/160W) + LED (4/100W)	DIMVAR0TA002000	44,00
 DIM switch universal HES, FLUORESCENT, LED (5/250W)	DIMVAR0PT003000	60,00

UPPER DISK FOR SUSPENSIONS (SPARE PART)	CODE	€ EURO
Microforated top protective disk for Discovolante Ø 40	DISEPF040G01	109,00
Microforated top protective disk for Cilindro and Discovolante Ø 60	CILEPF060G01	142,00
Microforated top protective disk for Cilindro Ø 70	CILEPF070G01	153,00
Microforated top protective disk for Discovolante Ø 80	DISEPF080G01	175,00
Microforated top protective disk for Cilindro and Discovolante Ø 100	CILEPF100G01	208,00
Microforated top protective disk for Cilindro Ø 120	CILEPF120G01	306,00

UPPER DISK FOR SUSPENSIONS (SPARE PART)	CODE	€ EURO
Top protective disk in opal plex for Discovolante Ø 40	DISEPX040F01	72,00
Top protective disk in opal plex for Cilindro and Discovolante Ø 60	CILEPX060F01	115,00
Top protective disk in opal plex for Cilindro Ø 70	CILEPX070F01	164,00
Top protective disk in opal plex for Discovolante Ø 80	DISEPX080F01	186,00
Top protective disk in opal plex for Cilindro and Discovolante Ø 100	CILEPX100F01	349,00
Top protective disk in opal plex for for Cilindro Ø 120	CILEPX120F01	432,00

CONDIZIONI GENERALI DI VENDITA

Listino prezzi
iva esclusa — iva inclusa

GENERAL SALES TERMS

Price list
Vat excluded – Vat included

CONDITIONS GÉNÉRALES DE VENTE

Tarif
Hors TVA – TVA incluse

ALLGEMEINE VERKAUFSBEDINGUNGEN

Preisliste
Ohne MWST - Mit MWST

CONDICIONES GENERALES DE VENTA

Lista de precios
sin IVA – IVA incluido

LAMPADINE

MODOLUCE products equipped with GU10, E14 and E27 are delivered without light bulbs.

PACKAGING

Packaging costs are already included on the product price.
Goods are packed in carton boxes.

RULES

The products manufactured by Modo luce comply with the European Standard EN 60.598-1 and are CE-marked.

CODES

Only art. numbers/ codes listed in our price list are valid.

NOTE

1
The cotton fabric used by Modoluce can be available fireproof, in compliance with CL1 rules, **by request and with 3% additional cost**. For suppliers, when/if this regulation will be enforced and only at your request, we provide to enclose, as post note in the invoice, the conformity declaration. The colours of the fireproof cotton fabric always available in stock are: ivory 300, white 301 and sand 302. Cotton fabric complies with Glow-Wire Test 650°.

2
The pleated fabric used by Modoluce for the standard production is fireproof in compliance with CL1 rules. For suppliers, only at your request, we provide to enclose, as post note in the invoice, the

MISCELLANEOUS

Orders shall be rated as accepted only upon Modo luce’s approval. Delivery times are subject to stock availability and deliveries can be divided. Modo luce reserves the right to make any technical and aesthetical changes t models, without prior notice. Any legal matters shall be submitted to the exclusive jurisdiction of the law court of Treviso.

COMPLAINTS AND RETURNS OF GOODS

Modo luce accepts complaints only for damaged, defective or incorrect goods. Modo luce does not accept claims after 4 days from receipt of goods. Modo luce’s previous written authorization is required before returning any goods. The previously permitted renders must be sent free destined to our warehouse. Modoluce cannot accept any responsibility for defects with are result of any eventual misuse and negligence.

conformity declaration.
The pleated ribbon fabric can be available fireproof, in compliance with the CL1 rules, by request .

3
The washable fabric is not fireproof, as per CL1 rules, but complies with Glow-Wire Test 650°.

4
Modoluce also produce lamp shade with Customer cotton fabric, **with additional cost of 5%.**

TRANSPORT

Goods are delivered ex-factory/ex-works (Vazzola – Treviso – Italy) Goods travel at customer’s own risk and danger. Customer has to verify the packaging conditions, cartons numbers and all the shipping details before accept the goods. In every case, customer must accept the goods by writing in the document of transport of the forwarder “accepted with checking reserve” and inspect goods immediately/ within 4 days after the receipt. The transporter is responsible of lacks or damages, that can’t be attributed to Modo luce.

5
The lycra-covers used by Modoluce are fireproof in compliance with CL1 rules. They are removable and washable in in water at max 30° and mild soap.

6
Ceramic and terracotta shapes of model EVA and the base of the model AURA are handmade; some little imperfections of the product are dues to this type of processing.

WARRANTY

Modo Luce srl warrants its products to be free from defects in workmanship (normal wear expected). Any complaints relating to defects which cannot be discovered on the basis of a careful inspection upon receipt (hidden defects) shall be notified to Modo Luce srl, by registered letter with return receipt, within 7 days from discovery of the defects and in any case not later than 12 months from delivery; failing such notification the Purchaser’s right to claim the above defects will be forfeited (Wien Convention of 1980 and, for other points not covered by this Convention, Italian law art. 1490 and following from C.C.). During this warranty period Modo Luce srl will repair or replaice, at its option, products that are proven to be present hidden defects.

7
The particulars in PMMA of mod. ACHEO, globes of mod. BOLLA and ORB, lamp diffuser of mod. ELLISSE must be clean only with a soft cloth (ex. microfibre) using neutral detergent and water or cleaning spray without aggressive solvents as: alcohol, solvent and trichloroethylene.

8
The particulars, globes and lamp diffuser in PMMA or PC are injection moulding, some little imperfections of the product are dues to this type of processing.

This warranty does not apply to damages resulting from accident, alteration, tampering, misuse, negligence or abuse, natural events.
This warranty does not apply to light bulbs, which are not products manufactured by ModoLuce srl and are supplied only as an accomodation.

9
The products made in polyethylene with injection moulding can have some little imperfections to be accepted as technical characteristic of this type of processing.

10
The technical characteristic of the materials used by Modoluce and the samples colours are purely indicative, being not able to guarantee either the constancy or the colour’s shade from a batch to another.

11
The products with ETL wiring (with certification) **have an additional cost of 10%.**

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

Le informazioni qui riportate riguardanti le Classi Energetiche, non sono esaustive di tutti i tipi di lampadine effettivamente reperibili sul mercato europeo.

The below information regarding the energy efficiency classes are not including all the bulbs available on European market.

Les informations ci-dessous concernant les classes énergétiques ne sont pas complètes de tous les types d'ampoules disponibles dans le marché Européen.

Die untenstehenden enthaltenen Informationen über die Energie-Klassen, ist nicht für alle verfügbaren Arten von Glühbirnen auf dem europäischen Markt vollständig.

La información relacionada con las clases energéticas no son aplicables a todo tipo de bombillas disponibles en el mercado europeo.

Gli apparecchi Moduluce sono compatibili con lampadine che presentino l'etichetta energetica in conformità con il regolamento UE 874/2012, come da seguente tabella.

Moduluce fixtures are compatible with bulbs having the energy efficiency label in comply with UE 874/2012 regulation, as per following table.

Les luminaires Moduluce sont compatibles avec ampoules qui présentent l'étiquette énergétique conformément au règlement UE 874/2012, comme par tableau suivant.

Die Moduluce Geräte sind mit Glühbirnen kompatibel, welche die Energie-Etiketten in Übereinstimmung mit der EU-Verordnung 874/2012, wie nach folgender Tabelle, präsentieren.

Los dispositivos de Modo Luce son compatibles con bombillas que presentan la etiqueta energética en conformidad con el reglamento UE 874/2012, como la siguiente tabla.

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
AAAESO012G01	A+,A,B,C,D	CCCEPT022G01	A+,A,B,C,D	ATIESO070D02	A+,A,B,C,D	ATIETP070D04	A+,A,B,C,D	ATIETP070D04	A+,A,B,C,D
AAAESO012G02	A+,A,B,C,D	CCCEPT022G02	A+,A,B,C,D	ATOESO070D02	A+,A,B,C,D	ATOETP070D04	A+,A,B,C,D	ATOETP070D04	A+,A,B,C,D
AAAESO012G11	A+,A,B,C,D	CCCEPT022G11	A+,A,B,C,D	ATIESO100D01	A+,A,B,C,D	ATIETP070D05	A+,A,B,C,D	ATIETP070D05	A+,A,B,C,D
AAAESO012G12	A+,A,B,C,D	CCCEPT022G12	A+,A,B,C,D	ATIESO100D01	A+,A,B,C,D	ATOETP070D05	A+,A,B,C,D	ATOETP070D05	A+,A,B,C,D
BBBESO017G01	A+,A,B,C,D	ACHESO050M01	A+,A,B,C,D	ATIESO100D02	A+,A,B,C,D	ATIEPF070D21	A+,A,B,C,D	ATIEPF070D21	A+,A,B,C,D
BBBESO017G02	A+,A,B,C,D	ACHESO100M01	A+,A,B,C,D	ATOESO100D02	A+,A,B,C,D	ATOEPF070D21	A+,A,B,C,D	ATOEPF070D21	A+,A,B,C,D
BBBESO017G11	A+,A,B,C,D	ACHESO150M01	A+,A,B,C,D	ATIESO140D01	A+,A,B,C,D	ATIETP070D07	A+,A,B,C,D	ATIETP070D07	A+,A,B,C,D
BBBESO017G12	A+,A,B,C,D	ACHESO050T01	A+,A,B,C,D	ATOESO140D01	A+,A,B,C,D	ATOETP070D07	A+,A,B,C,D	ATOETP070D07	A+,A,B,C,D
CCCESO022G01	A+,A,B,C,D	ACHESO100T01	A+,A,B,C,D	ATIESO150D01	A+,A,B,C,D	ATIETP070D08	A+,A,B,C,D	ATIETP070D08	A+,A,B,C,D
CCCESO022G02	A+,A,B,C,D	ACHESO150T01	A+,A,B,C,D	ATOESO150D01	A+,A,B,C,D	ATOETP070D08	A+,A,B,C,D	ATOETP070D08	A+,A,B,C,D
CCCESO022G11	A+,A,B,C,D	ANGEAP135C01	A+,A	ATIESO150D02	A+,A,B,C,D	ATIEHH070D01	A+,A,B,C,D	ATIEHH070D01	A+,A,B,C,D
CCCESO022G12	A+,A,B,C,D	ANGEAP135C02	A+,A	ATOESO150D02	A+,A,B,C,D	ATOEHH070D01	A+,A,B,C,D	ATOEHH070D01	A+,A,B,C,D
ABCECM003G01	A+,A,B,C,D	ANGEAP135L01	A+,A	ATIEAP070D01	A+,A,B,C,D	ATIEHH070D02	A+,A,B,C,D	ATIEHH070D02	A+,A,B,C,D
ABCECM003G02	A+,A,B,C,D	ANGEAP135L02	A+,A	ATOEAP070D01	A+,A,B,C,D	ATOEHH070D02	A+,A,B,C,D	ATOEHH070D02	A+,A,B,C,D
ABCECM003G11	A+,A,B,C,D	ANGEAP180C01	A+,A	ATIEAP100D01	A+,A,B,C,D	ATIETP100D01	A+,A,B,C,D	ATIETP100D01	A+,A,B,C,D
ABCECM003G12	A+,A,B,C,D	ANGEAP180C02	A+,A	ATOEAP100D01	A+,A,B,C,D	ATOEPF100D01	A+,A,B,C,D	ATOEPF100D01	A+,A,B,C,D
AAAESO012G21	A+,A,B,C,D	ANGEAP180L01	A+,A	ATIEAP140D01	A+,A,B,C,D	ATIETP100D11	A+,A,B,C,D	ATIETP100D11	A+,A,B,C,D
AAAESO012G22	A+,A,B,C,D	ANGEAP180L02	A+,A	ATOEAP140D01	A+,A,B,C,D	ATOEPF100D11	A+,A,B,C,D	ATOEPF100D11	A+,A,B,C,D
AAAESO012G31	A+,A,B,C,D	ANGEAP200C01	A+,A	ATIEAP150D01	A+,A,B,C,D	ATIETA100D01	A+,A,B,C,D	ATIETA100D01	A+,A,B,C,D
AAAESO012G32	A+,A,B,C,D	ANGEAP200C02	A+,A	ATOEAP150D01	A+,A,B,C,D	ATOETA100D01	A+,A,B,C,D	ATOETA100D01	A+,A,B,C,D
BBBESO017G21	A+,A,B,C,D	ANGEAP200L01	A+,A	ATIEPF070D01	A+,A,B,C,D	ATIETA100D02	A+,A,B,C,D	ATIETA100D02	A+,A,B,C,D
BBBESO017G22	A+,A,B,C,D	ANGEAP200L02	A+,A	ATOEPF070D01	A+,A,B,C,D	ATOETA100D02	A+,A,B,C,D	ATOETA100D02	A+,A,B,C,D
BBBESO017G31	A+,A,B,C,D	ANGEPT230C01	A+,A	ATIETP070D01	A+,A,B,C,D	ATIETP070D01	A+,A,B,C,D	ATIETP070D01	A+,A,B,C,D
BBBESO017G32	A+,A,B,C,D	ANGEPT230C02	A+,A	ATOETP070D01	A+,A,B,C,D	ATOETP070D01	A+,A,B,C,D	ATOETP070D01	A+,A,B,C,D
CCCESO022G21	A+,A,B,C,D	ANGEPT230L01	A+,A	ATIEAP140D01	A+,A,B,C,D	ATIETP070D02	A+,A,B,C,D	ATIETP070D02	A+,A,B,C,D
CCCESO022G22	A+,A,B,C,D	ANGEPT230L02	A+,A	ATOEAP140D02	A+,A,B,C,D	ATOETP070D02	A+,A,B,C,D	ATOETP070D02	A+,A,B,C,D
CCCESO022G31	A+,A,B,C,D	ATIESO070D01	A+,A,B,C,D	ATIEPF070D11	A+,A,B,C,D	ATIEPF070D11	A+,A,B,C,D	ATIEPF070D11	A+,A,B,C,D
CCCESO022G32	A+,A,B,C,D	ATOESO070D01	A+,A,B,C,D	ATOEPF070D11	A+,A,B,C,D	ATOEPF070D11	A+,A,B,C,D	ATOEPF070D11	A+,A,B,C,D

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
AURETA065R03	A+,A,B,C,D	CILESP060C03	A+,A	CILESP070C05	A+,A	CILESP100R07	A+,A	CILESP120L08	A++
AURETA065R04	A+,A,B,C,D	CILESP060L03	A+,A	CILESP070L05	A+,A	CILESP100T07	A+,A	CILESP120P08	A++
AURETA065R05	A+,A,B,C,D	CILESP060P02	A+,A	CILESP070P04	A+,A	CILESP100C08	A++	CILESP120R08	A++
BOIETP030D01	A++	CILESP060R02	A+,A	CILESP070R04	A+,A	CILESP100L08	A++	CILESP120T08	A++
BOOETP030D01	A++	CILESP060T03	A+,A	CILESP070T05	A+,A	CILESP100P08	A++	CILESP120C10	A++
BOOETP030D12	A++	CILESP060C04	A+,A	CILESP070C06	A++	CILESP100R08	A++	CILESP120L10	A++
BOLESO040M01	A+,A,B,C,D	CILESP060L04	A+,A	CILESP070L06	A++	CILESP100T08	A++	CILESP120P10	A++
BOLESO040C01	A+,A,B,C,D	CILESP060P03	A+,A	CILESP070P05	A++	CILESP100C10	A++	CILESP120R10	A++
BOLESO040P01	A+,A,B,C,D	CILESP060R03	A+,A	CILESP070R05	A++	CILESP100L10	A++	CILESP120T10	A++
BOLESO040R01	A+,A,B,C,D	CILESP060T04	A+,A	CILESP070T06	A++	CILESP100P10	A++	CILESP150C01	A+,A,B,C,D
BOLESO040T01	A+,A,B,C,D	CILESP060C05	A+,A	CILESP070C08	A++	CILESP100R10	A++	CILESP150P01	A+,A,B,C,D
BOLESO050M01	A+,A,B,C,D	CILESP060L05	A+,A	CILESP070L08	A++	CILESP100T10	A++	CILESP150R01	A+,A,B,C,D
BOLESO050C01	A+,A,B,C,D	CILESP060P04	A+,A	CILESP070P07	A++	CILESP120C01	A+,A,B,C,D	CILESP150T01	A+,A,B,C,D
BOLESO050P01	A+,A,B,C,D	CILESP060R04	A+,A	CILESP070R07	A++	CILESP120L01	A+,A,B,C,D	CILESP150C02	A+,A
BOLESO050R01	A+,A,B,C,D	CILESP060T05	A+,A	CILESP070T08	A++	CILESP120P01	A+,A,B,C,D	CILESP150P02	A+,A
BOLESO050T01	A+,A,B,C,D	CILESP060C06	A++	CILESP070C01	A+,A,B,C,D	CILESP120R01	A+,A,B,C,D	CILESP150R02	A+,A
BOLESO060M01	A+,A,B,C,D	CILESP060L06	A++	CILESP100L01	A+,A,B,C,D	CILESP120T01	A+,A,B,C,D	CILESP150T02	A+,A
BOLESO060C01	A+,A,B,C,D	CILESP060P05	A++	CILESP100P01	A+,A,B,C,D	CILESP120C02	A+,A	CILESP150C03	A+,A
BOLESO060P01	A+,A,B,C,D	CILESP060R05	A++	CILESP100R01	A+,A,B,C,D	CILESP120L02	A+,A	CILESP150P03	A+,A
BOLESO060R01	A+,A,B,C,D	CILESP060T06	A++	CILESP100T01	A+,A,B,C,D	CILESP120P02	A+,A	CILESP150R03	A+,A
BOLESO060T01	A+,A,B,C,D	CILESP060C08	A++	CILESP100C02	A+,A	CILESP120R02	A+,A	CILESP150T03	A+,A
CAIESO033D01	A+,A,B,C,D	CILESP060L08	A++	CILESP100L02	A+,A	CILESP120T02	A+,A	CILESP150C04	A+,A
CAOESO033D02	A+,A,B,C,D	CILESP060P07	A++	CILESP100P02	A+,A	CILESP120C03	A+,A	CILESP150P04	A+,A
CAIESO051D01	A+,A,B,C,D	CILESP060R07	A++	CILESP100R02	A+,A	CILESP120L03	A+,A	CILESP150R04	A+,A
CAOESO051D02	A+,A,B,C,D	CILESP060T08	A++	CILESP100T02	A+,A	CILESP120P03	A+,A	CILESP150T04	A+,A
CAIETP033D01	A+,A,B,C,D	CILESO070C01	A+,A,B,C,D	CILESP100C03	A+,A	CILESP120R03	A+,A	CILESP150C05	A++
CAOETP033D01	A+,A,B,C,D	CILESO070L01	A+,A,B,C,D	CILESP100L03	A+,A	CILESP120T03	A+,A	CILESP150P05	A++
CAIETP033D02	A+,A,B,C,D	CILESO070P01	A+,A,B,C,D	CILESP100P03	A+,A	CILESP120C04	A+,A	CILESP150R05	A++
CAOETP033D02	A+,A,B,C,D	CILESO070R01	A+,A,B,C,D	CILESP100R03	A+,A	CILESP120L04	A+,A	CILESP150T05	A++
CAIEPF033D01	A+,A,B,C,D	CILESO070T01	A+,A,B,C,D	CILESP100T03	A+,A	CILESP120P04	A+,A	CILESP150C07	A++
CAOEPF033D01	A+,A,B,C,D	CILESP070C01	A+,A,B,C,D	CILESP100C04	A+,A	CILESP120R04	A+,A	CILESP150P07	A++
CAOEPF033D11	A+,A,B,C,D	CILESP070L01	A+,A,B,C,D	CILESP100L04	A+,A	CILESP120T04	A+,A	CILESP150R07	A++
CAIETA051D01	A+,A,B,C,D	CILESP070T01	A+,A,B,C,D	CILESP100P04	A+,A	CILESP120C05	A+,A	CILESP150T07	A++
CAOETA051D01	A+,A,B,C,D	CILESP070C02	A+,A,B,C,D	CILESP100R04	A+,A	CILESP120L05	A+,A	COCESP060P01	A+,A,B,C,D
CAOETA051D02	A+,A,B,C,D	CILESP070L02	A+,A,B,C,D	CILESP100T04	A+,A	CILESP120P05	A+,A	COCESP060P02	A+,A
CILESO060C01	A+,A,B,C,D	CILESP070P01	A+,A,B,C,D	CILESP100C05	A+,A	CILESP120R05	A+,A	COCESP060P03	A+,A
CILESO060L01	A+,A,B,C,D	CILESP070R01	A+,A,B,C,D	CILESP100L05	A+,A	CILESP120T05	A+,A	COCESP060P04	A+,A
CILESO060P01	A+,A,B,C,D	CILESP070T02	A+,A,B,C,D	CILESP100P05	A+,A	CILESP120C06	A+,A	COCESP060P05	A++
CILESO060R01	A+,A,B,C,D	CILESP070C03	A+,A	CILESP100R05	A+,A	CILESP120L06	A+,A	COCESP060P06	A++
CILESO060T01	A+,A,B,C,D	CILESP070L03	A+,A	CILESP100T05	A+,A	CILESP120P06	A+,A	COCEPL060P01	A+,A,B,C,D
CILESP060C01	A+,A,B,C,D	CILESP070P02	A+,A	CILESP100C06	A+,A	CILESP120R06	A+,A	COCEPL060P02	A+,A
CILESP060L01	A+,A,B,C,D	CILESP070R02	A+,A	CILESP100L06	A+,A	CILESP120T06	A+,A	COCEPL060P03	A+,A
CILESP060T01	A+,A,B,C,D	CILESP070T03	A+,A	CILESP100P06	A+,A	CILESP120C07	A+,A	COCEPL060P04	A+,A
CILESP060C02	A+,A,B,C,D	CILESP070C04	A+,A	CILESP100R06	A+,A	CILESP120L07	A+,A	COCEPL060P05	A++
CILESP060L02	A+,A,B,C,D	CILESP070L04	A+,A	CILESP100T06	A+,A	CILESP120P07	A+,A	COCEPL060P06	A++
CILESP060P01	A+,A,B,C,D	CILESP070P03	A+,A	CILESP100C07	A+,A	CILESP120R07	A+,A	COCESP080P01	A+,A,B,C,D
CILESP060R01	A+,A,B,C,D	CILESP070R03	A+,A	CILESP100L07	A+,A	CILESP120T07	A+,A	COCESP080P02	A+,A
CILESP060T02	A+,A,B,C,D	CILESP070T04	A+,A	CILESP100P07	A+,A	CILESP120C08	A++	COCESP080P03	A+,A

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
COCESP080P04	A+,A	DISESP040R02	A+,A,B,C,D	DISEAP040T04	A+,A	DISESP060L08	A++	DISESP080P03	A+,A
COCESP080P05	A++	DISESP040T02	A+,A,B,C,D	DISEAP040C05	A+,A	DISESP060P08	A++	DISESP080R03	A+,A
COCESP080P06	A++	DISESP040C03	A+,A	DISEAP040L05	A+,A	DISESP060R08	A++	DISESP080T03	A+,A
COCEPL080P01	A+,A,B,C,D	DISESP040L03	A+,A	DISEAP040V05	A+,A	DISESP060T08	A++	DISESP080C04	A+,A
COCEPL080P02	A+,A	DISESP040V03	A+,A	DISEAP040P05	A+,A	DISEAP060C02	A+,A,B,C,D	DISESP080L04	A+,A
COCEPL080P03	A+,A	DISESP040P03	A+,A	DISEAP040R05	A+,A	DISEAP060L02	A+,A,B,C,D	DISESP080V04	A+,A
COCEPL080P04	A+,A	DISESP040R03	A+,A	DISEAP040T05	A+,A	DISEAP060V02	A+,A,B,C,D	DISESP080P04	A+,A
COCEPL080P05	A++	DISESP040T03	A+,A	DISEAP040C06	A++	DISEAP060P02	A+,A,B,C,D	DISESP080R04	A+,A
COCEPL080P06	A++	DISESP040C04	A+,A	DISEAP040L06	A++	DISEAP060R02	A+,A,B,C,D	DISESP080T04	A+,A
COCESP100P01	A+,A,B,C,D	DISESP040L04	A+,A	DISEAP040P06	A++	DISEAP060T02	A+,A,B,C,D	DISESP080C05	A+,A
COCESP100P02	A++	DISESP040V04	A+,A	DISEAP040R06	A++	DISEAP060C03	A+,A	DISESP080L05	A+,A
COCESP100P03	A++	DISESP040P04	A+,A	DISEAP040T06	A++	DISEAP060L03	A+,A	DISESP080V05	A+,A
COCESP100P04	A++	DISESP040R04	A+,A	DISEAP040C08	A++	DISEAP060V03	A+,A	DISESP080P05	A+,A
COCESP100P05	A++	DISESP040T04	A+,A	DISEAP040L08	A++	DISEAP060P03	A+,A	DISESP080R05	A+,A
COCESP100P06	A++	DISESP040C05	A+,A	DISEAP040P08	A++	DISEAP060R03	A+,A	DISESP080T05	A+,A
COCESP100P07	A++	DISESP040L05	A+,A	DISEAP040R08	A++	DISEAP060T03	A+,A	DISESP080C06	A+,A
COCESP100P08	A++	DISESP040V05	A+,A	DISEAP040T08	A++	DISEAP060C04	A+,A	DISESP080L06	A+,A
COCEPL100P01	A+,A,B,C,D	DISESP040P05	A+,A	DISESP060C02	A+,A,B,C,D	DISEAP060L04	A+,A	DISESP080V06	A+,A
COCEPL100P02	A++	DISESP040R05	A+,A	DISESP060L02	A+,A,B,C,D	DISEAP060V04	A+,A	DISESP080P06	A+,A
COCEPL100P03	A++	DISESP040T05	A+,A	DISESP060V02	A+,A,B,C,D	DISEAP060P04	A+,A	DISESP080R06	A+,A
COCEPL100P04	A++	DISESP040C06	A++	DISESP060P02	A+,A,B,C,D	DISEAP060R04	A+,A	DISESP080T06	A+,A
COCEPL100P05	A++	DISESP040L06	A++	DISESP060R02	A+,A,B,C,D	DISEAP060T04	A+,A	DISESP080C07	A+,A
COCEPL100P06	A++	DISESP040P06	A++	DISESP060T02	A+,A,B,C,D	DISEAP060C05	A+,A	DISESP080L07	A+,A
COCEPL100P07	A++	DISESP040R06	A++	DISESP060C03	A+,A	DISEAP060L05	A+,A	DISESP080V07	A+,A
COCEPL100P08	A++	DISESP040T06	A++	DISESP060L03	A+,A	DISEAP060V05	A+,A	DISESP080P07	A+,A
COREPT060C01	A+,A	DISESP040C08	A++	DISESP060V03	A+,A	DISEAP060P05	A+,A	DISESP080R07	A+,A
COREPT060C02	A+,A	DISESP040L08	A++	DISESP060P03	A+,A	DISEAP060R05	A+,A	DISESP080T07	A+,A
COREPT060C03	A+,A	DISESP040P08	A++	DISESP060R03	A+,A	DISEAP060T05	A+,A	DISESP080C08	A+,A
COREPT060C04	A+,A	DISESP040R08	A++	DISESP060T03	A+,A	DISEAP060C06	A++	DISESP080L08	A+,A
COREPT080C03	A+,A	DISESP040T08	A++	DISESP060C04	A+,A	DISEAP060L06	A++	DISESP080V08	A+,A
COREPT080C04	A+,A	DISEAP040C02	A+,A,B,C,D	DISESP060L04	A+,A	DISEAP060P06	A++	DISESP080P08	A+,A
DEJEAP028G01	A+,A,B,C,D	DISEAP040L02	A+,A,B,C,D	DISESP060V04	A+,A	DISEAP060R06	A++	DISESP080R08	A+,A
DEJEAP028G02	A+,A,B,C,D	DISEAP040V02	A+,A,B,C,D	DISESP060P04	A+,A	DISEAP060T06	A++	DISESP080T08	A+,A
DEJEAP170G01	A+,A,B,C,D	DISEAP040P02	A+,A,B,C,D	DISESP060R04	A+,A	DISEAP060C08	A++	DISESP080C09	A++
DEJEAP170G02	A+,A,B,C,D	DISEAP040R02	A+,A,B,C,D	DISESP060T04	A+,A	DISEAP060L08	A++	DISESP080L09	A++
DEJEAP209G01	A+,A,B,C,D	DISEAP040T02	A+,A,B,C,D	DISESP060C05	A+,A	DISEAP060P08	A++	DISESP080P09	A++
DEJEAP209G02	A+,A,B,C,D	DISEAP040C03	A+,A	DISESP060L05	A+,A	DISEAP060R08	A++	DISESP080R09	A++
DEJEPL095G01	A+,A,B,C,D	DISEAP040L03	A+,A	DISESP060V05	A+,A	DISEAP060T08	A++	DISESP080T09	A++
DEJEPL095G02	A+,A,B,C,D	DISEAP040V03	A+,A	DISESP060P05	A+,A	DISESP080C02	A+,A,B,C,D	DISESP080C11	A++
DEJEPL165G01	A+,A,B,C,D	DISEAP040P03	A+,A	DISESP060R05	A+,A	DISESP080L02	A+,A,B,C,D	DISESP080L11	A++
DEJEPL165G02	A+,A,B,C,D	DISEAP040R03	A+,A	DISESP060T05	A+,A	DISESP080V02	A+,A,B,C,D	DISESP080P11	A++
DEJEPT192G01	A+,A,B,C,D	DISEAP040T03	A+,A	DISESP060C06	A++	DISESP080P02	A+,A,B,C,D	DISESP080R11	A++
DEJEPT192G02	A+,A,B,C,D	DISEAP040C04	A+,A	DISESP060L06	A++	DISESP080R02	A+,A,B,C,D	DISESP080T11	A++
DISESP040C02	A+,A,B,C,D	DISEAP040L04	A+,A	DISESP060P06	A++	DISESP080T02	A+,A,B,C,D	DISEPL080C02	A+,A,B,C,D
DISESP040L02	A+,A,B,C,D	DISEAP040V04	A+,A	DISESP060R06	A++	DISESP080C03	A+,A	DISEPL080L02	A+,A,B,C,D
DISESP040V02	A+,A,B,C,D	DISEAP040P04	A+,A	DISESP060T06	A++	DISESP080L03	A+,A	DISEPL080V02	A+,A,B,C,D
DISESP040P02	A+,A,B,C,D	DISEAP040R04	A+,A	DISESP060C08	A++	DISESP080V03	A+,A	DISEPL080P02	A+,A,B,C,D

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
DISEPL080R02	A+,A,B,C,D	DISEPL080T11	A++	DISESP100R09	A+,A	DISEPL100T05	A+,A	DKAETA065C01	A+,A,B,C,D
DISEPL080T02	A+,A,B,C,D	DISESP100C02	A+,A,B,C,D	DISESP100T09	A+,A	DISEPL100C06	A+,A	DKAETA065C02	A+,A,B,C,D
DISEPL080C03	A+,A	DISESP100L02	A+,A,B,C,D	DISESP100C10	A+,A	DISEPL100L06	A+,A	DKAEPT155C01	A+,A,B,C,D
DISEPL080L03	A+,A	DISESP100V02	A+,A,B,C,D	DISESP100L10	A+,A	DISEPL100V06	A+,A	DKAEPT155C02	A+,A,B,C,D
DISEPL080V03	A+,A	DISESP100P02	A+,A,B,C,D	DISESP100V10	A+,A	DISEPL100P06	A+,A	DKAEPT175C01	A+,A,B,C,D
DISEPL080P03	A+,A	DISESP100R02	A+,A,B,C,D	DISESP100P10	A+,A	DISEPL100R06	A+,A	DKAEPT175C02	A+,A,B,C,D
DISEPL080R03	A+,A	DISESP100T02	A+,A,B,C,D	DISESP100R10	A+,A	DISEPL100T06	A+,A	DKAETA065L01	A+,A,B,C,D
DISEPL080T03	A+,A	DISESP100C03	A+,A	DISESP100T10	A+,A	DISEPL100C07	A+,A	DKAETA065L02	A+,A,B,C,D
DISEPL080C04	A+,A	DISESP100L03	A+,A	DISESP100C11	A+,A	DISEPL100L07	A+,A	DKAEPT155L01	A+,A,B,C,D
DISEPL080L04	A+,A	DISESP100V03	A+,A	DISESP100L11	A+,A	DISEPL100V07	A+,A	DKAEPT155L02	A+,A,B,C,D
DISEPL080V04	A+,A	DISESP100P03	A+,A	DISESP100V11	A+,A	DISEPL100P07	A+,A	DKAEPT175L01	A+,A,B,C,D
DISEPL080P04	A+,A	DISESP100R03	A+,A	DISESP100P11	A+,A	DISEPL100R07	A+,A	DKAEPT175L02	A+,A,B,C,D
DISEPL080R04	A+,A	DISESP100T03	A+,A	DISESP100R11	A+,A	DISEPL100T07	A+,A	DKAETA065T01	A+,A,B,C,D
DISEPL080T04	A+,A	DISESP100C04	A+,A	DISESP100T11	A+,A	DISEPL100C08	A+,A	DKAETA065T02	A+,A,B,C,D
DISEPL080C05	A+,A	DISESP100L04	A+,A	DISESP100C12	A++	DISEPL100L08	A+,A	DKAEPT155T01	A+,A,B,C,D
DISEPL080L05	A+,A	DISESP100V04	A+,A	DISESP100L12	A++	DISEPL100V08	A+,A	DKAEPT155T02	A+,A,B,C,D
DISEPL080V05	A+,A	DISESP100P04	A+,A	DISESP100P12	A++	DISEPL100P08	A+,A	DKAEPT175T01	A+,A,B,C,D
DISEPL080P05	A+,A	DISESP100R04	A+,A	DISESP100R12	A++	DISEPL100R08	A+,A	DKAEPT175T02	A+,A,B,C,D
DISEPL080R05	A+,A	DISESP100T04	A+,A	DISESP100T12	A++	DISEPL100T08	A+,A	DSKEPL043C01	A+,A,B,C,D
DISEPL080T05	A+,A	DISESP100C05	A+,A	DISESP100C14	A++	DISEPL100C09	A+,A	DSKEPL043L01	A+,A,B,C,D
DISEPL080C06	A+,A	DISESP100L05	A+,A	DISESP100L14	A++	DISEPL100V09	A+,A	DSKEPL043T01	A+,A,B,C,D
DISEPL080L06	A+,A	DISESP100V05	A+,A	DISESP100P14	A++	DISEPL100P09	A+,A	DSKEPL043C02	A+,A
DISEPL080V06	A+,A	DISESP100P05	A+,A	DISESP100R14	A++	DISEPL100R09	A+,A	DSKEPL043L02	A+,A
DISEPL080P06	A+,A	DISESP100R05	A+,A	DISESP100T14	A++	DISEPL100R09	A+,A	DSKEPL043T02	A+,A
DISEPL080R06	A+,A	DISESP100T05	A+,A	DISEPL100C02	A+,A,B,C,D	DISEPL100T09	A+,A	DSKEPL043C03	A+,A
DISEPL080T06	A+,A	DISESP100C06	A+,A	DISEPL100L02	A+,A,B,C,D	DISEPL100C10	A+,A	DSKEPL043L03	A+,A
DISEPL080C07	A+,A	DISESP100L06	A+,A	DISEPL100V02	A+,A,B,C,D	DISEPL100L10	A+,A	DSKEPL043T03	A+,A
DISEPL080L07	A+,A	DISESP100V06	A+,A	DISEPL100P02	A+,A,B,C,D	DISEPL100V10	A+,A	DSKEPL043C04	A+,A
DISEPL080V07	A+,A	DISESP100P06	A+,A	DISEPL100R02	A+,A,B,C,D	DISEPL100P10	A+,A	DSKEPL043L04	A+,A
DISEPL080P07	A+,A	DISESP100R06	A+,A	DISEPL100T02	A+,A,B,C,D	DISEPL100R10	A+,A	DSKEPL043T04	A+,A
DISEPL080R07	A+,A	DISESP100T06	A+,A	DISEPL100C03	A+,A	DISEPL100T10	A+,A	DSKEPL043C05	A++
DISEPL080T07	A+,A	DISESP100C07	A+,A	DISEPL100L03	A+,A	DISEPL100C11	A+,A	DSKEPL043L05	A++
DISEPL080C08	A+,A	DISESP100L07	A+,A	DISEPL100V03	A+,A	DISEPL100L11	A+,A	DSKEPL043T05	A++
DISEPL080L08	A+,A	DISESP100V07	A+,A	DISEPL100P03	A+,A	DISEPL100V11	A+,A	DSKEPL043C06	A++
DISEPL080V08	A+,A	DISESP100P07	A+,A	DISEPL100R03	A+,A	DISEPL100P11	A+,A	DSKEPL043L06	A++
DISEPL080P08	A+,A	DISESP100R07	A+,A	DISEPL100T03	A+,A	DISEPL100R11	A+,A	DSKEPL043T06	A++
DISEPL080R08	A+,A	DISESP100T07	A+,A	DISEPL100C04	A+,A	DISEPL100T11	A+,A	DSKEPL053C01	A+,A,B,C,D
DISEPL080T08	A+,A	DISESP100C08	A+,A	DISEPL100L04	A+,A	DISEPL100C12	A++	DSKEPL053L01	A+,A,B,C,D
DISEPL080C09	A++	DISESP100L08	A+,A	DISEPL100V04	A+,A	DISEPL100L12	A++	DSKEPL053T01	A+,A,B,C,D
DISEPL080L09	A++	DISESP100V08	A+,A	DISEPL100P04	A+,A	DISEPL100P12	A++	DSKEPL053C02	A+,A
DISEPL080P09	A++	DISESP100P08	A+,A	DISEPL100R04	A+,A	DISEPL100R12	A++	DSKEPL053L02	A+,A
DISEPL080R09	A++	DISESP100R08	A+,A	DISEPL100T04	A+,A	DISEPL100T12	A++	DSKEPL053T02	A+,A
DISEPL080T09	A++	DISESP100T08	A+,A	DISEPL100C05	A+,A	DISEPL100C14	A++	DSKEPL053C03	A+,A
DISEPL080C11	A++	DISESP100C09	A+,A	DISEPL100L05	A+,A	DISEPL100L14	A++	DSKEPL053L03	A+,A
DISEPL080L11	A++	DISESP100L09	A+,A	DISEPL100V05	A+,A	DISEPL100P14	A++	DSKEPL053T03	A+,A
DISEPL080P11	A++	DISESP100V09	A+,A	DISEPL100P05	A+,A	DISEPL100R14	A++	DSKEPL053C04	A+,A
DISEPL080R11	A++	DISESP100P09	A+,A	DISEPL100R05	A+,A	DISEPL100T14	A++	DSKEPL053L04	A+,A

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
DSKEPL053T04	A+,A	EMIECS002K04	A++	FLDESO006G02	A+,A,B,C,D,E	FIIEAP150D01	A+,A,B,C,D	LOSEPT175L01	A+,A,B,C,D
DSKEPL053C05	A++	EMIECS002K05	A++	FLDESO006G03	A+,A,B,C,D,E	FIOEAP150D01	A+,A,B,C,D	LOSEPT175C02	A+,A
DSKEPL053L05	A++	EMIECS003K11	A+,A,B,C,D	FLDESO006G04	A+,A,B,C,D,E	FIIEPA150D02	A+,A,B,C,D	LOSEPT175L02	A+,A
DSKEPL053T05	A++	EMIECS003K14	A+,A,B,C,D	FLDESO006G05	A+,A,B,C,D,E	FIOEPA150D02	A+,A,B,C,D	LOSESO130C01	A+,A,B,C,D
DSKEPL053C06	A++	EMIECS003K15	A+,A,B,C,D	FLDESO006G06	A+,A,B,C,D,E	FYIEAP150D01	A+,A,B,C,D	LOSESO130L01	A+,A,B,C,D
DSKEPL053L06	A++	EMIECS003K01	A++	FLDESO012G01	A+,A,B,C,D,E	FYOEAP150D01	A+,A,B,C,D	LOSESO130C02	A+,A,B,C,D
DSKEPL053T06	A++	EMIECS003K04	A++	FLDESO012G02	A+,A,B,C,D,E	FYIEPA150D02	A+,A,B,C,D	LOSESO130L02	A+,A,B,C,D
DSKETA065C01	A+,A,B,C,D	EMIECS003K05	A++	FLDESO012G03	A+,A,B,C,D,E	FYOEPA150D02	A+,A,B,C,D	LOTESO016P01	A+,A,B,C,D
DSKETA065C02	A+,A,B,C,D	EVAESO011H01	A+,A,B,C,D	FLDESO012G04	A+,A,B,C,D,E	ICIESO022G01	A+,A,B,C,D	LOTESO016R01	A+,A,B,C,D
DSKEPT155C01	A+,A,B,C,D	EVAESO011N01	A+,A,B,C,D	FLDESO012G05	A+,A,B,C,D,E	ICIESO022G02	A+,A,B,C,D	LOTESO043P01	A+,A,B,C,D
DSKEPT155C02	A+,A,B,C,D	EVAESO011H11	A+,A,B,C,D	FLDESO012G06	A+,A,B,C,D,E	ICIESO050G01	A+,A,B,C,D	LOTESO043R01	A+,A,B,C,D
DSKEPT175C01	A+,A,B,C,D	EVAESO011N11	A+,A,B,C,D	FLDEPL003G01	A+,A,B,C,D,E	ICOESO050G01	A+,A,B,C,D	LOTESP060P01	A+,A,B,C,D
DSKEPT175C02	A+,A,B,C,D	EVAESO018H01	A+,A,B,C,D	FLDEPL003G02	A+,A,B,C,D,E	ICIESO050G02	A+,A,B,C,D	LOTESP060P02	A+,A
DSKETA065T01	A+,A,B,C,D	EVAESO018N01	A+,A,B,C,D	FLDEPL003G03	A+,A,B,C,D,E	ICOESO050G02	A+,A,B,C,D	LOTESP060P03	A+,A
DSKETA065T02	A+,A,B,C,D	EVAESO018H11	A+,A,B,C,D	FLDEPL003G04	A+,A,B,C,D,E	ICIESO075G01	A+,A,B,C,D	LOTESP060P04	A+,A
DSKEPT155T01	A+,A,B,C,D	EVAESO018N11	A+,A,B,C,D	FLDEPL003G05	A+,A,B,C,D,E	ICOESO075G01	A+,A,B,C,D	LOTESP060R01	A+,A,B,C,D
DSKEPT155T02	A+,A,B,C,D	EVAESO027H01	A+,A,B,C,D	FLDEPL003G06	A+,A,B,C,D,E	ICIESO075G02	A+,A,B,C,D	LOTESP060R02	A+,A
DSKEPT175T01	A+,A,B,C,D	EVAESO027N01	A+,A,B,C,D	FLDEPL006G01	A+,A,B,C,D,E	ICOESO075G02	A+,A,B,C,D	LOTESP060R03	A+,A
DSKEPT175T02	A+,A,B,C,D	EVAESO027H11	A+,A,B,C,D	FLDEPL006G02	A+,A,B,C,D,E	ICIESO100G01	A+,A,B,C,D	LOTESP060R04	A+,A
EASEPT190G01	A++	EVAESO027N11	A+,A,B,C,D	FLDEPL006G03	A+,A,B,C,D,E	ICOESO100G01	A+,A,B,C,D	LOTESP080P01	A+,A,B,C,D
EASEPT190G02	A++	EVAESO037H01	A+,A,B,C,D	FLDEPL006G04	A+,A,B,C,D,E	ICIESO100G02	A+,A,B,C,D	LOTESP080P02	A+,A
ELLESO060M01	A+,A,B,C,D	EVAESO037H11	A+,A,B,C,D	FLDEPL006G05	A+,A,B,C,D,E	ICIESO100G02	A+,A,B,C,D	LOTESP080P03	A+,A
ELLESO060C01	A+,A,B,C,D	EVAESO037N01	A+,A,B,C,D	FLDEPL006G06	A+,A,B,C,D,E	ICIETA050G01	A+,A,B,C,D	LOTESP080P04	A+,A
ELLESO060P01	A+,A,B,C,D	EVAESO037N11	A+,A,B,C,D	FLDEPL012G01	A+,A,B,C,D,E	ICOETA050G01	A+,A,B,C,D	LOTESP080R01	A+,A,B,C,D
ELLESO060R01	A+,A,B,C,D	EVAECM011H61	A+,A,B,C,D	FLDEPL012G02	A+,A,B,C,D,E	ICIETA050G02	A+,A,B,C,D	LOTESP080R02	A+,A
ELLESO060T01	A+,A,B,C,D	EVAECM011N61	A+,A,B,C,D	FLDEPL012G03	A+,A,B,C,D,E	ICOETA050G02	A+,A,B,C,D	LOTESP080R03	A+,A
ELLESO080M01	A+,A,B,C,D	FLDEPL012G04	A+,A,B,C,D,E	FLDEPL012G04	A+,A,B,C,D,E	IBIESO050G01	A+,A,B,C,D	LOTESP080R04	A+,A
ELLESO080C01	A+,A,B,C,D	FLDEPL012G05	A+,A,B,C,D,E	FLDEPL012G05	A+,A,B,C,D,E	IBOESO050G01	A+,A,B,C,D	LOTESP100P01	A+,A,B,C,D
ELLESO080P01	A+,A,B,C,D	FLDEPL012G06	A+,A,B,C,D,E	FLDEPL012G06	A+,A,B,C,D,E	IBIESO050G02	A+,A,B,C,D	LOTESP100P02	A+,A
ELLESO080R01	A+,A,B,C,D	FLOESO001P01	A+,A,B,C,D	FLOESO001P01	A+,A,B,C,D	IBOESO050G02	A+,A,B,C,D	LOTESP100P03	A+,A
ELLESO080T01	A+,A,B,C,D	FLOESO001R01	A+,A,B,C,D	FLOESO001R01	A+,A,B,C,D	IBIESO060G01	A+,A,B,C,D	LOTESP100P04	A+,A
EMIETP022K11	A+,A,B,C,D	FLOESO003P01	A+,A,B,C,D	FLOESO003P01	A+,A,B,C,D	IBOESO060G01	A+,A,B,C,D	LOTESP100R01	A+,A,B,C,D
EMIETP022K14	A+,A,B,C,D	FLOEPL003P01	A+,A,B,C,D	FLOEPL003R01	A+,A,B,C,D	IBIESO060G02	A+,A,B,C,D	LOTESP100R02	A+,A
EMIETP022K15	A+,A,B,C,D	FLOEPL003R01	A+,A,B,C,D	FLOEPL003R01	A+,A,B,C,D	IBOESO060G02	A+,A,B,C,D	LOTESP100R03	A+,A
EMIETP022K01	A++	FLOESO006P01	A+,A,B,C,D	FLOESO006P01	A+,A,B,C,D	IBIESO075G01	A+,A,B,C,D	LOTESP100R04	A+,A
EMIETP022K04	A++	FLOESO006R01	A+,A,B,C,D	FLOESO006R01	A+,A,B,C,D	IBOESO075G01	A+,A,B,C,D	LOTESP100P05	A+,A
EMIETP022K05	A++	FLOEPL006R01	A+,A,B,C,D	FLOEPL006R01	A+,A,B,C,D	IBIESO075G02	A+,A,B,C,D	LOTESP100P06	A+,A
EMIESO022K11	A+,A,B,C,D	FLOESO012P01	A+,A,B,C,D	FLOESO012P01	A+,A,B,C,D	IBOESO075G02	A+,A,B,C,D	LOTESP100P07	A+,A
EMIESO022K14	A+,A,B,C,D	FLOEPL012R01	A+,A,B,C,D	FLOEPL012R01	A+,A,B,C,D	IBIESO090G01	A+,A,B,C,D	LOTESP100R05	A+,A
EMIESO022K15	A+,A,B,C,D	FLOEAP002P01	A+,A,B,C,D	FLOEAP002R01	A+,A,B,C,D	IBOESO090G01	A+,A,B,C,D	LOTESP100R06	A+,A
EMIESO022K01	A++	FLOEAP002R01	A+,A,B,C,D	FIIESO150D01	A+,A,B,C,D	IBIESO090G02	A+,A,B,C,D	LOTESP100R07	A+,A
EMIESO022K04	A++	FIIESO150D01	A+,A,B,C,D	FIOESO150D01	A+,A,B,C,D	IBOESO090G02	A+,A,B,C,D	LOTESP140P01	A+,A,B,C,D
EMIESO022K05	A++	FIOESO150D01	A+,A,B,C,D	FIOESO150D01	A+,A,B,C,D	LOSETP032C01	A+,A,B,C,D	LOTESP100P02	A+,A
EMIECS002K11	A+,A,B,C,D	FLDESO006G01	A+,A,B,C,D,E	FLDESO006G01	A+,A,B,C,D,E	LOSETP032L01	A+,A,B,C,D	LOTESP140P03	A+,A
EMIECS002K14	A+,A,B,C,D					LOSETA046C01	A+,A,B,C,D	LOTESP140P04	A+,A
EMIECS002K15	A+,A,B,C,D					LOSETA046L01	A+,A,B,C,D	LOTESP140R01	A+,A,B,C,D
EMIECS002K01	A++					LOSEPT175C01	A+,A,B,C,D	LOTESP140R02	A+,A

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
LOTESP140R03	A+,A	LUCETA068P03	A+,A,B,C,D	MILESO080P01	A+,A,B,C,D	MILESP060P06	A+,A	MOEESO100R03	A+,A
LOTESP140R04	A+,A	LUCETA068R01	A+,A,B,C,D	MILESO080R01	A+,A,B,C,D	MILESP060P07	A+,A	MOEESO100P04	A++,
LOTEAP016P01	A+,A,B,C,D	LUCETA068R02	A+,A,B,C,D	MILESP080C01	A+,A,B,C,D	MILESP060R01	A+,A,B,C,D	MOEESO100P06	A++,
LOTEAP016P02	A+,A,B,C,D	LUCETA068R03	A+,A,B,C,D	MILESP080C02	A+,A	MILESP060R02	A+,A	MOEESO100R04	A++,
LOTEAP016R01	A+,A,B,C,D	LUCEPT150C01	A+,A,B,C,D	MILESP080C03	A+,A	MILESP060R03	A+,A	MOEESO100R06	A++,
LOTEAP016R02	A+,A,B,C,D	LUCEPT150C02	A+,A,B,C,D	MILESP080C04	A+,A	MILESP060R04	A+,A	MOEAP100P01	A+,A
LUCETP042C01	A+,A,B,C,D	LUCEPT150C03	A+,A,B,C,D	MILESP080P01	A+,A,B,C,D	MILESP060R05	A+,A	MOEAP100P02	A+,A
LUCETP042C02	A+,A,B,C,D	LUCEPT150P01	A+,A,B,C,D	MILESP080P02	A+,A	MILESP060R06	A+,A	MOEAP100P03	A+,A
LUCETP042C03	A+,A,B,C,D	LUCEPT150P02	A+,A,B,C,D	MILESP080P03	A+,A	MILESP060R07	A+,A	MOEAP100R01	A+,A
LUCETP042P01	A+,A,B,C,D	LUCEPT150P03	A+,A,B,C,D	MILESP080P04	A+,A	MILESP120C01	A+,A,B,C,D	MOEAP100R02	A+,A
LUCETP042P02	A+,A,B,C,D	LUCEPT150R01	A+,A,B,C,D	MILESP080R01	A+,A,B,C,D	MILESP120C02	A+,A	MOEAP100R03	A+,A
LUCETP042P03	A+,A,B,C,D	LUCEPT150R02	A+,A,B,C,D	MILESP080R02	A+,A	MILESP120C03	A+,A	MOEAP100P04	A++,
LUCETP042R01	A+,A,B,C,D	LUCEPT150R03	A+,A,B,C,D	MILESP080R03	A+,A	MILESP120C04	A+,A	MOEAP100P06	A++,
LUCETP042R02	A+,A,B,C,D	LUCEPT180C01	A+,A,B,C,D	MILESP080R04	A+,A	MILESP120C05	A+,A	MOEAP100R04	A++,
LUCETP042R03	A+,A,B,C,D	LUCEPT180C02	A+,A,B,C,D	MILESP080R05	A+,A	MILESP120C06	A+,A	MOEAP100R06	A++,
LUCECN056C01	A+,A,B,C,D	LUCEPT180C03	A+,A,B,C,D	MILESP080R06	A+,A	MILESP120C07	A+,A	MOEESO120P01	A+,A
LUCECN056C02	A+,A,B,C,D	LUCEPT180P01	A+,A,B,C,D	MILESP080R07	A+,A	MILESP120P01	A+,A,B,C,D	MOEESO120P02	A+,A
LUCECN056C03	A+,A,B,C,D	LUCEPT180P02	A+,A,B,C,D	MILESP080R08	A+,A	MILESP120P02	A+,A	MOEESO120P03	A+,A
LUCECN056P01	A+,A,B,C,D	LUCEPT180P03	A+,A,B,C,D	MILESP080R09	A+,A	MILESP120P03	A+,A	MOEESO120R01	A+,A
LUCECN056P02	A+,A,B,C,D	LUCEPT180R01	A+,A,B,C,D	MILESP080R10	A+,A	MILESP120P04	A+,A	MOEESO120R02	A+,A
LUCECN056P03	A+,A,B,C,D	LUCEPT180R02	A+,A,B,C,D	MILESP080R11	A+,A	MILESP120P05	A+,A	MOEESO120R03	A+,A
LUCECN056R01	A+,A,B,C,D	LUCEPT180R03	A+,A,B,C,D	MILESP080R12	A+,A	MILESP120P06	A+,A	MOEESO120P04	A++,
LUCECN056R02	A+,A,B,C,D	LUCEAP017C01	A+,A,B,C,D	MILESP080R13	A+,A	MILESP120P07	A+,A	MOEESO120P06	A++,
LUCECN056R03	A+,A,B,C,D	LUCEAP017C02	A+,A,B,C,D	MILESP080R14	A+,A	MILESP120R01	A+,A,B,C,D	MOEESO120R04	A++,
LUCEOF052C01	A+,A,B,C,D	LUCEAP017C03	A+,A,B,C,D	MILESP080R15	A+,A	MILESP120R02	A+,A	MOEESO120R06	A++,
LUCEOF052C02	A+,A,B,C,D	LUCEAP017P01	A+,A,B,C,D	MILESP080R16	A+,A	MILESP120R03	A+,A	MOEAP120P01	A+,A
LUCEOF052C03	A+,A,B,C,D	LUCEAP017P02	A+,A,B,C,D	MILESP080R17	A+,A	MILESP120R04	A+,A	MOEAP120P02	A+,A
LUCEOF052P01	A+,A,B,C,D	LUCEAP017P03	A+,A,B,C,D	MILESP080R18	A+,A	MILESP120R05	A+,A	MOEAP120P03	A+,A
LUCEOF052P02	A+,A,B,C,D	LUCEAP017R01	A+,A,B,C,D	MILESP080R19	A+,A	MILESP120R06	A+,A	MOEAP120R01	A+,A
LUCEOF052P03	A+,A,B,C,D	LUCEAP017R02	A+,A,B,C,D	MILESP080R20	A+,A	MILESP120R07	A+,A	MOEAP120R02	A+,A
LUCEOF052R01	A+,A,B,C,D	LUCEAP017R03	A+,A,B,C,D	MILESP080R21	A+,A	MILESP150P01	A+,A,B,C,D	MOEAP120R03	A+,A
LUCEOF052R02	A+,A,B,C,D	LUCEAP017C06	A+,A,B,C,D	MILESP080R22	A+,A	MILESP150P02	A+,A	MOEAP120P04	A++,
LUCEOF052R03	A+,A,B,C,D	LUCEAP017C07	A+,A,B,C,D	MILESP080R23	A+,A	MILESP150P03	A+,A	MOEAP120P06	A++,
LUCEOF052C06	A+,A,B,C,D	LUCEAP017C08	A+,A,B,C,D	MILESP080R24	A+,A	MILESP150P04	A+,A	MOEAP120R04	A++,
LUCEOF052C07	A+,A,B,C,D	LUCEAP017P06	A+,A,B,C,D	MILESP080R25	A+,A	MILESP150R01	A+,A,B,C,D	MOEAP120R06	A++,
LUCEOF052C08	A+,A,B,C,D	LUCEAP017P07	A+,A,B,C,D	MILESP080R26	A+,A	MILESP150R02	A+,A	MOEESO150P01	A+,A
LUCEOF052P06	A+,A,B,C,D	LUCEAP017P08	A+,A,B,C,D	MILESP080R27	A+,A	MILESP150R03	A+,A	MOEESO150P02	A+,A
LUCEOF052P07	A+,A,B,C,D	LUCEAP017R06	A+,A,B,C,D	MILESP080R28	A+,A	MILESP150R04	A+,A	MOEESO150P03	A+,A
LUCEOF052P08	A+,A,B,C,D	LUCEAP017R07	A+,A,B,C,D	MILESP080R29	A+,A	MYIEPT190M01	A++,	MOEESO150R01	A+,A
LUCEOF052R06	A+,A,B,C,D	LUCEAP017R08	A+,A,B,C,D	MILESP080R30	A+,A	MYIEPT190M02	A++,	MOEESO150R02	A+,A
LUCEOF052R07	A+,A,B,C,D	MILESE040C01	A+,A,B,C,D	MILESP080R31	A+,A	MYOEPT190M01	A++,	MOEESO150R03	A+,A
LUCEOF052R08	A+,A,B,C,D	MILESE040P01	A+,A,B,C,D	MILESP080R32	A+,A	MYOEPT190M02	A++,	MOEESO150P04	A++,
LUCETA068C01	A+,A,B,C,D	MILESE040R01	A+,A,B,C,D	MILESP080R33	A+,A	MOEESO100P01	A+,A	MOEESO150P06	A++,
LUCETA068C02	A+,A,B,C,D	MILESP040C01	A+,A,B,C,D	MILESP080R34	A+,A	MOEESO100P02	A+,A	MOEESO150R04	A++,
LUCETA068C03	A+,A,B,C,D	MILESP040P01	A+,A,B,C,D	MILESP080R35	A+,A	MOEESO100P03	A+,A	MOEESO150R06	A++,
LUCETA068P01	A+,A,B,C,D	MILESP040R01	A+,A,B,C,D	MILESP080R36	A+,A	MOEESO100R01	A+,A	MOEAP150P01	A+,A
LUCETA068P02	A+,A,B,C,D	MILESO080C01	A+,A,B,C,D	MILESP080R37	A+,A	MOEESO100R02	A+,A	MOEAP150P02	A+,A

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
MOOEAP150P03	A+,A	MBLESO045M80	A+,A,B,C,D	OTTESP100P05	A+,A,B,C,D	OTTEAP100V06	A++	OTPEAP150V03	A+,A
MOOEAP150R01	A+,A	OPEESP090C01	A+,A,B,C,D	OTTESP100R05	A+,A,B,C,D	OTTEAP100P06	A++	OTPEAP150P03	A+,A
MOOEAP150R02	A+,A	OPEESP090C02	A+,A	OTTESP100T05	A+,A,B,C,D	OTTEAP100R06	A++	OTPEAP150R03	A+,A
MOOEAP150R03	A+,A	OPEESP090C03	A+,A	OTTESP100C02	A+,A	OTTEAP100T06	A++	OTPEAP150T03	A+,A
MOOEAP150P04	A++	OPEESP090C04	A+,A	OTTESP100V02	A+,A	OTTEAP100C08	A++	OTPEAP150C04	A+,A
MOOEAP150P06	A++	OPEESP090P01	A+,A,B,C,D	OTTESP100P02	A+,A	OTTEAP100P08	A++	OTPEAP150V04	A+,A
MOOEAP150R04	A++	OPEESP090P02	A+,A	OTTESP100R02	A+,A	OTTEAP100R08	A++	OTPEAP150P04	A+,A
MOOEAP150R06	A++	OPEESP090P03	A+,A	OTTESP100T02	A+,A	OTTEAP100T08	A++	OTPEAP150R04	A+,A
MBLESO025M10	A+,A,B,C,D	OPEESP090P04	A+,A	OTTESP100C03	A+,A	OTPEAP150C05	A+,A,B,C,D	OTPEAP150T04	A+,A
MBLESO025M20	A+,A,B,C,D	OPEESP090R01	A+,A,B,C,D	OTTESP100V03	A+,A	OTPEAP150V05	A+,A,B,C,D	OTPEAP150C06	A++
MBLESO025M30	A+,A,B,C,D	OPEESP090R02	A+,A	OTTESP100P03	A+,A	OTPEAP150P05	A+,A,B,C,D	OTPEAP150P06	A++
MBLESO025M40	A+,A,B,C,D	OPEESP090R03	A+,A	OTTESP100R03	A+,A	OTPEAP150R05	A+,A,B,C,D	OTPEAP150R06	A++
MBLESO025M50	A+,A,B,C,D	OPEESP090R04	A+,A	OTTESP100T03	A+,A	OTPEAP150T05	A+,A,B,C,D	OTPEAP150T06	A++
MBLESO025M60	A+,A,B,C,D	OPEESP120C01	A+,A,B,C,D	OTTESP100C04	A+,A	OTPEAP150C02	A+,A	OTPEAP150C08	A++
MBLESO025M70	A+,A,B,C,D	OPEESP120C02	A+,A	OTTESP100V04	A+,A	OTPEAP150V02	A+,A	OTPEAP150P08	A++
MBLESO025M80	A+,A,B,C,D	OPEESP120C03	A+,A	OTTESP100P04	A+,A	OTPEAP150P02	A+,A	OTPEAP150R08	A++
MBLESO030M10	A+,A,B,C,D	OPEESP120C04	A+,A	OTTESP100R04	A+,A	OTPEAP150R02	A+,A	OTPEAP150T08	A++
MBLESO030M20	A+,A,B,C,D	OPEESP120P01	A+,A,B,C,D	OTTESP100T04	A+,A	OTPEAP150T02	A+,A	QUAESO050C01	A+,A,B,C,D
MBLESO030M30	A+,A,B,C,D	OPEESP120P02	A+,A	OTTESP100C06	A++	OTPEAP150C03	A+,A	QUAESO050P01	A+,A,B,C,D
MBLESO030M40	A+,A,B,C,D	OPEESP120P03	A+,A	OTTESP100P06	A++	OTPEAP150V03	A+,A	QUAESO050R01	A+,A,B,C,D
MBLESO030M50	A+,A,B,C,D	OPEESP120P04	A+,A	OTTESP100R06	A++	OTPEAP150P03	A+,A	QUAESP050C01	A+,A,B,C,D
MBLESO030M60	A+,A,B,C,D	OPEESP120R01	A+,A,B,C,D	OTTESP100T06	A++	OTPEAP150R03	A+,A	QUAESP050C02	A+,A
MBLESO030M70	A+,A,B,C,D	OPEESP120R02	A+,A	OTTESP100C08	A++	OTPEAP150T03	A+,A	QUAESP050C03	A+,A
MBLESO030M80	A+,A,B,C,D	OPEESP120R03	A+,A	OTTESP100P08	A++	OTPEAP150C04	A+,A	QUAESP050C04	A+,A
MBLESO035M10	A+,A,B,C,D	OPEESP120R04	A+,A	OTTESP100R08	A++	OTPEAP150V04	A+,A	QUAESP050P01	A+,A,B,C,D
MBLESO035M20	A+,A,B,C,D	ORBESO025M01	A++	OTTESP100T08	A++	OTPEAP150P04	A+,A	QUAESP050P02	A+,A
MBLESO035M30	A+,A,B,C,D	ORBESO025M02	A++	OTTEAP100C05	A+,A,B,C,D	OTPEAP150R04	A+,A	QUAESP050P03	A+,A
MBLESO035M40	A+,A,B,C,D	ORBESO025M03	A++	OTTEAP100V05	A+,A,B,C,D	OTPEAP150T04	A+,A	QUAESP050P04	A+,A
MBLESO035M50	A+,A,B,C,D	ORBESO025M04	A++	OTTEAP100P05	A+,A,B,C,D	OTPEAP150C06	A++	QUAESP050R01	A+,A,B,C,D
MBLESO035M60	A+,A,B,C,D	ORBESO025M05	A++	OTTEAP100R05	A+,A,B,C,D	OTPEAP150P06	A++	QUAESP050R02	A+,A
MBLESO035M70	A+,A,B,C,D	ORBES002M01	A++	OTTEAP100T05	A+,A,B,C,D	OTPEAP150R06	A++	QUAESP050R03	A+,A
MBLESO035M80	A+,A,B,C,D	ORBES002M02	A++	OTTEAP100C02	A+,A	OTPEAP150T06	A++	QUAESP050R04	A+,A
MBLESO040M10	A+,A,B,C,D	ORBES002M03	A++	OTTEAP100V02	A+,A	OTPEAP150C08	A++	QUAEPL050C01	A+,A,B,C,D
MBLESO040M20	A+,A,B,C,D	ORBES002M04	A++	OTTEAP100P02	A+,A	OTPEAP150P08	A++	QUAEPL050C02	A+,A
MBLESO040M30	A+,A,B,C,D	ORBES002M05	A++	OTTEAP100R02	A+,A	OTPEAP150R08	A++	QUAEPL050C03	A+,A
MBLESO040M40	A+,A,B,C,D	ORBECM003M01	A++	OTTEAP100T02	A+,A	OTPEAP150T08	A++	QUAEPL050C04	A+,A
MBLESO040M50	A+,A,B,C,D	ORBECM003M02	A++	OTTEAP100C03	A+,A	OTPEAP150C05	A+,A,B,C,D	QUAEPL050P01	A+,A,B,C,D
MBLESO040M60	A+,A,B,C,D	ORBECM003M03	A++	OTTEAP100V03	A+,A	OTPEAP150V05	A+,A,B,C,D	QUAEPL050P02	A+,A
MBLESO040M70	A+,A,B,C,D	ORBECM003M04	A++	OTTEAP100P03	A+,A	OTPEAP150P05	A+,A,B,C,D	QUAEPL050P03	A+,A
MBLESO040M80	A+,A,B,C,D	ORBECM003M05	A++	OTTEAP100R03	A+,A	OTPEAP150R05	A+,A,B,C,D	QUAEPL050P04	A+,A
MBLESO045M10	A+,A,B,C,D	ORBECM006M01	A++	OTTEAP100T03	A+,A	OTPEAP150T05	A+,A,B,C,D	QUAEPL050R01	A+,A,B,C,D
MBLESO045M20	A+,A,B,C,D	ORBECM006M02	A++	OTTEAP100C04	A+,A	OTPEAP150C02	A+,A	QUAEPL050R02	A+,A
MBLESO045M30	A+,A,B,C,D	ORBECM006M03	A++	OTTEAP100V04	A+,A	OTPEAP150V02	A+,A	QUAEPL050R03	A+,A
MBLESO045M40	A+,A,B,C,D	ORBECM006M04	A++	OTTEAP100P04	A+,A	OTPEAP150P02	A+,A	QUAEPL050R04	A+,A
MBLESO045M50	A+,A,B,C,D	ORBECM006M05	A++	OTTEAP100R04	A+,A	OTPEAP150R02	A+,A	QUAESO070C01	A+,A,B,C,D
MBLESO045M60	A+,A,B,C,D	OTTESP100C05	A+,A,B,C,D	OTTEAP100T04	A+,A	OTPEAP150T02	A+,A	QUAESO070P01	A+,A,B,C,D
MBLESO045M70	A+,A,B,C,D	OTTESP100V05	A+,A,B,C,D	OTTEAP100C06	A++	OTPEAP150C03	A+,A	QUAESO070R01	A+,A,B,C,D

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
QUAESP070C01	A+,A,B,C,D	QUAEPL100C03	A+,A	RETESP120R03	A+,A	RESESP050C01	A+,A,B,C,D	RESESP100R04	A+,A
QUAESP070C02	A+,A	QUAEPL100C04	A+,A	RETESP120R04	A+,A	RESESP050C02	A+,A	RESESP100C05	A++,
QUAESP070C03	A+,A	QUAEPL100P01	A+,A,B,C,D	RETESP150P02	A+,A	RESESP050C03	A+,A	RESESP100C07	A++,
QUAESP070C04	A+,A	QUAEPL100P02	A+,A	RETESP150P03	A+,A	RESESP050C04	A+,A	RESESP100P05	A++,
QUAESP070P01	A+,A,B,C,D	QUAEPL100P03	A+,A	RETESP150P04	A+,A	RESESP050P01	A+,A,B,C,D	RESESP100P07	A++,
QUAESP070P02	A+,A	QUAEPL100P04	A+,A	RETESP150R02	A+,A	RESESP050P02	A+,A	RESESP100R05	A++,
QUAESP070P03	A+,A	QUAEPL100R01	A+,A,B,C,D	RETESP150R03	A+,A	RESESP050P03	A+,A	RESESP100R07	A++,
QUAESP070P04	A+,A	QUAEPL100R02	A+,A	RETESP150R04	A+,A	RESESP050P04	A+,A	RESEPL100C01	A+,A,B,C,D
QUAESP070R01	A+,A,B,C,D	QUAEPL100R03	A+,A	RETESP300P02	A+,A	RESESP050R01	A+,A,B,C,D	RESEPL100C02	A+,A
QUAESP070R02	A+,A	QUAEPL100R04	A+,A	RETESP300P03	A+,A	RESESP050R02	A+,A	RESEPL100C03	A+,A
QUAESP070R03	A+,A	QUAEPL100C05	A+,A	RETESP300P04	A+,A	RESESP050R03	A+,A	RESEPL100C04	A+,A
QUAESP070R04	A+,A	QUAEPL100C06	A+,A	RETESP300R02	A+,A	RESESP050R04	A+,A	RESEPL100P01	A+,A,B,C,D
QUAEPL070C01	A+,A,B,C,D	QUAEPL100C07	A+,A	RETESP300R03	A+,A	RESESP050C05	A++,	RESEPL100P02	A+,A
QUAEPL070C02	A+,A	QUAEPL100P05	A+,A	RETESP300R04	A+,A	RESESP050C07	A++,	RESEPL100P03	A+,A
QUAEPL070C03	A+,A	QUAEPL100P06	A+,A	RETEAP025C01	A+,A,B,C,D	RESESP050P05	A++,	RESEPL100P04	A+,A
QUAEPL070C04	A+,A	QUAEPL100P07	A+,A	RETEAP025P01	A+,A,B,C,D	RESESP050P07	A++,	RESEPL100R01	A+,A,B,C,D
QUAEPL070P01	A+,A,B,C,D	QUAEPL100R05	A+,A	RETEAP025R01	A+,A,B,C,D	RESESP050R05	A++,	RESEPL100R02	A+,A
QUAEPL070P02	A+,A	QUAEPL100R06	A+,A	RETEAP025C02	A+,A,B,C,D	RESESP050R07	A++,	RESEPL100R03	A+,A
QUAEPL070P03	A+,A	QUAEPL100R07	A+,A	RETEAP025P02	A+,A,B,C,D	RESEPL050C01	A+,A,B,C,D	RESEPL100R04	A+,A
QUAEPL070P04	A+,A	QUAEAP024C01	A+,A,B,C,D	RETEAP025R02	A+,A,B,C,D	RESEPL050C02	A+,A	RESEPL100C05	A++,
QUAEPL070R01	A+,A,B,C,D	QUAEAP024P01	A+,A,B,C,D	RETEAP040C01	A+,A,B,C,D	RESEPL050C03	A+,A	RESEPL100C07	A++,
QUAEPL070R02	A+,A	QUAEAP024R01	A+,A,B,C,D	RETEAP040P01	A+,A,B,C,D	RESEPL050C04	A+,A	RESEPL100P05	A++,
QUAEPL070R03	A+,A	QUAEAP040C01	A+,A,B,C,D	RETEAP040R01	A+,A,B,C,D	RESEPL050P01	A+,A,B,C,D	RESEPL100P07	A++,
QUAEPL070R04	A+,A	QUAEAP040P01	A+,A,B,C,D	RETEAP040C02	A+,A,B,C,D	RESEPL050P02	A+,A	RESEPL100R05	A++,
QUAESP100C01	A+,A,B,C,D	QUAEAP040R01	A+,A,B,C,D	RETEAP040P02	A+,A,B,C,D	RESEPL050P03	A+,A	RESEPL100R07	A++,
QUAESP100C02	A+,A	RETESP090C01	A+,A,B,C,D	RETEAP040R02	A+,A,B,C,D	RESEPL050P04	A+,A	RESESP150C01	A+,A,B,C,D
RETESP090C03	A+,A	RETESP090C02	A+,A	RETEAP060C01	A+,A,B,C,D	RESEPL050R01	A+,A,B,C,D	RESESP150C02	A+,A
QUAESP100C04	A+,A	RETESP090C03	A+,A	RETEAP060P01	A+,A,B,C,D	RESEPL050R02	A+,A	RESESP150C03	A+,A
QUAESP100P01	A+,A,B,C,D	RETESP090C04	A+,A	RETEAP060R01	A+,A,B,C,D	RESEPL050R03	A+,A	RESESP150C04	A+,A
QUAESP100P02	A+,A	RETESP090P01	A+,A,B,C,D	RETEAP160C01	A+,A	RESEPL050R04	A+,A	RESESP150P01	A+,A,B,C,D
QUAESP100P03	A+,A	RETESP090P02	A+,A	RETEAP160C02	A+,A	RESEPL050C05	A++,	RESESP150P02	A+,A
QUAESP100P04	A+,A	RETESP090P03	A+,A	RETEAP160C03	A+,A	RESEPL050C07	A++,	RESESP150P03	A+,A
QUAESP100R01	A+,A,B,C,D	RETESP090P04	A+,A	RETEAP160C07	A+,A	RESEPL050P05	A++,	RESESP150P04	A+,A
QUAESP100R02	A+,A	RETESP090R01	A+,A,B,C,D	RETEAP160C08	A+,A	RESEPL050P07	A++,	RESESP150R01	A+,A,B,C,D
QUAESP100R04	A+,A	RETESP090R02	A+,A	RETEAP160C09	A+,A	RESEPL050R05	A++,	RESESP150R02	A+,A
QUAESP100R03	A+,A	RETESP090R03	A+,A	RETEAP160P01	A+,A	RESEPL050R07	A++,	RESESP150R03	A+,A
QUAESP100C05	A+,A	RETESP090R04	A+,A	RETEAP160P02	A+,A	RESESP100C01	A+,A,B,C,D	RESESP150R04	A+,A
QUAESP100C06	A+,A	RETEAP120C01	A+,A,B,C,D	RETEAP160P03	A+,A	RESESP100C02	A+,A	RESESP150C05	A++,
QUAESP100C07	A+,A	RETEAP120C02	A+,A	RETEAP160R01	A+,A	RESESP100C03	A+,A	RESESP150C07	A++,
QUAESP100P05	A+,A	RETEAP120C03	A+,A	RETEAP160R02	A+,A	RESESP100C04	A+,A	RESESP150P05	A++,
QUAESP100P06	A+,A	RETEAP120C04	A+,A	RETEAP160R03	A+,A	RESESP100P01	A+,A,B,C,D	RESESP150P07	A++,
QUAESP100P07	A+,A	RETESP120P01	A+,A,B,C,D	RETEAP160P07	A+,A	RESESP100P02	A+,A	RESESP150R05	A++,
QUAESP100R05	A+,A	RETESP120P02	A+,A	RETEAP160P08	A+,A	RESESP100P03	A+,A	RESESP150R07	A++,
QUAESP100R06	A+,A	RETESP120P03	A+,A	RETEAP160P09	A+,A	RESESP100P04	A+,A	RESEPL150C01	A+,A,B,C,D
QUAESP100R07	A+,A	RETESP120P04	A+,A	RETEAP160R07	A+,A	RESESP100R01	A+,A,B,C,D	RESEPL150C02	A+,A
QUAEPL100C01	A+,A,B,C,D	RETESP120R01	A+,A,B,C,D	RETEAP160R08	A+,A	RESESP100R02	A+,A	RESEPL150C03	A+,A
QUAEPL100C02	A+,A	RETESP120R02	A+,A	RETEAP160R09	A+,A	RESESP100R03	A+,A	RESEPL150C04	A+,A

Moduluce - EELc Product List Global

Energy Efficiency Label compatibility (EU Regulation 874/2012)

CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc	CODE	EELc
RESEPL150P01	A+,A,B,C,D	REAESO080P01	A+,A	RINESO085L03	A+,A	RITEAP110L06	A++	UMBESO060G11	A++
RESEPL150P02	A+,A	REAESO080P02	A+,A	RINESO085L04	A++	ROMETP045C01	A+,A,B,C,D	UMBESO060G12	A++
RESEPL150P03	A+,A	REAESO080P03	A+,A	RINESO085L06	A++	ROMETP045P01	A+,A,B,C,D	UMBESO060G13	A++
RESEPL150P04	A+,A	REAESO080R01	A+,A	RINEAP085L01	A+,A	ROMETP045R01	A+,A,B,C,D	UMBEPLO60G01	A++
RESEPL150R01	A+,A,B,C,D	REAESO080R02	A+,A	RINEAP085L02	A+,A	ROMETA070C01	A+,A,B,C,D	UMBEPLO60G02	A++
RESEPL150R02	A+,A	REAESO080R03	A+,A	RINEAP085L03	A+,A	ROMETA070P01	A+,A,B,C,D	UMBEPLO60G03	A++
RESEPL150R03	A+,A	REAESO080C04	A+,A	RINEAP085L04	A++	ROMETA070R01	A+,A,B,C,D	UMBEPLO60G11	A++
RESEPL150R04	A+,A	REAESO080C05	A+,A	RINEAP085L06	A++	ROMEPT160C01	A+,A,B,C,D	UMBEPLO60G12	A++
RESEPL150C05	A++	REAESO080C06	A+,A	RINESO125L01	A+,A	ROMEPT160P01	A+,A,B,C,D	UMBEPLO60G13	A++
RESEPL150C07	A++	REAESO080P04	A+,A	RINESO125L02	A+,A	ROMEPT160R01	A+,A,B,C,D	UMBESO080G01	A++
RESEPL150P05	A++	REAESO080P05	A+,A	RINESO125L03	A+,A	ROMEPT180C01	A+,A,B,C,D	UMBESO080G02	A++
RESEPL150P07	A++	REAESO080P06	A+,A	RINESO125L04	A++	ROMEPT180P01	A+,A,B,C,D	UMBESO080G03	A++
RESEPL150R05	A++	REAESO080R04	A+,A	RINESO125L06	A++	ROMEPT180R01	A+,A,B,C,D	UMBESO080G11	A++
RESEPL150R07	A++	REAESO080R05	A+,A	RINEAP125L01	A+,A	ROMEPT212C01	A+,A,B,C,D	UMBESO080G12	A++
REAESO060C01	A+,A	REAESO080R06	A+,A	RINEAP125L02	A+,A	ROMEPT212P01	A+,A,B,C,D	UMBESO080G13	A++
REAESO060C02	A+,A	REAESO080C07	A++	RINEAP125L03	A+,A	ROMEPT212R01	A+,A,B,C,D	UMBEPLO80G01	A++
REAESO060C03	A+,A	REAESO080C09	A++	RINEAP125L04	A++	ROMESO025C01	A+,A,B,C,D	UMBEPLO80G02	A++
REAESO060P01	A+,A	REAESO080P07	A++	RINEAP125L06	A++	ROMESP025C01	A+,A,B,C,D	UMBEPLO80G03	A++
REAESO060P02	A+,A	REAESO080P09	A++	RITESO065L01	A+,A	ROMESO025P01	A+,A,B,C,D	UMBEPLO80G11	A++
REAESO060P03	A+,A	REAESO080R07	A++	RITESO065L02	A+,A	ROMESP025P01	A+,A,B,C,D	UMBEPLO80G12	A++
REAESO060R01	A+,A	REAESO080R09	A++	RITESO065L03	A+,A	ROMESO025R01	A+,A,B,C,D	UMBEPLO80G13	A++
REAESO060R02	A+,A	REBESO080C01	A+,A	RITESO065L04	A++	ROMESP025R01	A+,A,B,C,D	UMBESO100G01	A++
REAESO060R03	A+,A	REBESO080C02	A+,A	RITESO065L06	A++	ROMESO040C01	A+,A,B,C,D	UMBESO100G02	A++
REAESO060C04	A++	REBESO080C03	A+,A	RITEAP065L01	A+,A	ROMESP040C01	A+,A,B,C,D	UMBESO100G03	A++
REAESO060C06	A++	REBESO080P01	A+,A	RITEAP065L02	A+,A	ROMESO040P01	A+,A,B,C,D	UMBESO100G11	A++
REAESO060P04	A++	REBESO080P02	A+,A	RITEAP065L03	A+,A	ROMESP040P01	A+,A,B,C,D	UMBESO100G12	A++
REAESO060P06	A++	REBESO080P03	A+,A	RITEAP065L04	A++	ROMESO040R01	A+,A,B,C,D	UMBESO100G13	A++
REAESO060R04	A++	REBESO080R01	A+,A	RITEAP065L06	A++	ROMESP040R01	A+,A,B,C,D	UMBEPLO100G01	A++
REAESO060R06	A++	REBESO080R02	A+,A	RITESO085L01	A+,A	ROMESO070C01	A+,A,B,C,D	UMBEPLO100G02	A++
REBESO060C01	A+,A	REBESO080R03	A+,A	RITESO085L02	A+,A	ROMESP070C01	A+,A,B,C,D	UMBEPLO100G03	A++
REBESO060C02	A+,A	REBESO080C04	A+,A	RITESO085L03	A+,A	ROMESP070C02	A+,A,B,C,D	UMBEPLO100G11	A++
REBESO060C03	A+,A	REBESO080C05	A+,A	RITESO085L04	A++	ROMESP070C03	A+,A	UMBEPLO100G12	A++
REBESO060P01	A+,A	REBESO080C06	A+,A	RITESO085L06	A++	ROMESP070C04	A+,A	UMBEPLO100G13	A++
REBESO060P02	A+,A	REBESO080P04	A+,A	RITEAP085L01	A+,A	ROMESP070C05	A+,A		
REBESO060P03	A+,A	REBESO080P05	A+,A	RITEAP085L02	A+,A	ROMESO070P01	A+,A,B,C,D		
REBESO060R01	A+,A	REBESO080P06	A+,A	RITEAP085L03	A+,A	ROMESP070P02	A+,A,B,C,D		
REBESO060R02	A+,A	REBESO080R04	A+,A	RITEAP085L04	A++	ROMESP070P03	A+,A		
REBESO060R03	A+,A	REBESO080R05	A+,A	RITEAP085L06	A++	ROMESP070P04	A+,A		
REBESO060C04	A++	REBESO080R06	A+,A	RITESO110L01	A+,A	ROMESP070P05	A+,A		
REBESO060C06	A++	REBESO080C07	A++	RITESO110L02	A+,A	ROMESO070R01	A+,A,B,C,D		
REBESO060P04	A++	REBESO080C09	A++	RITESO110L03	A+,A	ROMESP070R02	A+,A,B,C,D		
REBESO060P06	A++	REBESO080P07	A++	RITESO110L04	A++	ROMESP070R03	A+,A		
REBESO060R04	A++	REBESO080P09	A++	RITESO110L06	A++	ROMESP070R04	A+,A		
REBESO060R06	A++	REBESO080R07	A++	RITEAP110L01	A+,A	ROMESP070R05	A+,A		
REAESO080C01	A+,A	REBESO080R09	A++	RITEAP110L02	A+,A	UMBESO060G01	A++		
REAESO080C02	A+,A	RINESO085L01	A+,A	RITEAP110L03	A+,A	UMBESO060G02	A++		
REAESO080C03	A+,A	RINESO085L02	A+,A	RITEAP110L04	A++	UMBESO060G03	A++		

